

STRONG DRILL RESULTS CONTINUE AT MT GIBSON AND KARLAWINDA

Highlights

Mt Gibson Gold Project (MGGP)

- A total of 115,139 metres (727 holes) of RC resource definition and extension drilling completed in the 12 months ending 31 December 2022.
- Assays received from 160 holes since the last update continue to return exceptional results within and extensional to the current Mineral Resource Estimate (MRE) including:

Outside current MRE

- 9 metres @ 4.69g/t from 279 to 288m
- 8 metres @ 4.1g/t from 153 to 161m
- 6 metres @ 12.77g/t from 187 to 240m
- 10 metres @ 5.21g/t from 226 to 236m
- 22 metres @ 2.69g/t from 187 to 209m
- 13 metres @ 1.25g/t from 243 to 256m

Within current MRE

- 50 metres @ 2.01g/t from 136 to 186m
 - 8 metres @ 14.51g/t from 203 to 211m
 - 18 metres @ 4.16g/t from 198 to 116m
 - 17 metres @ 9.16g/t from 228 to 245m
 - 11 metres @ 5.94g/t from 212 to 223m
 - 11 metres @ 6.07g/t from 150 to 161m
 - 19 metres @ 4.30g/t from 220 to 239m
 - 12 metres @ 5.30g/t from 111 to 123m
- Drilling on the unmined Saratoga, Lexington Waste Dump and Orion North trends (on the eastern margin of the main Gibson trend) continues to define zones of high-grade within and extensional to the current resource shell.
 - Drilling programmes for water exploration and sterilisation for project infrastructure now completed.
 - First pass regional exploration east of the Mt Gibson trend provides encouraging results including:
 - 8 metres @ 4.70g/t from 84 to 92m
 - 4 metres @ 2.80g/t from 153 to 161m
 - 4 metres @ 2.73g/t from 32 to 36m
 - First pass regional AC and RC drilling programmes across a number of high priority target areas commenced in early January 2023.
 - Results from 2022 drilling programme resulted in a 32% increase in the MRE in November 2022 from 2,083,000 ounces to 2,755,000 ounces with maiden Ore Reserve Estimate (ORE) expected in the March 2023 quarter.

Karlawinda Gold Project (KGP)

- Drilling continued on near mine prospect Carnoustie with 10 RC holes (2,148 metres) and 31 Aircore holes (2,072 metres) drilled in the December 2022 quarter, assay results expected in the March 2023 quarter.
- Encouraging 1m split gold results from previous near mine drilling at the Muirfield and newly identified Vedas prospect received since the last update including:

Muirfield

- 2 metres @ 15.25g/t from 117 to 119m • 1 metre @ 17.96/t from 79 to 80m

Vedas

- 13 metres @ 2.19g/t from 140 to 153m • 2 metres @ 13.37/t from 96 to 98m
- Multiple regional exploration projects advanced during the quarter. Project areas are situated proximal to either the Nanjilgardy Fault or the Sylvania Inlier and Pilbara Craton margin with 268 Aircore holes drilled (9,132m) within the Jamie Well and Forfar project areas.

Capricorn Executive Chairman Mark Clark commented:

“The continued excellent results from drilling at Mt Gibson since the significant increase to the resource in November 2022 provide further encouragement about the prospects of the project. We look forward to unlocking the full potential of the project and continuing towards developing Mt Gibson as Capricorn’s second gold mine. We are also excited to be underway with regional exploration across the underexplored Karlawinda tenement package.”



MGGP – RC drilling at the Hornet Pit (Looking Southwest)

Mt Gibson Gold Project

A total of 22,205 metres of drilling (215 holes) was conducted across the MGGP (including sterilisation drilling) since the last update taking totalled drilled for the 12 months to 31 December to 138,246 metres (957 holes)




Figure 1. Drilling activity from 1 January 2022.

Resource Infill and Extensional RC Drilling

In January 2022 two RC rigs commenced drilling a planned 81,000 metre drill programme across the 8 kilometres of strike of current resources at the Company's 100% owned Mt Gibson Gold Project (MGGP). Following encouraging results received from this initial planned drilling, the programme was extended in September 2022 to approximately 121,000 metres.

The objectives of this programme included:

- Infill drilling of the resource to broadly bring the drill density to 25 x 25 metres;
- Test gaps between resource pit optimisation shells along the 8 kilometres of strike; and
- Test for extensions of gold mineralisation below the current resource shells.

In November 2022, the Company announced an updated Mineral Resource Estimate (MRE) based on the results of the drilling to date. The MRE increased by 32% from 2,083,000 ounces to 2,755,000 ounces.

The RC drill programme over the majority of the mine trend was completed in the December 2022 quarter with 5,783 metres drilled since the last update, taking the total of RC drilling to date to 115,139 metres (727 holes). This drilling continued to return very encouraging results including:

Hole No	Easting	Northing	From	To	Width	Grade (g/t Au)
CMDD0001	516095	6708500	163	168	5	6.02
CMDD0006	516199	6708958	193	194	1	75.34
CMDD0008	517044	6711260	41	46	5	7.08
CMDD0012	516297	6709728	136	186	50	2.01
CMRC0310	517396	6712184	212	223	11	5.94
CMRC0312	517333	6712079	221	228	7	4.51
CMRC0314	515944	6708985	256	258	2	17.79
CMRC0315	515948	6708584	203	211	8	14.51
CMRC0316	515931	6708435	150	161	11	6.07
CMRC0317	516222	6708397	45	54	9	3.34
CMRC0340	516278	6709279	243	251	8	4.98
CMRC0347	516037	6707457	48	51	3	11.02
CMRC0349	516007	6707617	50	69	19	2.03
CMRC0367	516239	6709176	187	201	14	2.92
CMRC0373*	516219	6708928	279	288	9	4.69
CMRC0410	517377	6711618	84	92	8	4.70
CMRC0560	516356	6705253	111	123	12	5.30
CMRC0561	516302	6707759	39	50	11	5.29
CMRC0564	516556	6709773	53	61	8	4.80
CMRC0565	516422	6709800	191	228	37	1.36
CMRC0566	516412	6709811	192	223	31	1.70
CMRC070	516456	6709952	199	209	10	3.39
CMRC071	516457	6709997	79	84	5	17.23
CMRC072	516456	6710044	48	63	15	2.65
CMRC1194	516534	6709742	76	86	10	3.62
CMRC1201	516410	6709571	88	96	8	4.00
CMRC1204	516266	6709333	198	216	18	4.16
CMRC1223*	516513	6709583	226	236	10	5.28
CMRC1231	516766	6710642	146	166	20	1.97
CMRC1232	516483	6710024	114	127	13	3.70
CMRC1234*	516517	6710102	153	161	8	4.10
CMRC1247	516359	6707349	108	113	5	7.70
CMRC1247	516359	6707349	63	81	18	3.04
CMRC1251	516261	6709174	206	218	12	3.37
CMRC1251	516261	6709174	45	50	5	7.30

CMRC1253*	516239	6709226	243	256	13	1.25
CMRC1258	516303	6709346	35	42	7	5.71
CMRC1258	516303	6709346	220	239	19	4.30
CMRC1259	516402	6709499	45	56	11	5.12
CMRC1261	516838	6710383	163	173	10	3.07
CMRC1263	516870	6710526	124	152	28	1.60
CMRC1265	516748	6710558	148	189	41	1.34
CMRC1266*	516728	6710514	187	209	22	2.69
CMRC2039	516350	6709757	234	240	6	12.77
CMRC2039*	516350	6709757	155	182	27	1.80
CMRC2041	516322	6709373	228	245	17	9.16
CMRCWB0018**	517801	6712507	24	32	8	4.38

*significant intercepts outside the current 2022 MRE

** 4m Composite sample from water exploration hole within the current 2022 MRE

A comprehensive list of significant results is included in Appendix 1 (Table 3).

The current drilling continues to support previously reported drilling at the depth extremities of the 2022 resource optimisation shell as well as below the reported shells providing encouragement for future extensions to the resource. Drilling across the project to date indicates that mineralisation remains open down dip and along strike to the north and south with multiple stacked lodes intersected (refer to cross sections below).




Figure 2. Hornet Section with significant broad mineralisation intersected outside the current 2022 MRE shell




Figure 3. Deep South cross section

Pleasingly, as reported in the last update drilling along the Saratoga trend, Lexington Waste dump and Orion North trend, which are unmined structures on the eastern edge of the main Mt Gibson trend, continue to define multiple parallel zones of high grade within and extending below the 2022 MRE shell (refer to cross sections below).




Figure 4. Orion cross section




Figure 5. Lexington and Lexington Waste Dump cross section




Figure 6. Orion and Saratoga cross section




Figure 7. Orion Unmined and Orion North cross section

Based on the encouraging results received to date, further drill planning has commenced with a view to continue testing extensional targets with drilling programmes in 2023. Results of this additional drilling will contribute to an updated MRE targeted for completion in June 2023.

First Pass Exploration and Sterilisation Drilling East of the Mine Trend

Wide spaced exploration RC drilling has been completed for 16,422 metres directly east of the main mine trend where untested north striking and greenstone rocks have been identified in the recent drone magnetic geophysical surveys (targets reported in previous exploration update). Encouragingly areas have been identified with broad zones of strong sulphide occurrences (pyrite) and magnetite alteration intersected. This structural and geological setting is considered analogous to mineralised zones within the MGGP. Approximately 50% of assays have been received with significant first pass 4 metre composite results including:

- 8 metres @ 4.70g/t from 84 to 92m
- 4 metres @ 2.73g/t from 32 to 36m
- 4 metres @ 2.80g/t from 84 to 92m

Refer to Appendix 1 (Table 3) for a comprehensive table of significant results.

RC drilling in the east also included sterilisation drilling covering areas where major mining infrastructure is planned to be located (refer Figure 1).

Regional Exploration

Approval from DMIRS for submitted programme of work applications were received in the December 2022 quarter for regional Aircore drilling within the McDonalds/Highway Area (refer Figure 8). Drilling commenced in early January 2023 on a 30,000 metre first pass regional exploration AC drill programme targeting historical gold working areas.

The Highway/McDonalds area is located 5km north of the current MRE and has been identified as a significant exploration target. The area has a prospective geological and structural setting with much of the area covered by up to 20 metres of transported cover.

The area represents a unique opportunity to discover economic deposits at surface with under explored gold occurrences identified including significant historical workings at Gold Bar, Gibson and Leakes Find prospects located within the Capricorn tenure. Field inspections have confirmed mineralisation is associated with north-south striking quartz veining within amphibolite hosted shear zones, a similar orientation and geological setting to the nearby Mt Gibson Mine Trend.

Minimal historical rock chip sampling identified mineralisation up to 10.30g/t taken from quartz veining at the Gold Bar prospect. Follow up Capricorn sampling within the project area has returned multiple +1g/t samples and up to 12.32 g/t from workings along strike to the north of the main Mt Gibson mine trend (refer Figure 9). The current drill programme is targeting these historic workings.




Figure 8: Regional exploration targets including planned AC drill area and newly identified northern mine trend workings in close proximity to 2.8 million ounce Mt Gibson Resource.




Figure 9: Current Capricorn and Historic rock chip locations within the Highway/McDonalds project area. Refer to Appendix 1 (Table 1) for comprehensive list of significant results.

Karlawinda

Exploration activities during the period focussed on near mine drilling at Muirfield, Carnoustie and the newly identified Vedas prospects all located within 5 kilometres of the Bibra open pit. Regional exploration programmes also continued across the Forfar and Jamie Well prospects (refer to Figure 10).




Figure 10. Karlawinda exploration targets

Near Mine Exploration

Muirfield and Vedas

The Muirfield and newly identified Vedas prospect are situated approximately 3 kilometres east of the Bibra open pit.

Results received during the quarter from drilling at Muirfield and Vedas identified significant near surface oxide and fresh rock mineralisation including:

Hole No	Easting	Northing	From	To	Width	Grade (g/t Au)
KBRC1853	7367113	208495	117	119	2	15.25
KBRC1856	7366910	209271	96	98	2	13.37
KBRC1857	7366985	209297	140	153	13	2.19
KBRC1857	7366985	209297	115	117	2	5.88
KBRC1859	7367346	207927	79	80	1	17.96
KBRC1604	7367351	207989	20	32	12	3.54

Refer to Appendix 1 (Table 2) for a comprehensive table of significant results.

Encouragingly, mineralisation has similar geological characteristics to the Bibra deposit with moderately north dipping intense zones of silica+sericite+biotite alteration associated with quartz veining and pyrite+arsenopyrite mineralisation (figure, 11).




Figure 11: 1m split results from the single line at Vedas.

Based on the results received to date and due to its proximity to current mining operations, a follow-up drilling programme is being planned targeting Muirfield and Vedas as a potential satellite project to Bibra.

Carnoustie

The Carnoustie prospect is located 5km northeast of Bibra. A total of 10 RC Holes (2,148 metres) and 31 Aircore holes (2,072 metres) of a near mine drilling programme was completed during the period. Drilling was designed to follow up previous drilling which highlighted a gold and pathfinder anomaly along a 280m strike, indicating a possible steeply dipping North-South striking structure across the area. Encouragingly similar silicious, potassic alteration found at Muirfield and Vedas was intersected during this drilling. Results are expected in the March 2023 quarter.

Regional Exploration

Multiple regional exploration projects were advanced during the period. Project areas are situated proximal to either the Nanjilgardy Fault or the Sylvania Inlier and Pilbara Craton margin (refer Figure 10).

The Nanjilgardy Fault is a regional scale structure that is known to have controls on gold mineralisation in the Pilbara craton, including the Paulsens (ASX: BC8) and Ashburton (ASX: KZR) gold projects. Situated on the southern extents of CMM tenure, the Sylvania Inlier and Pilbara Craton margin is considered a high strain zone with high prospectivity for mineralising fluids with origins from igneous intrusions formed from partial melting of a mantle wedge or enriched fluid remobilisation through regional metamorphism. This Craton boundary is interpreted to play a significant role in the placement of ore forming fluids at the +2Moz Bibra gold deposit.

Forfar

During the period 98 Aircore holes (4,263 metres) of a regional first pass drilling programme were completed at the Forfar prospect, located 10km northeast of Bibra. Structurally the area sits on the same NW trending thrust zone as the +2Moz Bibra Deposit and consists of greenstone, mica schist, ultramafic rocks which are intruded by granite and pegmatites dykes, fringed in the west by BIF and Chert bands.

Results returned to date contain anomalous pathfinders including Ag, Mo, W, and Pb within intensely sheared sediments/mica-schist and across granitic contacts. The pathfinder trends have identified lithological and inferred structural controls of potential mineralisation. Follow-up drilling is expected to be planned following receipt of all results in the March 2023 quarter.

Jamie Well

A total of 170 Aircore holes (4,869 metres) of a regional first pass drilling programme was completed at Jamie Well, 50km northeast of Bibra, during the period. Lithologies encountered were basalt, dolerite, sediments and chlorite schist/ultramafic rocks. Encouragingly shearing, quartz veining and minor sulphides were also intersected with these mineralisation indicators being associated predominantly within sheared sedimentary rocks. Follow-up drilling is expected to be planned following receipt of all results in the March 2023 quarter.

Heritage Surveys

Large scale archaeological and ethnographic clearance works have been completed during the quarter at the Jamie Well, Central Lode, Donomore and Stornoway project areas for first pass drilling scheduled in the coming months.

This announcement has been authorised for release by the Capricorn Metals Ltd board.

For further information, please contact:

Mr Kim Massey

Chief Executive Officer

E: enquiries@capmet.com.au

T: +61 8 9212 4600

Forward Looking Statements

This announcement may contain certain “forward-looking statements” which may not have been based solely on historical facts, but rather may be based on the Company’s current expectations about future events and results. Where the Company expresses or implies an expectation of belief as to future events or results, such expectation or belief is expressed in good faith and believed to have a reasonable basis. The detailed reasons for that conclusion are outlined throughout this announcement and all material assumptions are disclosed.

However, forward looking statements are subject to risks, uncertainties, assumptions and other factors, which could cause actual results to differ materially from future results expressed, projected or implied by such forward-looking statements.

Such risks include, but are not limited to resource risk, metals price volatility, currency fluctuations, increased production costs and variances in ore grade or recovery rates from those assumed in mining plans, as well as governmental regulation and judicial outcomes.

For a more detailed discussion of such risks and other factors, see the Company’s Annual Reports, as well as the Company’s other filings. Readers should not place undue reliance on forward looking information. The Company does not undertake any obligation to release publicly any revisions to any “forward looking statement” to reflect events or circumstances after the date of this announcement, or to reflect the occurrence of unanticipated events, except as may be required under applicable securities laws.

Competent Persons Statement

The information in this report that relates to Exploration Results is based on information compiled or reviewed by Mr. William Higgins who is a full-time employee of the Company. Mr. Higgins is a current Member of the Australian Institute of Geoscientists and has sufficient experience, which is relevant to the style of mineralisation and types of deposit under consideration and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the “Australasian Code of Reporting of

Exploration Results, Mineral Resources and Ore Reserves". Mr. Higgins consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

The detailed information relating to the Ore Reserves and Mineral Resources reported in this announcement were announced in the Company's ASX announcements dated 27 October 2022 and 7 November 2022. The Company confirms that it is not aware of any new information or data that materially affects the information included in the ASX announcements dated 27 October 2022 and 7 November 2022 and all material assumptions and technical parameters underpinning the estimates in the relevant market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons' findings are presented have not materially changed from previous market announcements. The reports are available to view on the ASX website and on the Company's website at www.capmetals.com.au.

The Competent Person's consents remain in place for subsequent releases by the Company of the same information in the same form and context, until the consent is withdrawn or replaced by subsequent report and accompanying consent

APPENDIX 1 – SIGNIFICANT RESULTS

Significant McDonalds Highway Rock Chip Samples – Table 1

Sample Id	Northing	Easting	RL	Au_ppm	Ag_ppm	As_ppm	Cu_ppm
MGRK026	6716569.52	516692.544	581	4.89	0.86	0.6	35.5
MGRK029	6716582.26	516690.531	449	3.98	0.5	1.9	419.6
MGRK031	6716591.03	516683.771	581	2.98	0.08	0.8	37
MGRK039	6716331.75	517124.966	442	3.25	3.93	95.3	333.2
MGRK040	6716340.4	517116.949	443	2.16	3.45	510.8	487
MGRK043	6716339.96	517120.141	579	2.43	1.75	113.3	327.7
SF008	6716080.94	516943.175	578	3.66	4.5	356.6	119.5
SF009	6716080.94	516943.175	578	2.75	5.75	552.4	178.4
SF011	6715394.1	516628.874	468	3.35	9.39	134.3	1210.1
SF012	6715391.1	516633.707	575	3.68	7.03	109	2589.5
SF013	6715393.32	516632.066	468	3.72	6.33	113.5	2133.6
SFE005	6715616.38	518869.946	582	12.32	9.05	520.5	281.1
SFW001	6716174.71	515628.265	467	3.03	0.72	2.5	297.4
SFW005	6716026.19	515662.985	466	2.34	0.04	1	455.9
SFW006	6716023.2	515663.852	467	1.71	0.04	2.4	1032.8
SFW007	6716023.31	515660.659	464	6.98	0.04	1.9	965.1
SFW008	6716018.63	515678.068	465	5.94	0.07	0.7	1141.9
SFW009	6716020.5	515686.391	464	10.05	0.14	0.9	1207.6
SFW010	6716010.85	515615.072	462	1.85	0.01	0.7	799.3

Significant Results Karlawinda Gold Project – Table 2

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
KBRC1825	203886.82	7367422.09	587.66	162	-61/102	112	113	1	1.46
KBRC1703	203886.82	7367422.09	587.66	162	-61/102	128	129	1	0.68
KBRC1703	203886.82	7367422.09	587.66	162	-61/102	102	105	3	0.78
KBRC1705	203809.49	7367494.67	587.77	210	-59/100	111	112	1	1.76
KBRC1705	203809.49	7367494.67	587.77	210	-59/100	164	178	14	1.2
KBRC1705	203809.49	7367494.67	587.77	210	-59/100	189	190	1	0.72
KBRC1705	203809.49	7367494.67	587.77	210	-59/100	195	207	12	0.44
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	26	37	11	0.54
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	338	339	1	0.51
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	327	333	6	0.83
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	314	315	1	0.69
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	246	252	6	1.45
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	234	242	8	0.77
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	132	133	1	0.99
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	19	20	1	0.75
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	11	13	2	0.85
KBRC1810	203406.55	7368818.17	589.31	348	-61/105	227	229	2	0.78
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	143	144	1	0.56
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	8	9	1	0.6
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	169	174	5	1.12
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	183	194	11	0.39
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	152	153	1	0.51
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	124	125	1	2.71
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	101	106	5	0.63
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	75	77	2	0.86
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	30	31	1	0.88
KBRC1823	203668.74	7368513.7	575.91	216	-89/321	35	38	3	0.76
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	102	103	1	0.51
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	158	161	3	1.06
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	144	149	5	0.39
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	139	140	1	0.78
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	124	133	9	0.9
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	86	92	6	0.41
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	60	61	1	2.75
KBRC1824	203765.63	7368492.5	573.03	192	-87/265	114	115	1	0.65
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	215	216	1	7.76
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	306	307	1	1.08
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	297	298	1	0.67
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	272	277	5	4.24
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	250	252	2	0.86
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	238	243	5	1
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	226	227	1	0.57

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	84	86	2	1.44
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	72	73	1	0.58
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	233	234	1	0.55
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	79	80	1	0.82
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	194	195	1	1.33
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	95	96	1	0.94
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	108	112	4	2.06
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	163	164	1	9.91
KBRC1825	203586.83	7369077.42	582.31	318	-76/104	168	171	3	1.46
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	189	190	1	0.87
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	79	81	2	1.27
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	246	255	9	1.57
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	273	295	22	1.88
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	232	241	9	0.82
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	200	201	1	2.59
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	263	264	1	0.94
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	162	163	1	0.68
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	102	110	8	0.77
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	86	87	1	0.58
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	67	68	1	1.49
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	175	176	1	1.11
KBRC1826	203592.82	7369075.88	582.37	312	-65/103	91	97	6	0.56
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	140	145	5	1.24
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	303	304	1	0.68
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	282	288	6	2.94
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	275	276	1	1.23
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	241	270	29	0.94
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	210	211	1	0.55
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	186	190	4	0.48
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	155	156	1	4.36
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	104	105	1	1.03
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	76	79	3	0.77
KBRC1827	203589.4	7369025.33	582.31	318	-90/106	169	170	1	1.54
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	77	78	1	0.51
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	184	185	1	2.93
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	68	73	5	0.52
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	279	280	1	1.19
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	262	263	1	1.25
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	253	254	1	1.1
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	201	202	1	0.79
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	166	174	8	0.85
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	160	161	1	0.6
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	155	156	1	0.5
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	140	141	1	0.73

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	129	134	5	1.97
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	56	62	6	3.39
KBRC1828	203632.65	7369046.46	582.35	300	-77/109	222	242	20	1.3
KBRC1829	203632.87	7369041.72	582.35	300	-89/70	227	234	7	0.84
KBRC1829	203632.87	7369041.72	582.35	300	-89/70	239	251	12	1.43
KBRC1829	203632.87	7369041.72	582.35	300	-89/70	283	291	8	2.8
KBRC1829	203632.87	7369041.72	582.35	300	-89/70	185	186	1	1.45
KBRC1829	203632.87	7369041.72	582.35	300	-89/70	61	65	4	5.26
KBRC1829	203632.87	7369041.72	582.35	300	-89/70	81	82	1	0.56
KBRC1829	203632.87	7369041.72	582.35	300	-89/70	255	256	1	0.55
KBRC1842	203302.04	7368115.5	587.62	208	-60/102	88	89	1	1.07
KBRC1842	203302.04	7368115.5	587.62	208	-60/102	164	165	1	0.5
KBRC1842	203302.04	7368115.5	587.62	208	-60/102	179	180	1	0.51
KBRC1842	203302.04	7368115.5	587.62	208	-60/102	197	198	1	0.79
KBRC1843	203631.19	7367820.08	587.95	216	-60/103	78	89	11	0.7
KBRC1843	203631.19	7367820.08	587.95	216	-60/103	198	203	5	0.45
KBRC1843	203631.19	7367820.08	587.95	216	-60/103	189	190	1	0.69
KBRC1843	203631.19	7367820.08	587.95	216	-60/103	166	167	1	1.92
KBRC1843	203631.19	7367820.08	587.95	216	-60/103	157	161	4	0.89
KBRC1843	203631.19	7367820.08	587.95	216	-60/103	142	146	4	1.33
KBRC1843	203631.19	7367820.08	587.95	216	-60/103	150	152	2	1.01
KBRC1844	203655.1	7367740.6	587.84	234	-60/103	138	144	6	5.88
KBRC1844	203655.1	7367740.6	587.84	234	-60/103	182	183	1	0.93
KBRC1844	203655.1	7367740.6	587.84	234	-60/103	194	195	1	1.24
KBRC1844	203655.1	7367740.6	587.84	234	-60/103	97	101	4	0.52
KBRC1844	203655.1	7367740.6	587.84	234	-60/103	150	151	1	0.53
KBRC1844	203655.1	7367740.6	587.84	234	-60/103	165	166	1	0.84
KBRC1848	208370.65	7367242.81	585.12	192	-61/199	111	114	3	0.51
KBRC1848	208370.65	7367242.81	585.12	192	-61/199	111	114	3	0.51
KBRC1849	208409.41	7367277.45	585.28	240	-61/198	122	126	4	0.39
KBRC1849	208409.41	7367277.45	585.28	240	-61/198	122	126	4	0.39
KBRC1850	208345.18	7367168.15	584.99	252	-60/200	65	66	1	1.53
KBRC1850	208345.18	7367168.15	584.99	252	-60/200	142	143	1	6.41
KBRC1850	208345.18	7367168.15	584.99	252	-60/200	65	66	1	1.53
KBRC1850	208345.18	7367168.15	584.99	252	-60/200	142	143	1	6.41
KBRC1851	208508.42	7367151.82	585.03	300	-61/198	78	79	1	2.06
KBRC1851	208508.42	7367151.82	585.03	300	-61/198	87	88	1	0.55
KBRC1851	208508.42	7367151.82	585.03	300	-61/198	78	79	1	2.06
KBRC1851	208508.42	7367151.82	585.03	300	-61/198	87	88	1	0.55
KBRC1852	208535.77	7367225.63	585.23	240	-60/199	129	131	2	2.35
KBRC1853	208495.63	7367113.35	584.9	264	-60/198	117	119	2	15.25
KBRC1853	208495.63	7367113.35	584.9	264	-60/198	66	67	1	1.23
KBRC1854	208521.88	7367188.33	585.18	252	-61/198	116	117	1	0.65
KBRC1856	209271.21	7366910.18	583.61	132	-60/199	106	107	1	0.82

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
KBRC1856	209271.21	7366910.18	583.61	132	-60/199	96	98	2	13.37
KBRC1857	209297.53	7366985.12	583.63	162	-61/199	140	153	13	2.19
KBRC1857	209297.53	7366985.12	583.63	162	-61/199	115	117	2	5.88
KBRC1857	209297.53	7366985.12	583.63	162	-61/199	74	75	1	0.79
KBRC1859	207927.09	7367346.19	585.05	186	-61/199	79	80	1	17.96
KBRC1859	207927.09	7367346.19	585.05	186	-61/199	23	25	2	0.6
KBRC1860	207934.8	7367381.24	585.22	162	-61/198	53	54	1	0.63
KBRC1861	207946.5	7367421.77	585.28	156	-61/199	30	35	5	0.78
KBRC1861	207946.5	7367421.77	585.28	156	-61/199	48	56	8	0.59
KBRC1862	207961.93	7367457.42	585.38	156	-60/199	136	138	2	2
KBRC1863	203474.42	7368745.83	590.09	258	-55/104	201	207	6	1.56
KBRC1863	203474.42	7368745.83	590.09	258	-55/104	125	126	1	1.02
KBRC1863	203474.42	7368745.83	590.09	258	-55/104	214	235	21	1.22
KBRC1864	203474.77	7368798.31	590.08	330	-62/102	162	163	1	0.76
KBRC1864	203474.77	7368798.31	590.08	330	-62/102	215	230	15	1.79
KBRC1864	203474.77	7368798.31	590.08	330	-62/102	236	237	1	0.65
KBRC1864	203474.77	7368798.31	590.08	330	-62/102	247	248	1	1.55
KBRC1864	203474.77	7368798.31	590.08	330	-62/102	279	280	1	1.43
KBRC1864	203474.77	7368798.31	590.08	330	-62/102	296	306	10	0.91
KBRC1864	203474.77	7368798.31	590.08	330	-62/102	203	204	1	1.22
KBRC1865	203480.74	7368847.02	590.35	264	-60/104	93	94	1	0.53
KBRC1865	203480.74	7368847.02	590.35	264	-60/104	129	130	1	0.61
KBRC1865	203480.74	7368847.02	590.35	264	-60/104	226	234	8	1.43
KBRC1866	203442.89	7368702.08	589.09	252	-58/103	195	200	5	0.8
KBRC1866	203442.89	7368702.08	589.09	252	-58/103	117	118	1	0.74
KBRC1866	203442.89	7368702.08	589.09	252	-58/103	219	225	6	0.7
KBRC1866	203442.89	7368702.08	589.09	252	-58/103	237	238	1	0.82
KBRC1866	203442.89	7368702.08	589.09	252	-58/103	12	13	1	1.18
KBRC1867	203703.04	7367464.26	587.45	264	-60/100	100	101	1	0.59
KBRC1867	203703.04	7367464.26	587.45	264	-60/100	159	160	1	1.14
KBRC1867	203703.04	7367464.26	587.45	264	-60/100	171	193	22	3.79
KBRC1867	203703.04	7367464.26	587.45	264	-60/100	197	199	2	1.04
KBRC1867	203703.04	7367464.26	587.45	264	-60/100	207	208	1	0.87
KBRC1867	203703.04	7367464.26	587.45	264	-60/100	234	238	4	0.66
KBRC1868	203714.61	7367516.61	587.63	270	-60/103	96	97	1	1.06
KBRC1868	203714.61	7367516.61	587.63	270	-60/103	247	249	2	0.61
KBRC1868	203714.61	7367516.61	587.63	270	-60/103	231	232	1	0.69
KBRC1868	203714.61	7367516.61	587.63	270	-60/103	204	206	2	0.65
KBRC1869	198931	7371311	597	264	-56/85	92	96	4	0.8

Significant Results Mt Gibson Gold Project – Table 3

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	138	139	1	9.08
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	5	7	2	1.1
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	180	181	1	0.83
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	176	177	1	0.91
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	163	168	5	6.02
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	159	160	1	0.54
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	142	144	2	1.58
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	185	186	1	1.86
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	112	115	3	0.78
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	108	109	1	0.57
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	101	105	4	1.08
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	93	94	1	0.61
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	89	90	1	7.67
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	45	47	2	0.96
CMDD0001	516095.14	6708500.53	345.47	198.4	-59.8/276	154	156	2	1.04
CMDD0002	515991.56	6707714.21	361.49	105.3	-77.84/257	76	79	3	4.08
CMDD0002	515991.56	6707714.21	361.49	105.3	-77.84/257	82	86	4	4.75
CMDD0002	515991.56	6707714.21	361.49	105.3	-77.84/257	63	65	2	1.6
CMDD0002	515991.56	6707714.21	361.49	105.3	-77.84/257	41	55	14	0.95
CMDD0002	515991.56	6707714.21	361.49	105.3	-77.84/257	7	8	1	0.54
CMDD0002	515991.56	6707714.21	361.49	105.3	-77.84/257	21	23	2	0.97
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	187	189	2	4.81
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	226	227	1	1.13
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	249	250	1	0.84
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	233	237	4	0.58
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	221	223	2	0.82
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	214	217	3	1.77
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	206	207	1	0.53
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	198	199	1	0.66
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	193	194	1	75.34
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	21	22	1	0.55
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	240	241	1	1.98
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	174	182	8	2.14
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	74	75	1	1.97
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	112	114	2	1.01
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	117	120	3	2.41
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	126	130	4	1
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	134	137	3	0.71
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	140	141	1	0.68
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	149	150	1	0.53
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	156	157	1	0.6
CMDD0006	516199.66	6708958.09	339.14	280	-56.17/268	46	47	1	0.55

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	41	46	5	7.08
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	97	99	2	3.97
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	129	130	1	1.13
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	110	115	5	0.76
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	86	87	1	0.7
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	77	78	1	0.54
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	61	66	5	2.61
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	0	3	3	0.53
CMDD0008	517044.62	6711260.9	323.63	135.4	-64.28/300	72	74	2	0.65
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	104	105	1	1
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	224	227	3	1.78
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	210	213	3	1.06
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	197	198	1	0.75
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	189	194	5	0.69
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	100	101	1	0.85
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	74	75	1	1.22
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	50	51	1	0.91
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	122	133	11	1.17
CMDD0012	516297.08	6709728.84	340.65	234.2	-47.01/347	136	186	50	2.01
CMDD0013	517697.35	6712069.05	320.67	231.4	-49.76/298	94	95	1	0.8
CMDD0013	517697.35	6712069.05	320.67	231.4	-49.76/298	190	192	2	1.07
CMDD0013	517697.35	6712069.05	320.67	231.4	-49.76/298	197	198	1	3.81
CMDD0013	517697.35	6712069.05	320.67	231.4	-49.76/298	217	221	4	5.04
CMDD0015	515838.96	6708452.26	354.79	170.9	-50.23/94	58	59	1	1.09
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	76	77	1	0.78
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	202	203	1	0.71
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	188	190	2	0.74
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	181	184	3	0.78
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	144	145	1	9.01
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	123	126	3	0.83
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	112	115	3	1.36
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	101	107	6	1.48
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	80	83	3	1.17
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	45	47	2	1.9
CMDD0016	516163.18	6708110.44	351.96	242.9	-45.26/94	91	94	3	4.8
CMDD0017	516446.44	6708149.56	347.35	175.8	-55.08/268	164	165	1	0.77
CMDD0017	516446.44	6708149.56	347.35	175.8	-55.08/268	144	145	1	0.5
CMDD0017	516446.44	6708149.56	347.35	175.8	-55.08/268	18	19	1	0.75
CMDD0017	516446.44	6708149.56	347.35	175.8	-55.08/268	135	136	1	0.53
CMDD0017	516446.44	6708149.56	347.35	175.8	-55.08/268	76	77	1	1.13
CMDD0017	516446.44	6708149.56	347.35	175.8	-55.08/268	140	141	1	0.73
CMDD0018_A	516121.02	6709999.38	339	220.2	54.919/139	98	99	1	1.41
CMDD0018_A	516121.02	6709999.38	339	220.2	54.919/139	109	110	1	0.87

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMDD0018_A	516121.02	6709999.38	339	220.2	54.919/139	197	198	1	0.66
CMDD0018_A	516121.02	6709999.38	339	220.2	54.919/139	74	78	4	1.17
CMDD0019	517015.58	6711658.8	321.2	175.8	54.279/149	132	133	1	0.5
CMDD0019	517015.58	6711658.8	321.2	175.8	54.279/149	137	144	7	1.13
CMDD0019	517015.58	6711658.8	321.2	175.8	54.279/149	119	120	1	1.49
CMDD0019	517015.58	6711658.8	321.2	175.8	54.279/149	98	99	1	1.33
CMDD0019	517015.58	6711658.8	321.2	175.8	54.279/149	78	79	1	0.82
CMDD0019	517015.58	6711658.8	321.2	175.8	54.279/149	164	166	2	4.94
CMRC0309	517388.91	6712180.41	319.12	276	-60.57/119	18	19	1	0.67
CMRC0309	517388.91	6712180.41	319.12	276	-60.57/119	237	239	2	2.69
CMRC0309	517388.91	6712180.41	319.12	276	-60.57/119	248	249	1	0.59
CMRC0309	517388.91	6712180.41	319.12	276	-60.57/119	264	270	6	1.99
CMRC0310	517396.04	6712184.85	319.47	264	-50.59/121	43	46	3	0.75
CMRC0310	517396.04	6712184.85	319.47	264	-50.59/121	54	58	4	2.46
CMRC0310	517396.04	6712184.85	319.47	264	-50.59/121	212	223	11	5.94
CMRC0310	517396.04	6712184.85	319.47	264	-50.59/121	227	230	3	0.83
CMRC0312	517333.1	6712079.62	359.31	228	-50.43/120	14	15	1	0.52
CMRC0312	517333.1	6712079.62	359.31	228	-50.43/120	221	228	7	4.51
CMRC0313	516099.49	6709581.97	344.71	180	-49.43/92	71	80	9	1.62
CMRC0313	516099.49	6709581.97	344.71	180	-49.43/92	93	94	1	3.38
CMRC0313	516099.49	6709581.97	344.71	180	-49.43/92	133	138	5	1.39
CMRC0313	516099.49	6709581.97	344.71	180	-49.43/92	67	68	1	1.72
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	250	253	3	0.92
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	295	297	2	1.04
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	256	258	2	17.79
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	240	241	1	0.65
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	234	236	2	0.78
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	219	221	2	1
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	144	145	1	2.04
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	120	121	1	0.9
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	107	108	1	0.61
CMRC0314	515944.95	6708985.37	349.55	306	-50.85/89	271	272	1	1.7
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	152	154	2	1.92
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	215	225	10	1.15
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	203	211	8	14.51
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	186	199	13	1.17
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	164	165	1	1.08
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	158	161	3	1.16
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	90	92	2	2.03
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	97	108	11	1.85
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	73	74	1	0.86

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	69	70	1	0.54
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	61	62	1	2.81
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	3	4	1	0.5
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	125	126	1	2.68
CMRC0315	515948.24	6708584.26	351.08	228	-56.07/91	132	133	1	0.74
CMRC0316	515931	6708435	350	264	-50.64/91	202	205	3	0.69
CMRC0316	515931	6708435	350	264	-50.64/91	247	257	10	1.09
CMRC0316	515931	6708435	350	264	-50.64/91	211	213	2	2.35
CMRC0316	515931	6708435	350	264	-50.64/91	195	196	1	0.84
CMRC0316	515931	6708435	350	264	-50.64/91	179	184	5	1.35
CMRC0316	515931	6708435	350	264	-50.64/91	173	176	3	1.13
CMRC0316	515931	6708435	350	264	-50.64/91	167	168	1	4.29
CMRC0316	515931	6708435	350	264	-50.64/91	142	147	5	1.46
CMRC0316	515931	6708435	350	264	-50.64/91	132	133	1	0.81
CMRC0316	515931	6708435	350	264	-50.64/91	128	129	1	0.68
CMRC0316	515931	6708435	350	264	-50.64/91	118	119	1	1.84
CMRC0316	515931	6708435	350	264	-50.64/91	110	115	5	0.82
CMRC0316	515931	6708435	350	264	-50.64/91	101	102	1	2.43
CMRC0316	515931	6708435	350	264	-50.64/91	81	82	1	0.58
CMRC0316	515931	6708435	350	264	-50.64/91	72	77	5	0.86
CMRC0316	515931	6708435	350	264	-50.64/91	233	234	1	2.18
CMRC0316	515931	6708435	350	264	-50.64/91	150	161	11	6.07
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	87	91	4	5.5
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	139	140	1	2.2
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	129	131	2	0.87
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	99	102	3	0.6
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	81	82	1	1.79
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	45	54	9	3.34
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	37	38	1	0.95
CMRC0317	516222.52	6708397.68	348.15	144	-60.38/270	114	115	1	0.77
CMRC0318	516073	6708063.43	353.9	144	-59.62/269	40	41	1	16.79
CMRC0318	516073	6708063.43	353.9	144	-59.62/269	65	69	4	0.46
CMRC0318	516073	6708063.43	353.9	144	-59.62/269	72	77	5	2.37
CMRC0318	516073	6708063.43	353.9	144	-59.62/269	83	85	2	2.71
CMRC0318	516073	6708063.43	353.9	144	-59.62/269	111	113	2	1.25
CMRC0319	516100.29	6708061.58	353.78	162	-59.26/269	121	123	2	4.02
CMRC0319	516100.29	6708061.58	353.78	162	-59.26/269	78	79	1	0.57
CMRC0319	516100.29	6708061.58	353.78	162	-59.26/269	137	138	1	3.8
CMRC0319	516100.29	6708061.58	353.78	162	-59.26/269	88	89	1	1.89
CMRC0319	516100.29	6708061.58	353.78	162	-59.26/269	106	107	1	0.7
CMRC0319	516100.29	6708061.58	353.78	162	-59.26/269	59	60	1	0.78
CMRC0320	516122.93	6708062.46	353.46	162	-60.38/269	0	1	1	0.66
CMRC0320	516122.93	6708062.46	353.46	162	-60.38/269	42	44	2	0.55
CMRC0320	516122.93	6708062.46	353.46	162	-60.38/269	49	50	1	0.72

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0320	516122.93	6708062.46	353.46	162	-60.38/269	57	59	2	0.72
CMRC0320	516122.93	6708062.46	353.46	162	-60.38/269	69	70	1	0.71
CMRC0320	516122.93	6708062.46	353.46	162	-60.38/269	146	148	2	2.97
CMRC0320	516122.93	6708062.46	353.46	162	-60.38/269	152	154	2	0.72
CMRC0321	516123.64	6708078.52	353.12	162	-59.76/269	60	66	6	0.72
CMRC0321	516123.64	6708078.52	353.12	162	-59.76/269	159	160	1	1.38
CMRC0321	516123.64	6708078.52	353.12	162	-59.76/269	144	145	1	0.54
CMRC0321	516123.64	6708078.52	353.12	162	-59.76/269	36	37	1	1.08
CMRC0321	516123.64	6708078.52	353.12	162	-59.76/269	150	152	2	1.7
CMRC0322	516107.02	6708113.24	352.87	168	-59.67/270	99	100	1	1.26
CMRC0322	516107.02	6708113.24	352.87	168	-59.67/270	122	125	3	1.18
CMRC0322	516107.02	6708113.24	352.87	168	-59.67/270	129	132	3	2.75
CMRC0322	516107.02	6708113.24	352.87	168	-59.67/270	150	151	1	0.51
CMRC0322	516107.02	6708113.24	352.87	168	-59.67/270	158	159	1	0.84
CMRC0323	516130.94	6708113.4	353.29	174	-59.72/270	156	160	4	1.63
CMRC0323	516130.94	6708113.4	353.29	174	-59.72/270	59	60	1	0.88
CMRC0323	516130.94	6708113.4	353.29	174	-59.72/270	165	166	1	1.08
CMRC0323	516130.94	6708113.4	353.29	174	-59.72/270	91	92	1	0.5
CMRC0323	516130.94	6708113.4	353.29	174	-59.72/270	133	134	1	0.89
CMRC0323	516130.94	6708113.4	353.29	174	-59.72/270	151	153	2	1.02
CMRC0324	516272.22	6706927.92	346.12	120	-60.07/268	0	1	1	0.64
CMRC0324	516272.22	6706927.92	346.12	120	-60.07/268	41	42	1	1.31
CMRC0324	516272.22	6706927.92	346.12	120	-60.07/268	50	51	1	0.89
CMRC0324	516272.22	6706927.92	346.12	120	-60.07/268	69	70	1	2.66
CMRC0324	516272.22	6706927.92	346.12	120	-60.07/268	74	76	2	1.22
CMRC0325	515833.47	6706962.58	350.27	84	-60.45/269	36	38	2	0.87
CMRC0325	515833.47	6706962.58	350.27	84	-60.45/269	48	49	1	0.72
CMRC0325	515833.47	6706962.58	350.27	84	-60.45/269	22	26	4	1.5
CMRC0325	515833.47	6706962.58	350.27	84	-60.45/269	53	55	2	1.08
CMRC0326	515861.38	6706963.13	350.01	108	-60.24/268	5	6	1	0.65
CMRC0326	515861.38	6706963.13	350.01	108	-60.24/268	31	33	2	1.38
CMRC0326	515861.38	6706963.13	350.01	108	-60.24/268	39	43	4	0.57
CMRC0326	515861.38	6706963.13	350.01	108	-60.24/268	49	52	3	0.55
CMRC0326	515861.38	6706963.13	350.01	108	-60.24/268	76	77	1	0.74
CMRC0327	515883.13	6706963.42	350.22	120	-60.47/269	72	73	1	0.53
CMRC0327	515883.13	6706963.42	350.22	120	-60.47/269	40	41	1	0.53
CMRC0327	515883.13	6706963.42	350.22	120	-60.47/269	98	100	2	0.99
CMRC0327	515883.13	6706963.42	350.22	120	-60.47/269	81	83	2	4.02
CMRC0328	515887.89	6706910.43	349.33	108	-59.68/269	31	32	1	1.47
CMRC0328	515887.89	6706910.43	349.33	108	-59.68/269	42	50	8	0.73
CMRC0328	515887.89	6706910.43	349.33	108	-59.68/269	55	56	1	0.75
CMRC0328	515887.89	6706910.43	349.33	108	-59.68/269	82	83	1	0.96
CMRC0329	515925.87	6706909.69	349.29	120	-60.25/268	65	66	1	0.73
CMRC0329	515925.87	6706909.69	349.29	120	-60.25/268	70	76	6	0.96

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0329	515925.87	6706909.69	349.29	120	-60.25/268	90	91	1	5.21
CMRC0330	515946.78	6706910.53	349.26	78	-59.79/267	39	43	4	0.52
CMRC0331	516107.31	6707004.63	350.11	96	-59.34/269	47	48	1	0.67
CMRC0331	516107.31	6707004.63	350.11	96	-59.34/269	89	91	2	2.61
CMRC0331	516107.31	6707004.63	350.11	96	-59.34/269	83	84	1	1.08
CMRC0331	516107.31	6707004.63	350.11	96	-59.34/269	59	63	4	0.61
CMRC0331	516107.31	6707004.63	350.11	96	-59.34/269	28	29	1	1.79
CMRC0331	516107.31	6707004.63	350.11	96	-59.34/269	74	76	2	1.32
CMRC0332	516133.46	6707005.63	349.32	126	-59.75/268	1	2	1	1.4
CMRC0332	516133.46	6707005.63	349.32	126	-59.75/268	94	95	1	0.57
CMRC0332	516133.46	6707005.63	349.32	126	-59.75/268	103	104	1	0.54
CMRC0332	516133.46	6707005.63	349.32	126	-59.75/268	114	118	4	0.44
CMRC0333	516117.93	6707053.96	349.57	102	-59.47/269	56	58	2	1.15
CMRC0334	516114	6707104.52	349.37	114	-59.33/270	76	77	1	0.93
CMRC0334	516114	6707104.52	349.37	114	-59.33/270	111	112	1	0.9
CMRC0334	516114	6707104.52	349.37	114	-59.33/270	3	4	1	0.5
CMRC0334	516114	6707104.52	349.37	114	-59.33/270	51	55	4	3.57
CMRC0334	516114	6707104.52	349.37	114	-59.33/270	39	46	7	1.86
CMRC0335	516244.44	6707003.31	349.2	96	-59.47/270	3	6	3	1.17
CMRC0335	516244.44	6707003.31	349.2	96	-59.47/270	10	11	1	0.87
CMRC0335	516244.44	6707003.31	349.2	96	-59.47/270	34	35	1	1.38
CMRC0335	516244.44	6707003.31	349.2	96	-59.47/270	41	44	3	1.83
CMRC0335	516244.44	6707003.31	349.2	96	-59.47/270	83	84	1	5.03
CMRC0335	516244.44	6707003.31	349.2	96	-59.47/270	92	93	1	3.68
CMRC0336	516064.16	6707258.97	354.52	132	-59.62/269	1	3	2	0.94
CMRC0336	516064.16	6707258.97	354.52	132	-59.62/269	83	90	7	1.17
CMRC0336	516064.16	6707258.97	354.52	132	-59.62/269	62	63	1	0.6
CMRC0336	516064.16	6707258.97	354.52	132	-59.62/269	49	50	1	0.53
CMRC0336	516064.16	6707258.97	354.52	132	-59.62/269	42	43	1	0.62
CMRC0336	516064.16	6707258.97	354.52	132	-59.62/269	23	24	1	0.65
CMRC0336	516064.16	6707258.97	354.52	132	-59.62/269	28	30	2	1
CMRC0337	516048.03	6707303.69	355.65	114	-60.69/269	0	1	1	0.64
CMRC0337	516048.03	6707303.69	355.65	114	-60.69/269	85	86	1	1.1
CMRC0337	516048.03	6707303.69	355.65	114	-60.69/269	78	79	1	0.9
CMRC0337	516048.03	6707303.69	355.65	114	-60.69/269	61	63	2	5.24
CMRC0338	515998.63	6707380.37	356.65	60	-59.35/270	16	17	1	3.12
CMRC0338	515998.63	6707380.37	356.65	60	-59.35/270	23	24	1	0.76
CMRC0338	515998.63	6707380.37	356.65	60	-59.35/270	29	33	4	0.6
CMRC0338	515998.63	6707380.37	356.65	60	-59.35/270	41	49	8	0.52
CMRC0339	516078.73	6707853.88	357.29	126	-59.9/268	87	88	1	0.83
CMRC0339	516078.73	6707853.88	357.29	126	-59.9/268	71	80	9	0.74
CMRC0339	516078.73	6707853.88	357.29	126	-59.9/268	53	65	12	1.5
CMRC0339	516078.73	6707853.88	357.29	126	-59.9/268	1	2	1	0.83
CMRC0339	516078.73	6707853.88	357.29	126	-59.9/268	98	99	1	2.1

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	212	213	1	0.67
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	166	168	2	1.05
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	284	285	1	0.78
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	276	277	1	0.59
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	263	267	4	0.42
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	259	260	1	0.59
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	231	239	8	1.94
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	148	149	1	0.87
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	27	31	4	1.24
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	132	138	6	1.49
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	40	44	4	0.95
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	118	120	2	1.07
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	86	89	3	0.53
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	59	60	1	0.53
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	51	53	2	1.67
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	159	160	1	3.81
CMRC0340	516278.52	6709279.32	339.89	288	-58.14/270	243	251	8	4.98
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	69	76	7	1.11
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	260	263	3	1.32
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	250	255	5	0.68
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	222	231	9	1.66
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	200	201	1	0.81
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	139	153	14	1.84
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	42	48	6	0.7
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	37	39	2	1.43
CMRC0341	516230.01	6708977.26	338.2	282	-59.06/272	192	193	1	1.31
CMRC0343	515995.4	6707514.53	358.65	108	-60.36/268	44	55	11	0.96
CMRC0343	515995.4	6707514.53	358.65	108	-60.36/268	58	64	6	0.82
CMRC0343	515995.4	6707514.53	358.65	108	-60.36/268	83	84	1	0.76
CMRC0344	516019.06	6707508.9	358.48	138	-59.42/269	71	72	1	1.1
CMRC0344	516019.06	6707508.9	358.48	138	-59.42/269	80	83	3	0.44
CMRC0344	516019.06	6707508.9	358.48	138	-59.42/269	50	51	1	1.17
CMRC0344	516019.06	6707508.9	358.48	138	-59.42/269	59	60	1	2.47
CMRC0344	516019.06	6707508.9	358.48	138	-59.42/269	54	55	1	2.76
CMRC0345	516010.72	6707482.58	358.15	108	-59.71/270	45	55	10	0.8
CMRC0345	516010.72	6707482.58	358.15	108	-59.71/270	71	74	3	0.55
CMRC0345	516010.72	6707482.58	358.15	108	-59.71/270	77	78	1	1.97
CMRC0346	516013.29	6707459.41	357.89	108	-59.39/268	49	59	10	0.63
CMRC0346	516013.29	6707459.41	357.89	108	-59.39/268	65	66	1	0.63
CMRC0346	516013.29	6707459.41	357.89	108	-59.39/268	43	45	2	1.1
CMRC0346	516013.29	6707459.41	357.89	108	-59.39/268	19	20	1	1.6
CMRC0346	516013.29	6707459.41	357.89	108	-59.39/268	11	16	5	1.86
CMRC0346	516013.29	6707459.41	357.89	108	-59.39/268	78	81	3	2.39
CMRC0347	516037.71	6707457.38	358.18	138	-59.95/269	38	39	1	3.04

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0347	516037.71	6707457.38	358.18	138	-59.95/269	48	51	3	11.02
CMRC0347	516037.71	6707457.38	358.18	138	-59.95/269	70	72	2	1.9
CMRC0347	516037.71	6707457.38	358.18	138	-59.95/269	84	85	1	1.89
CMRC0347	516037.71	6707457.38	358.18	138	-59.95/269	101	111	10	0.66
CMRC0347	516037.71	6707457.38	358.18	138	-59.95/269	114	116	2	0.76
CMRC0348	515996.14	6707580.8	359.44	102	-58.48/270	48	49	1	0.94
CMRC0348	515996.14	6707580.8	359.44	102	-58.48/270	78	80	2	0.91
CMRC0348	515996.14	6707580.8	359.44	102	-58.48/270	52	59	7	0.81
CMRC0349	516007.02	6707617.06	359.76	114	-50.5/272	0	3	3	0.57
CMRC0349	516007.02	6707617.06	359.76	114	-50.5/272	50	69	19	2.03
CMRC0349	516007.02	6707617.06	359.76	114	-50.5/272	76	80	4	1.4
CMRC0350	515860.07	6707211.52	356.56	108	-59.25/272	37	38	1	0.58
CMRC0350	515860.07	6707211.52	356.56	108	-59.25/272	45	46	1	0.57
CMRC0350	515860.07	6707211.52	356.56	108	-59.25/272	106	108	2	5.12
CMRC0351	515840.84	6707263.65	358.56	132	-59.86/271	48	50	2	1.16
CMRC0351	515840.84	6707263.65	358.56	132	-59.86/271	55	57	2	3.6
CMRC0351	515840.84	6707263.65	358.56	132	-59.86/271	2	4	2	4.8
CMRC0351	515840.84	6707263.65	358.56	132	-59.86/271	102	103	1	1.27
CMRC0352	515811.87	6707311	358.77	102	-60.57/272	68	69	1	1.91
CMRC0352	515811.87	6707311	358.77	102	-60.57/272	74	75	1	1.4
CMRC0353	515795.84	6707363.18	359.55	114	-60.7/270	2	3	1	6.1
CMRC0354	515603.48	6707493.48	360.45	126	-59.78/272	0	3	3	1.28
CMRC0355	515701.37	6707529.11	361.8	108	-60.16/270	58	59	1	0.62
CMRC0355	515701.37	6707529.11	361.8	108	-60.16/270	71	72	1	0.5
CMRC0355	515701.37	6707529.11	361.8	108	-60.16/270	28	29	1	0.56
CMRC0355	515701.37	6707529.11	361.8	108	-60.16/270	1	2	1	0.68
CMRC0355	515701.37	6707529.11	361.8	108	-60.16/270	75	76	1	2
CMRC0358	515648.24	6707698.73	359.9	132	-60.72/270	127	129	2	0.87
CMRC0359	516008.69	6707615.61	359.75	114	-59.84/270	7	12	5	1.96
CMRC0359	516008.69	6707615.61	359.75	114	-59.84/270	49	51	2	0.92
CMRC0359	516008.69	6707615.61	359.75	114	-59.84/270	64	73	9	2.03
CMRC0359	516008.69	6707615.61	359.75	114	-59.84/270	78	79	1	4.25
CMRC0359	516008.69	6707615.61	359.75	114	-59.84/270	92	97	5	2.16
CMRC0361	515486.57	6707822.54	363.11	144	-60.48/270	122	126	4	0.77
CMRC0361	515486.57	6707822.54	363.11	144	-60.48/270	53	56	3	0.62
CMRC0362	515566.25	6707943.83	361.39	204	-50.19/270	144	149	5	3.58
CMRC0362	515566.25	6707943.83	361.39	204	-50.19/270	51	52	1	0.85
CMRC0362	515566.25	6707943.83	361.39	204	-50.19/270	56	59	3	1.61
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	142	151	9	1.55
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	112	113	1	3.53
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	241	244	3	3.25
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	228	229	1	0.9
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	218	222	4	0.63
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	211	212	1	0.83

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	180	193	13	2
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	96	100	4	0.46
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	0	2	2	0.79
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	85	87	2	1.15
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	63	64	1	1.49
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	59	60	1	5.37
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	43	46	3	0.71
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	27	30	3	1.47
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	21	22	1	0.52
CMRC0363	516162.33	6708805.22	339.45	246	-60.3/269	174	175	1	0.65
CMRC0364	516185.07	6708856.26	339.49	162	-60/270	44	46	2	0.92
CMRC0364	516185.07	6708856.26	339.49	162	-60/270	135	137	2	0.85
CMRC0364	516185.07	6708856.26	339.49	162	-60/270	125	126	1	1.44
CMRC0364	516185.07	6708856.26	339.49	162	-60/270	69	72	3	1.82
CMRC0364	516185.07	6708856.26	339.49	162	-60/270	27	31	4	1.17
CMRC0364	516185.07	6708856.26	339.49	162	-60/270	0	2	2	0.67
CMRC0364	516185.07	6708856.26	339.49	162	-60/270	121	122	1	0.96
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	37	45	8	1.85
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	171	172	1	0.75
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	269	270	1	3.31
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	258	265	7	2.06
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	242	243	1	1.43
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	230	239	9	2.37
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	178	179	1	0.79
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	151	152	1	0.89
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	146	147	1	0.99
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	132	133	1	0.56
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	117	118	1	2.94
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	107	110	3	1.13
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	50	53	3	0.58
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	88	89	1	1.05
CMRC0365	516230.54	6709029.05	341.27	276	-60.35/268	166	167	1	1.11
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	155	161	6	2.39
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	258	264	6	0.92
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	248	249	1	0.54
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	244	245	1	1.27
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	235	236	1	0.56
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	222	229	7	1.4
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	181	184	3	0.47
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	148	149	1	0.95
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	144	145	1	1.41
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	136	138	2	0.52
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	100	102	2	0.78
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	82	83	1	0.71

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	24	31	7	1.79
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	1	2	1	0.62
CMRC0366	516240.11	6709079.55	341.05	270	-59.64/271	187	188	1	0.53
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	162	163	1	0.97
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	245	246	1	2.54
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	252	253	1	0.74
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	230	231	1	0.86
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	213	216	3	1.42
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	204	207	3	3.03
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	187	201	14	2.92
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	135	136	1	3.55
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	109	110	1	1.06
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	90	95	5	0.6
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	72	73	1	0.93
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	32	33	1	0.61
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	64	65	1	0.53
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	45	48	3	0.95
CMRC0367	516239.08	6709176.15	340.73	258	-60.2/271	139	144	5	3.7
CMRC0368	516795.75	6709712.57	334.05	186	-50.59/300	5	6	1	0.5
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	48	49	1	1.24
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	181	186	5	2.42
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	163	171	8	0.61
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	153	155	2	0.64
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	132	140	8	0.82
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	99	102	3	3.05
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	67	70	3	1.08
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	25	26	1	0.51
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	8	9	1	0.59
CMRC0369	516729.01	6710517.14	332.81	234	-57.85/299	90	91	1	1.38
CMRC0370	516708.51	6710491.43	332.71	264	-54.55/298	124	125	1	1.16
CMRC0370	516708.51	6710491.43	332.71	264	-54.55/298	2	3	1	0.62
CMRC0370	516708.51	6710491.43	332.71	264	-54.55/298	147	156	9	1.02
CMRC0370	516708.51	6710491.43	332.71	264	-54.55/298	8	12	4	0.68
CMRC0370	516708.51	6710491.43	332.71	264	-54.55/298	99	100	1	0.86
CMRC0370	516708.51	6710491.43	332.71	264	-54.55/298	69	71	2	1.85
CMRC0370	516708.51	6710491.43	332.71	264	-54.55/298	107	108	1	1.49
CMRC0371	516698.07	6710460.94	332.14	252	-55.42/299	164	165	1	0.74
CMRC0371	516698.07	6710460.94	332.14	252	-55.42/299	155	160	5	0.5
CMRC0371	516698.07	6710460.94	332.14	252	-55.42/299	92	93	1	1.06
CMRC0371	516698.07	6710460.94	332.14	252	-55.42/299	43	57	14	1.15
CMRC0371	516698.07	6710460.94	332.14	252	-55.42/299	6	9	3	1.19
CMRC0371	516698.07	6710460.94	332.14	252	-55.42/299	171	174	3	0.49
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	138	144	6	0.92
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	234	235	1	0.59

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	221	222	1	0.56
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	217	218	1	0.71
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	185	192	7	0.83
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	149	150	1	0.88
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	244	250	6	4.17
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	132	135	3	0.6
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	31	36	5	0.95
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	40	42	2	1.23
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	73	76	3	1.09
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	79	84	5	0.94
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	118	120	2	1.87
CMRC0372	516198.9	6708927.65	338.74	258	-59.36/268	126	129	3	5.01
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	248	249	1	0.65
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	173	174	1	0.78
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	236	239	3	0.59
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	228	233	5	1.19
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	216	217	1	1.09
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	198	199	1	0.67
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	186	187	1	3.61
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	256	257	1	0.57
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	149	150	1	1.18
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	118	120	2	0.78
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	109	110	1	6.31
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	75	76	1	0.51
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	70	72	2	1.4
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	53	55	2	1.63
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	42	45	3	1.19
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	30	33	3	2.89
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	1	4	3	1.56
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	279	288	9	4.69
CMRC0373	516219.42	6708928.22	338	306	-59.82/268	159	160	1	2.68
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	92	93	1	1.14
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	103	104	1	0.61
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	72	73	1	4.43
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	48	59	11	2.1
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	40	41	1	1.15
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	2	3	1	0.52
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	62	69	7	2.05
CMRC0374	516333.82	6707848.77	350.59	132	-60.52/269	109	112	3	0.89
CMRC0375	515999.6	6707797.83	359.16	78	-58.95/267	0	1	1	0.61
CMRC0375	515999.6	6707797.83	359.16	78	-58.95/267	48	55	7	1.29
CMRC0387	517344.26	6711217.74	319.94	120	-60.66/272	32	36	4	2.73
CMRC0387	517344.26	6711217.74	319.94	120	-60.66/272	40	44	4	0.54
CMRC0410	517377.74	6711618.06	320.31	132	-60.99/269	84	92	8	4.7

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0412	517579.45	6711616.3	319.34	132	-58.76/275	88	92	4	0.74
CMRC0412	517579.45	6711616.3	319.34	132	-58.76/275	124	128	4	1.39
CMRC0458	516798.43	6709614.31	333.7	114	-60.99/272	0	4	4	0.72
CMRC0475	517790.7	6712405.64	322.25	132	-60.85/271	32	40	8	0.9
CMRC0486	517224	6711209	315	114	-60.73/269	24	28	4	2.8
CMRC0560	516356	6705253	342	186	-48.85/271	97	100	3	0.44
CMRC0560	516356	6705253	342	186	-48.85/271	129	131	2	2.18
CMRC0560	516356	6705253	342	186	-48.85/271	136	143	7	2.6
CMRC0560	516356	6705253	342	186	-48.85/271	111	123	12	5.3
CMRC0560	516356	6705253	342	186	-48.85/271	74	76	2	8.23
CMRC0560	516356	6705253	342	186	-48.85/271	19	21	2	0.93
CMRC0560	516356	6705253	342	186	-48.85/271	68	69	1	1.51
CMRC0560	516356	6705253	342	186	-48.85/271	52	56	4	1.65
CMRC0560	516356	6705253	342	186	-48.85/271	79	90	11	2.01
CMRC0561	516302	6707759	353	126	-50.45/271	39	50	11	5.29
CMRC0561	516302	6707759	353	126	-50.45/271	4	9	5	0.57
CMRC0562	516188	6708861	340	252	-60.47/273	240	245	5	1.28
CMRC0563	516553	6709820	335	180	-60.61/299	127	138	11	1.05
CMRC0563	516553	6709820	335	180	-60.61/299	175	176	1	8.92
CMRC0563	516553	6709820	335	180	-60.61/299	159	160	1	1.6
CMRC0563	516553	6709820	335	180	-60.61/299	143	144	1	0.59
CMRC0563	516553	6709820	335	180	-60.61/299	115	117	2	1.8
CMRC0563	516553	6709820	335	180	-60.61/299	73	74	1	0.74
CMRC0563	516553	6709820	335	180	-60.61/299	46	47	1	0.65
CMRC0563	516553	6709820	335	180	-60.61/299	148	149	1	1.64
CMRC0564	516556	6709773	343	156	-61.29/300	85	88	3	1
CMRC0564	516556	6709773	343	156	-61.29/300	74	77	3	0.67
CMRC0564	516556	6709773	343	156	-61.29/300	146	155	9	2.05
CMRC0564	516556	6709773	343	156	-61.29/300	139	142	3	0.97
CMRC0564	516556	6709773	343	156	-61.29/300	129	130	1	0.88
CMRC0564	516556	6709773	343	156	-61.29/300	124	126	2	1.21
CMRC0564	516556	6709773	343	156	-61.29/300	117	118	1	0.89
CMRC0564	516556	6709773	343	156	-61.29/300	0	1	1	0.53
CMRC0564	516556	6709773	343	156	-61.29/300	66	67	1	0.55
CMRC0564	516556	6709773	343	156	-61.29/300	53	61	8	4.8
CMRC0564	516556	6709773	343	156	-61.29/300	39	40	1	1.84
CMRC0564	516556	6709773	343	156	-61.29/300	32	33	1	2.26
CMRC0564	516556	6709773	343	156	-61.29/300	28	29	1	3.94
CMRC0564	516556	6709773	343	156	-61.29/300	20	21	1	1.08
CMRC0564	516556	6709773	343	156	-61.29/300	112	113	1	0.63
CMRC0565	516422	6709800	339.5	252	-50.63/303	101	102	1	3.97
CMRC0565	516422	6709800	339.5	252	-50.63/303	191	228	37	1.36
CMRC0565	516422	6709800	339.5	252	-50.63/303	176	188	12	1.79
CMRC0565	516422	6709800	339.5	252	-50.63/303	168	171	3	3.68

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0565	516422	6709800	339.5	252	-50.63/303	128	130	2	1.09
CMRC0565	516422	6709800	339.5	252	-50.63/303	76	79	3	1.07
CMRC0565	516422	6709800	339.5	252	-50.63/303	69	71	2	1.43
CMRC0565	516422	6709800	339.5	252	-50.63/303	1	2	1	0.54
CMRC0565	516422	6709800	339.5	252	-50.63/303	153	154	1	0.85
CMRC0566	516412	6709811	338	252	-51.03/295	68	72	4	1.1
CMRC0566	516412	6709811	338	252	-51.03/295	179	180	1	0.54
CMRC0566	516412	6709811	338	252	-51.03/295	240	241	1	0.61
CMRC0566	516412	6709811	338	252	-51.03/295	236	237	1	1.18
CMRC0566	516412	6709811	338	252	-51.03/295	227	232	5	0.96
CMRC0566	516412	6709811	338	252	-51.03/295	192	223	31	1.7
CMRC0566	516412	6709811	338	252	-51.03/295	140	141	1	0.5
CMRC0566	516412	6709811	338	252	-51.03/295	115	118	3	1.53
CMRC0566	516412	6709811	338	252	-51.03/295	97	99	2	1.64
CMRC0566	516412	6709811	338	252	-51.03/295	81	83	2	2.27
CMRC0566	516412	6709811	338	252	-51.03/295	92	94	2	2.33
CMRC0566	516412	6709811	338	252	-51.03/295	158	159	1	0.96
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	199	209	10	3.39
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	213	216	3	0.99
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	189	192	3	0.95
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	185	186	1	1.83
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	175	177	2	0.9
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	171	172	1	1
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	157	161	4	0.74
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	147	149	2	3.82
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	129	130	1	0.7
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	79	80	1	0.72
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	53	54	1	0.65
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	22	23	1	2.4
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	165	168	3	2.02
CMRC070	516456.08	6709952.07	336.02	252	-51.08/299	222	226	4	0.32
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	96	101	5	1.81
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	190	192	2	1.62
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	169	171	2	0.98
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	160	162	2	0.84
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	155	157	2	0.86
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	150	152	2	1.9
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	145	147	2	0.84
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	116	119	3	0.88
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	79	84	5	17.23
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	63	67	4	0.6
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	37	39	2	0.6
CMRC071	516457.69	6709997.09	336.76	204	-50.8/299	138	142	4	0.82
CMRC072	516456.34	6710044.35	338.27	162	-51.28/298	48	63	15	2.65

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC072	516456.34	6710044.35	338.27	162	-51.28/298	81	82	1	0.72
CMRC072	516456.34	6710044.35	338.27	162	-51.28/298	69	70	1	1.63
CMRC072	516456.34	6710044.35	338.27	162	-51.28/298	31	33	2	1.41
CMRC072	516456.34	6710044.35	338.27	162	-51.28/298	25	28	3	0.86
CMRC072	516456.34	6710044.35	338.27	162	-51.28/298	3	5	2	0.51
CMRC072	516456.34	6710044.35	338.27	162	-51.28/298	41	42	1	0.57
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	13	14	1	3.57
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	48	62	14	1.27
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	66	67	1	1.07
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	77	78	1	1
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	85	86	1	0.6
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	109	111	2	0.71
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	135	136	1	0.7
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	164	165	1	3.07
CMRC073	516463.48	6710065.57	337.48	174	-61.21/300	1	3	2	0.7
CMRC1193	516514.47	6709765.73	341	120	-60.47/300	68	78	10	2.43
CMRC1193	516514.47	6709765.73	341	120	-60.47/300	85	87	2	0.81
CMRC1193	516514.47	6709765.73	341	120	-60.47/300	39	40	1	1.69
CMRC1193	516514.47	6709765.73	341	120	-60.47/300	6	8	2	0.75
CMRC1193	516514.47	6709765.73	341	120	-60.47/300	46	51	5	2.53
CMRC1193	516514.47	6709765.73	341	120	-60.47/300	54	62	8	2.17
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	18	20	2	0.98
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	111	112	1	3.39
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	102	103	1	0.53
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	94	98	4	0.96
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	76	86	10	3.62
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	38	39	1	0.63
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	29	32	3	2.36
CMRC1194	516534.06	6709742.39	343.54	162	-49.72/299	128	129	1	0.52
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	175	176	1	0.64
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	252	253	1	0.77
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	247	248	1	1.86
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	239	241	2	1.01
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	218	223	5	1.35
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	210	211	1	0.51
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	206	207	1	1.17
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	191	192	1	1.61
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	70	73	3	3.95
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	169	170	1	1
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	65	66	1	0.63
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	91	92	1	2.7
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	100	101	1	1.63
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	108	109	1	0.68
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	147	148	1	1.04

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	154	159	5	0.61
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	165	166	1	0.56
CMRC1195	516718.67	6710043.55	342.69	276	-49.61/301	53	57	4	0.5
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	88	90	2	1.63
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	185	186	1	0.61
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	18	21	3	0.61
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	228	231	3	0.85
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	210	211	1	4.13
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	202	203	1	0.66
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	171	182	11	2.02
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	167	168	1	0.53
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	154	155	1	5.58
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	68	73	5	0.56
CMRC1196	516706.97	6710004.09	344.45	258	-51.11/300	160	161	1	0.51
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	217	218	1	0.9
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	238	239	1	0.77
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	224	225	1	0.71
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	90	91	1	0.51
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	69	70	1	0.64
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	53	58	5	1.26
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	229	234	5	2.75
CMRC1197	516679.45	6709960.91	344.88	264	-50.68/301	166	176	10	1.55
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	205	211	6	0.59
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	239	240	1	1.18
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	200	201	1	0.69
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	191	192	1	0.5
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	177	178	1	13.8
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	161	174	13	1.41
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	137	139	2	1.93
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	56	68	12	1.12
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	50	53	3	3.06
CMRC1198	516664.91	6709926.46	345.26	276	-50.7/301	182	183	1	1.18
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	168	169	1	0.77
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	261	263	2	2.07
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	254	257	3	2.18
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	247	251	4	0.45
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	43	44	1	1.11
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	187	188	1	0.8
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	146	160	14	1.44
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	138	139	1	0.59
CMRC1199	516648.25	6709900.88	345.04	264	-50.21/301	222	224	2	4.28
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	14	16	2	0.93
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	137	140	3	1.09
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	89	90	1	0.59

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	145	149	4	1.36
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	153	161	8	0.54
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	165	166	1	2.09
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	187	188	1	0.99
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	112	113	1	0.7
CMRC1200	516625.96	6709859.23	344.9	252	-51.5/301	123	124	1	2.36
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	55	58	3	0.81
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	135	136	1	0.57
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	122	125	3	0.91
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	88	96	8	4
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	81	82	1	0.71
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	65	66	1	0.63
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	51	52	1	1.14
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	47	48	1	0.57
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	37	38	1	2.73
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	27	29	2	0.85
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	18	19	1	0.93
CMRC1201	516410.84	6709571.95	350.32	174	-50.19/269	77	78	1	0.7
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	98	99	1	0.68
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	52	54	2	1.19
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	133	134	1	1.55
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	106	107	1	1.01
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	59	63	4	2.56
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	6	7	1	7.07
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	48	49	1	0.98
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	43	44	1	1.98
CMRC1202	516403.05	6709547.14	350.55	150	-50.91/270	89	94	5	0.72
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	50	52	2	1.28
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	88	89	1	0.56
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	59	60	1	0.91
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	40	41	1	1.04
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	28	29	1	1.7
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	21	22	1	4.93
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	7	8	1	0.66
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	2	3	1	0.51
CMRC1203	516417.91	6709295	337.85	102	-60.89/272	79	80	1	1.33
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	198	216	18	4.16
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	142	144	2	2.6
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	241	245	4	1.76
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	235	238	3	0.66
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	229	232	3	0.57
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	225	226	1	0.99
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	173	174	1	1.04
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	41	43	2	1.52

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	113	114	1	1.77
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	96	98	2	0.88
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	190	192	2	0.88
CMRC1204	516266.13	6709333.08	339.33	246	-60.3/272	46	47	1	1.5
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	114	115	1	0.89
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	170	171	1	0.78
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	141	142	1	0.77
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	78	81	3	1.39
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	69	75	6	0.54
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	41	42	1	1.28
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	35	37	2	0.63
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	27	28	1	3.85
CMRC1205	516291.4	6709326.56	339.66	216	-59.69/270	151	155	4	0.75
CMRC1206	516410.67	6709348.25	342.65	108	-59.64/271	5	7	2	1.22
CMRC1206	516410.67	6709348.25	342.65	108	-59.64/271	26	27	1	0.51
CMRC1206	516410.67	6709348.25	342.65	108	-59.64/271	44	45	1	0.62
CMRC1206	516410.67	6709348.25	342.65	108	-59.64/271	101	104	3	0.59
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	21	23	2	2.95
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	150	155	5	0.9
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	178	179	1	1.07
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	166	170	4	1.24
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	138	139	1	0.56
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	114	115	1	0.61
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	39	41	2	0.95
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	142	144	2	0.71
CMRC1207	516411.11	6709071.96	337.76	180	-59.04/272	45	48	3	1.06
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	134	137	3	3.9
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	209	222	13	1.15
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	197	203	6	0.5
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	158	164	6	1.26
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	143	151	8	0.75
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	120	121	1	2.79
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	103	104	1	0.91
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	94	95	1	1.53
CMRC1208	516269.74	6709539.14	341.46	222	-61.31/272	154	155	1	0.65
CMRC1209	516290.42	6709539.98	341.98	228	-59.66/271	201	210	9	1.08
CMRC1209	516290.42	6709539.98	341.98	228	-59.66/271	196	197	1	0.98
CMRC1209	516290.42	6709539.98	341.98	228	-59.66/271	53	54	1	0.57
CMRC1209	516290.42	6709539.98	341.98	228	-59.66/271	155	161	6	0.89
CMRC1209	516290.42	6709539.98	341.98	228	-59.66/271	115	116	1	0.69
CMRC1209	516290.42	6709539.98	341.98	228	-59.66/271	166	169	3	3.31
CMRC1210	516292.39	6709680.04	342.47	216	-60.82/299	111	120	9	1.14
CMRC1210	516292.39	6709680.04	342.47	216	-60.82/299	123	129	6	0.71
CMRC1210	516292.39	6709680.04	342.47	216	-60.82/299	132	137	5	0.61

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1210	516292.39	6709680.04	342.47	216	-60.82/299	140	152	12	1.12
CMRC1210	516292.39	6709680.04	342.47	216	-60.82/299	155	169	14	1.07
CMRC1210	516292.39	6709680.04	342.47	216	-60.82/299	89	92	3	0.93
CMRC1211	516311.61	6709670.91	340.91	252	-60.45/302	156	161	5	1.65
CMRC1211	516311.61	6709670.91	340.91	252	-60.45/302	188	189	1	0.68
CMRC1211	516311.61	6709670.91	340.91	252	-60.45/302	184	185	1	0.71
CMRC1211	516311.61	6709670.91	340.91	252	-60.45/302	164	173	9	0.99
CMRC1211	516311.61	6709670.91	340.91	252	-60.45/302	149	150	1	1.49
CMRC1211	516311.61	6709670.91	340.91	252	-60.45/302	143	144	1	0.54
CMRC1211	516311.61	6709670.91	340.91	252	-60.45/302	177	179	2	1.03
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	136	142	6	1.85
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	73	74	1	0.56
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	203	204	1	1.6
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	189	190	1	1.01
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	184	185	1	1.31
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	176	178	2	0.97
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	166	171	5	0.83
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	159	160	1	0.75
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	129	133	4	0.54
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	115	126	11	1.69
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	105	106	1	0.83
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	93	94	1	14.86
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	79	83	4	0.68
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	58	60	2	1.39
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	47	48	1	0.57
CMRC1212	516314.2	6709723.33	341.02	210	-59.49/300	86	87	1	0.53
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	204	205	1	2.09
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	230	233	3	0.61
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	236	237	1	0.54
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	221	225	4	1.59
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	214	215	1	0.93
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	180	182	2	3.86
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	157	158	1	0.51
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	137	138	1	0.54
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	92	93	1	0.73
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	85	86	1	7.7
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	242	246	4	1.03
CMRC1213	516292.85	6709478.98	342.96	258	-59.82/272	186	191	5	1.15
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	110	112	2	0.68
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	259	260	1	0.53
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	241	252	11	1.32
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	233	234	1	2.96
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	225	230	5	2.92
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	198	200	2	0.73

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	173	177	4	0.97
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	100	102	2	4
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	84	85	1	0.9
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	60	61	1	1.37
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	48	50	2	2.31
CMRC1214	516270.43	6709479.13	342.99	270	-60.49/271	184	190	6	1.06
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	179	188	9	1.86
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	252	253	1	1.66
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	233	241	8	1.2
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	227	229	2	1.6
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	172	175	3	0.84
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	158	159	1	1.16
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	11	12	1	0.76
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	3	5	2	0.73
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	195	200	5	1.12
CMRC1215	516287	6709441.28	345.67	276	-51.28/270	204	205	1	1.64
CMRC1216	516599.68	6709724.52	350.39	114	-60.6/311	2	5	3	1.3
CMRC1216	516599.68	6709724.52	350.39	114	-60.6/311	92	93	1	1.99
CMRC1217	516617.78	6709711.18	350.47	162	-60.58/310	0	1	1	0.56
CMRC1217	516617.78	6709711.18	350.47	162	-60.58/310	43	47	4	0.71
CMRC1217	516617.78	6709711.18	350.47	162	-60.58/310	99	104	5	1.04
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	69	70	1	9.91
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	209	216	7	0.91
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	194	195	1	1.84
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	176	181	5	0.78
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	170	171	1	0.62
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	165	166	1	1.09
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	122	126	4	1.41
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	39	40	1	2.16
CMRC1218	516547.3	6709661.47	351.23	216	-60.15/314	138	141	3	0.49
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	204	205	1	3.7
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	239	246	7	1.38
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	226	228	2	1.42
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	73	74	1	2.3
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	174	175	1	0.84
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	77	78	1	1.06
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	60	61	1	0.54
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	194	195	1	3.04
CMRC1219	516565.9	6709644.28	351.11	264	-60.51/311	116	117	1	0.75
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	90	91	1	0.95
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	182	185	3	1.04
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	176	178	2	1.42
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	167	168	1	0.56
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	153	154	1	0.96

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	148	149	1	0.79
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	105	107	2	0.93
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	82	83	1	0.92
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	74	79	5	2.31
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	69	70	1	1.47
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	61	62	1	1.13
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	56	58	2	0.62
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	43	44	1	1.56
CMRC1220	516410.08	6709463.54	350.87	228	-60.45/301	119	120	1	0.52
CMRC1221	516443.77	6709539.07	349.84	186	-59.53/309	152	154	2	0.73
CMRC1221	516443.77	6709539.07	349.84	186	-59.53/309	58	63	5	0.97
CMRC1221	516443.77	6709539.07	349.84	186	-59.53/309	160	162	2	2.23
CMRC1221	516443.77	6709539.07	349.84	186	-59.53/309	115	117	2	0.95
CMRC1221	516443.77	6709539.07	349.84	186	-59.53/309	78	80	2	1.05
CMRC1221	516443.77	6709539.07	349.84	186	-59.53/309	98	103	5	1.46
CMRC1221	516443.77	6709539.07	349.84	186	-59.53/309	121	122	1	1.36
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	114	115	1	0.66
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	194	196	2	0.67
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	121	122	1	1.64
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	79	80	1	0.96
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	72	74	2	2.65
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	58	59	1	1.73
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	6	8	2	1.1
CMRC1222	516462.23	6709522.07	350.41	218	-60.6/311	130	132	2	0.66
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	183	186	3	1.32
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	251	254	3	1.47
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	226	236	10	5.28
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	167	172	5	1.39
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	9	11	2	0.54
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	135	136	1	1.35
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	130	132	2	2.19
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	118	119	1	2.44
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	107	108	1	0.51
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	154	155	1	0.92
CMRC1223	516513.07	6709583.88	349.97	258	-60.62/311	191	192	1	0.51
CMRC1224	516479	6709984	348	189	-60.59/270	54	57	3	0.65
CMRC1224	516479	6709984	348	189	-60.59/270	159	160	1	1.23
CMRC1224	516479	6709984	348	189	-60.59/270	143	144	1	0.67
CMRC1224	516479	6709984	348	189	-60.59/270	131	132	1	0.81
CMRC1224	516479	6709984	348	189	-60.59/270	163	166	3	0.95
CMRC1224	516479	6709984	348	189	-60.59/270	24	26	2	6.26
CMRC1224	516479	6709984	348	189	-60.59/270	136	137	1	2.07
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	98	100	2	0.76
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	118	120	2	1.69

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	106	109	3	0.94
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	86	91	5	1.36
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	80	82	2	3.56
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	57	64	7	0.74
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	144	147	3	1.3
CMRC1225	516839.81	6710610.86	348	174	-63.65/298	68	69	1	5.27
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	115	116	1	0.78
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	171	172	1	1.68
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	147	150	3	1.17
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	134	138	4	0.6
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	126	127	1	0.52
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	101	102	1	0.5
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	96	97	1	0.54
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	61	82	21	0.8
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	49	50	1	0.53
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	2	6	4	0.56
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	110	111	1	1.44
CMRC1226	516823.87	6710586.28	348	180	-62.87/301	26	27	1	0.54
CMRC1227	516785.02	6710512.06	344.79	174	-61.2/300	48	50	2	3.15
CMRC1227	516785.02	6710512.06	344.79	174	-61.2/300	150	151	1	0.97
CMRC1227	516785.02	6710512.06	344.79	174	-61.2/300	132	134	2	0.79
CMRC1227	516785.02	6710512.06	344.79	174	-61.2/300	120	121	1	0.62
CMRC1227	516785.02	6710512.06	344.79	174	-61.2/300	54	58	4	0.62
CMRC1227	516785.02	6710512.06	344.79	174	-61.2/300	15	16	1	2.69
CMRC1227	516785.02	6710512.06	344.79	174	-61.2/300	97	107	10	1.08
CMRC1228	516786.31	6710612.31	334.04	114	-60.14/270	88	89	1	0.52
CMRC1228	516786.31	6710612.31	334.04	114	-60.14/270	11	12	1	0.59
CMRC1228	516786.31	6710612.31	334.04	114	-60.14/270	0	1	1	4.6
CMRC1228	516786.31	6710612.31	334.04	114	-60.14/270	48	50	2	0.99
CMRC1228	516786.31	6710612.31	334.04	114	-60.14/270	67	68	1	0.68
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	175	177	2	1.58
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	206	207	1	0.72
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	157	170	13	1.07
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	148	153	5	0.72
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	144	145	1	0.58
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	128	129	1	1.23
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	63	64	1	0.57
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	53	54	1	0.67
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	48	49	1	1.26
CMRC1229	516805.6	6710710.3	329.37	222	-52.4/301	40	41	1	1.82
CMRC1230	516785.32	6710678.48	329.07	126	-56.04/298	42	46	4	0.81
CMRC1230	516785.32	6710678.48	329.07	126	-56.04/298	55	56	1	0.69
CMRC1230	516785.32	6710678.48	329.07	126	-56.04/298	84	86	2	0.9
CMRC1230	516785.32	6710678.48	329.07	126	-56.04/298	92	93	1	1.34

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1230	516785.32	6710678.48	329.07	126	-56.04/298	112	120	8	0.73
CMRC1230	516785.32	6710678.48	329.07	126	-56.04/298	30	31	1	1.71
CMRC1231	516766.96	6710642.54	329.44	216	-54.13/300	124	132	8	0.8
CMRC1231	516766.96	6710642.54	329.44	216	-54.13/300	171	179	8	1.9
CMRC1231	516766.96	6710642.54	329.44	216	-54.13/300	184	189	5	3.15
CMRC1231	516766.96	6710642.54	329.44	216	-54.13/300	137	140	3	0.62
CMRC1231	516766.96	6710642.54	329.44	216	-54.13/300	48	50	2	3.6
CMRC1231	516766.96	6710642.54	329.44	216	-54.13/300	89	93	4	0.63
CMRC1231	516766.96	6710642.54	329.44	216	-54.13/300	146	166	20	1.97
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	108	109	1	0.81
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	175	179	4	0.8
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	165	170	5	1.84
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	157	162	5	0.78
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	153	154	1	0.78
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	114	127	13	3.7
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	103	104	1	0.54
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	97	98	1	14.3
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	67	70	3	1.63
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	58	59	1	1.95
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	43	55	12	2.02
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	32	37	5	2.59
CMRC1232	516483.35	6710024.56	337.2	180	-61.88/303	138	144	6	1.9
CMRC1233	516489.34	6710066.82	336.85	168	-67.91/300	157	158	1	3.46
CMRC1233	516489.34	6710066.82	336.85	168	-67.91/300	167	168	1	0.78
CMRC1233	516489.34	6710066.82	336.85	168	-67.91/300	32	39	7	1.82
CMRC1233	516489.34	6710066.82	336.85	168	-67.91/300	110	113	3	1.07
CMRC1233	516489.34	6710066.82	336.85	168	-67.91/300	59	60	1	1.11
CMRC1233	516489.34	6710066.82	336.85	168	-67.91/300	134	135	1	0.75
CMRC1233	516489.34	6710066.82	336.85	168	-67.91/300	100	102	2	1.19
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	95	96	1	3.12
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	153	161	8	4.1
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	145	146	1	1.04
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	105	106	1	0.67
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	83	87	4	1.14
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	79	80	1	0.91
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	69	75	6	0.51
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	39	40	1	1.26
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	1	2	1	0.54
CMRC1234	516517.55	6710102.98	335.94	180	-73.46/302	122	123	1	0.64
CMRC1235	515959.14	6706574.39	346.45	84	-52.94/270	44	45	1	2.19
CMRC1235	515959.14	6706574.39	346.45	84	-52.94/270	50	57	7	2.16
CMRC1236	515980.78	6706583.71	346.32	90	-53.17/272	73	74	1	1.75
CMRC1236	515980.78	6706583.71	346.32	90	-53.17/272	51	56	5	0.77
CMRC1236	515980.78	6706583.71	346.32	90	-53.17/272	60	61	1	2.24

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1237	515944.01	6706551.33	346.46	60	-61.27/268	32	48	16	1.79
CMRC1238	516101.36	6706971.79	349.54	102	-58.04/268	37	38	1	1.26
CMRC1238	516101.36	6706971.79	349.54	102	-58.04/268	52	59	7	2.75
CMRC1238	516101.36	6706971.79	349.54	102	-58.04/268	73	77	4	0.93
CMRC1238	516101.36	6706971.79	349.54	102	-58.04/268	2	3	1	0.66
CMRC1239	516115.63	6706972.23	349.4	102	-59.14/268	66	68	2	1.61
CMRC1239	516115.63	6706972.23	349.4	102	-59.14/268	81	85	4	0.49
CMRC1239	516115.63	6706972.23	349.4	102	-59.14/268	62	63	1	0.56
CMRC1239	516115.63	6706972.23	349.4	102	-59.14/268	54	55	1	0.57
CMRC1239	516115.63	6706972.23	349.4	102	-59.14/268	20	21	1	0.55
CMRC1239	516115.63	6706972.23	349.4	102	-59.14/268	2	3	1	0.67
CMRC1239	516115.63	6706972.23	349.4	102	-59.14/268	88	94	6	1.16
CMRC1240	516102.72	6706999.41	349.97	90	-59.99/270	29	30	1	0.76
CMRC1240	516102.72	6706999.41	349.97	90	-59.99/270	60	62	2	7.11
CMRC1240	516102.72	6706999.41	349.97	90	-59.99/270	76	77	1	0.81
CMRC1240	516102.72	6706999.41	349.97	90	-59.99/270	81	82	1	0.91
CMRC1241	516122.21	6706999.23	349.6	114	-59.81/269	102	105	3	2.38
CMRC1241	516122.21	6706999.23	349.6	114	-59.81/269	55	56	1	0.93
CMRC1241	516122.21	6706999.23	349.6	114	-59.81/269	46	47	1	0.6
CMRC1241	516122.21	6706999.23	349.6	114	-59.81/269	2	3	1	0.51
CMRC1241	516122.21	6706999.23	349.6	114	-59.81/269	87	88	1	1.7
CMRC1241	516122.21	6706999.23	349.6	114	-59.81/269	76	77	1	0.98
CMRC1242	516286.63	6707247.75	352.96	72	-58.65/272	60	64	4	0.53
CMRC1242	516286.63	6707247.75	352.96	72	-58.65/272	70	71	1	0.55
CMRC1243	516315.64	6707248.31	353.32	114	-59.88/269	104	109	5	0.62
CMRC1243	516315.64	6707248.31	353.32	114	-59.88/269	0	1	1	1.14
CMRC1243	516315.64	6707248.31	353.32	114	-59.88/269	66	70	4	1.19
CMRC1243	516315.64	6707248.31	353.32	114	-59.88/269	73	74	1	0.83
CMRC1243	516315.64	6707248.31	353.32	114	-59.88/269	81	85	4	0.57
CMRC1243	516315.64	6707248.31	353.32	114	-59.88/269	93	94	1	2.3
CMRC1244	516289.77	6707272.42	353.08	72	-57.23/270	0	1	1	0.99
CMRC1244	516289.77	6707272.42	353.08	72	-57.23/270	63	65	2	2.72
CMRC1245	516307.89	6707271.97	353.04	90	-58.19/268	0	2	2	1.23
CMRC1245	516307.89	6707271.97	353.04	90	-58.19/268	11	12	1	1.18
CMRC1245	516307.89	6707271.97	353.04	90	-58.19/268	18	19	1	0.99
CMRC1245	516307.89	6707271.97	353.04	90	-58.19/268	46	47	1	1.08
CMRC1245	516307.89	6707271.97	353.04	90	-58.19/268	58	65	7	2.33
CMRC1245	516307.89	6707271.97	353.04	90	-58.19/268	78	79	1	6.56
CMRC1246	516333.09	6707300.17	351.82	144	-60.79/271	102	108	6	1.62
CMRC1246	516333.09	6707300.17	351.82	144	-60.79/271	134	135	1	0.64
CMRC1246	516333.09	6707300.17	351.82	144	-60.79/271	125	126	1	0.71
CMRC1246	516333.09	6707300.17	351.82	144	-60.79/271	66	74	8	0.65
CMRC1246	516333.09	6707300.17	351.82	144	-60.79/271	0	1	1	1.19
CMRC1246	516333.09	6707300.17	351.82	144	-60.79/271	60	62	2	1.71

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1246	516333.09	6707300.17	351.82	144	-60.79/271	89	93	4	0.73
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	120	123	3	0.87
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	150	156	6	0.44
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	145	146	1	1.67
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	126	127	1	0.68
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	116	117	1	1.65
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	108	113	5	7.7
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	93	97	4	4.79
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	63	81	18	3.04
CMRC1247	516359.76	6707349.45	354.88	162	-55.59/270	137	138	1	1.04
CMRC1248	516360.88	6707398.92	359.73	156	-57.1/271	130	131	1	0.77
CMRC1248	516360.88	6707398.92	359.73	156	-57.1/271	116	117	1	2.19
CMRC1248	516360.88	6707398.92	359.73	156	-57.1/271	148	149	1	0.76
CMRC1248	516360.88	6707398.92	359.73	156	-57.1/271	5	7	2	2.11
CMRC1248	516360.88	6707398.92	359.73	156	-57.1/271	106	110	4	0.86
CMRC1248	516360.88	6707398.92	359.73	156	-57.1/271	139	141	2	0.88
CMRC1248	516360.88	6707398.92	359.73	156	-57.1/271	63	70	7	3.1
CMRC1249	516326.67	6707802.06	351.74	114	-59.32/271	35	36	1	0.74
CMRC1249	516326.67	6707802.06	351.74	114	-59.32/271	47	50	3	8.07
CMRC1249	516326.67	6707802.06	351.74	114	-59.32/271	89	90	1	0.69
CMRC1249	516326.67	6707802.06	351.74	114	-59.32/271	104	105	1	1.76
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	99	100	1	0.86
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	150	151	1	0.84
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	139	140	1	0.62
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	103	104	1	0.57
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	89	90	1	0.6
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	56	59	3	0.96
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	47	49	2	0.82
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	31	32	1	1.81
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	25	26	1	2.82
CMRC1250	516361.87	6708974.19	338.67	156	-58.84/273	126	127	1	0.67
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	41	42	1	0.89
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	201	202	1	0.56
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	277	278	1	0.85
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	269	273	4	0.45
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	262	263	1	0.89
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	254	255	1	1.17
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	227	231	4	2.45
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	206	218	12	3.37
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	134	135	1	1.54
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	122	123	1	0.53
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	88	90	2	1.5
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	73	75	2	2.59
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	45	50	5	7.3

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	33	34	1	0.6
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	22	25	3	2.88
CMRC1251	516261.12	6709174.83	339.52	300	-59.79/272	66	67	1	0.77
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	149	150	1	0.52
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	233	234	1	0.52
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	269	270	1	6.01
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	261	262	1	1.16
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	256	257	1	1.54
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	237	250	13	1.54
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	24	26	2	1.07
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	34	36	2	1.62
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	136	137	1	3.83
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	56	60	4	1.55
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	48	49	1	3.79
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	40	41	1	3.98
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	218	221	3	1.73
CMRC1252	516256.41	6709249.2	341.12	270	-55.07/270	197	206	9	1.81
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	232	237	5	1.03
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	243	256	13	1.25
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	224	229	5	2.05
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	219	220	1	0.84
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	206	209	3	2.27
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	201	203	2	1.03
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	197	198	1	1.5
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	78	82	4	1.14
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	186	187	1	2.66
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	182	183	1	0.52
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	137	138	1	0.93
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	132	134	2	3.29
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	99	100	1	0.55
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	14	15	1	1.06
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	86	87	1	0.59
CMRC1253	516239.72	6709226.23	339.57	258	-59.06/270	192	193	1	0.96
CMRC1254	516251.64	6709126.58	339.82	72	-60.52/271	0	2	2	0.6
CMRC1254	516251.64	6709126.58	339.82	72	-60.52/271	46	49	3	3.67
CMRC1254	516251.64	6709126.58	339.82	72	-60.52/271	14	15	1	1.2
CMRC1254	516251.64	6709126.58	339.82	72	-60.52/271	25	27	2	1.03
CMRC1255	516255	6709127	348	192	-53.56/272	138	139	1	8.66
CMRC1255	516255	6709127	348	192	-53.56/272	187	192	5	2.8
CMRC1255	516255	6709127	348	192	-53.56/272	161	162	1	0.56
CMRC1255	516255	6709127	348	192	-53.56/272	150	158	8	2.68
CMRC1255	516255	6709127	348	192	-53.56/272	76	78	2	1.52
CMRC1255	516255	6709127	348	192	-53.56/272	123	125	2	1.04
CMRC1255	516255	6709127	348	192	-53.56/272	96	97	1	0.71

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1255	516255	6709127	348	192	-53.56/272	81	85	4	0.49
CMRC1255	516255	6709127	348	192	-53.56/272	29	30	1	1.46
CMRC1255	516255	6709127	348	192	-53.56/272	22	23	1	1.9
CMRC1255	516255	6709127	348	192	-53.56/272	88	89	1	0.51
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	234	240	6	0.96
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	164	168	4	3.46
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	221	231	10	0.99
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	41	51	10	0.93
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	200	201	1	0.91
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	176	177	1	0.58
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	116	121	5	0.5
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	111	112	1	3.14
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	93	94	1	12.75
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	70	71	1	0.53
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	20	32	12	1.31
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	78	80	2	0.68
CMRC1256	516262.35	6709076.77	339.9	240	-51.88/271	153	158	5	2
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	157	158	1	1.09
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	219	229	10	0.77
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	176	177	1	1.15
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	150	153	3	0.75
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	99	100	1	1.35
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	25	26	1	1.24
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	11	12	1	1.04
CMRC1257	516251.47	6709026.34	341.01	234	-50.91/270	204	205	1	0.86
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	35	42	7	5.71
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	172	174	2	1.55
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	290	291	1	0.85
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	267	274	7	1.36
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	262	264	2	1.08
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	248	249	1	0.95
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	220	239	19	4.3
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	177	178	1	0.66
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	165	166	1	6.57
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	148	150	2	7.23
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	105	106	1	1.23
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	82	84	2	0.7
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	46	54	8	1.6
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	30	31	1	1.66
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	25	26	1	0.69
CMRC1258	516303.16	6709346.16	341.59	291	-55.1/271	67	70	3	1.01
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	152	154	2	1.08
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	177	181	4	0.67
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	116	117	1	1.63

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	124	149	25	0.87
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	81	82	1	0.72
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	75	76	1	1.35
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	59	63	4	4.78
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	45	56	11	5.12
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	14	17	3	1.95
CMRC1259	516402.09	6709499.48	350.81	198	-58.82/269	91	92	1	0.52
CMRC1260	516767.82	6710266.34	330.75	162	-59.54/298	91	92	1	0.66
CMRC1260	516767.82	6710266.34	330.75	162	-59.54/298	0	2	2	0.74
CMRC1260	516767.82	6710266.34	330.75	162	-59.54/298	127	131	4	0.71
CMRC1260	516767.82	6710266.34	330.75	162	-59.54/298	112	113	1	5.13
CMRC1260	516767.82	6710266.34	330.75	162	-59.54/298	40	43	3	2.9
CMRC1260	516767.82	6710266.34	330.75	162	-59.54/298	5	8	3	0.63
CMRC1260	516767.82	6710266.34	330.75	162	-59.54/298	118	124	6	2.06
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	145	149	4	0.64
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	176	179	3	0.61
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	198	199	1	0.82
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	163	173	10	3.07
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	155	156	1	0.82
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	70	71	1	1
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	65	66	1	1.94
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	7	8	1	0.6
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	52	53	1	0.66
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	18	19	1	0.56
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	205	209	4	0.55
CMRC1261	516838.32	6710383.67	341.72	216	-59.92/301	137	138	1	1.59
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	86	87	1	0.86
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	201	202	1	1.2
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	176	180	4	0.53
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	162	173	11	1.17
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	154	158	4	0.79
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	145	151	6	1.2
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	127	129	2	2.53
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	65	66	1	0.52
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	60	61	1	0.6
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	28	33	5	0.69
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	22	24	2	0.68
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	15	16	1	0.51
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	1	4	3	1.92
CMRC1262	516856.97	6710452.58	343.85	210	-59.66/287	139	142	3	0.92
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	212	221	9	2
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	179	180	1	0.54
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	247	248	1	0.52
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	241	242	1	1.08

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	232	233	1	2.17
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	224	227	3	0.84
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	196	197	1	0.75
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	22	25	3	0.78
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	174	175	1	6.38
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	156	167	11	0.71
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	124	152	28	1.6
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	206	208	2	0.71
CMRC1263	516870.62	6710526.46	343.54	252	-60.06/285	59	62	3	0.61
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	130	131	1	0.67
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	253	261	8	1.39
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	233	247	14	0.85
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	213	214	1	0.83
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	205	207	2	0.79
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	177	178	1	0.6
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	137	139	2	0.69
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	98	103	5	0.7
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	93	94	1	2.44
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	84	85	1	0.73
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	44	45	1	0.66
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	7	9	2	1.99
CMRC1264	516800.03	6710530.78	347.17	282	-51.21/298	157	163	6	0.63
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	120	121	1	0.6
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	56	57	1	0.51
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	148	189	41	1.34
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	138	143	5	1.05
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	132	133	1	9.48
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	100	101	1	0.51
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	67	70	3	0.63
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	5	6	1	0.54
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	86	87	1	0.83
CMRC1265	516748.99	6710558.72	332.15	233	-54.82/303	110	111	1	0.55
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	118	119	1	1.82
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	187	209	22	2.69
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	149	150	1	0.61
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	112	114	2	1.38
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	100	101	1	1.59
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	40	41	1	0.62
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	7	8	1	0.59
CMRC1266	516728.77	6710514.15	332.8	210	-60.28/301	160	161	1	0.6
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	202	207	5	1.17
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	143	148	5	1.9
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	174	198	24	1.15
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	42	46	4	1.55

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	164	169	5	2.81
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	94	97	3	1.28
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	55	58	3	0.95
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	28	29	1	1.06
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	134	138	4	1.72
CMRC1267	516775.88	6710660.49	329.07	210	-59.66/300	76	78	2	0.69
CMRC1268	516786.95	6710630.51	333.99	36	-55/300	6	8	2	0.53
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	77	78	1	0.65
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	176	192	16	1.23
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	167	173	6	1.41
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	159	163	4	1.33
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	129	130	1	2.69
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	117	118	1	0.51
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	88	90	2	1.3
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	51	52	1	0.62
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	45	46	1	4.47
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	35	36	1	0.71
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	6	8	2	0.58
CMRC1269	516786.95	6710630.51	333.99	192	-54.47/299	100	102	2	1.43
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	106	108	2	1.46
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	83	86	3	3.02
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	122	123	1	0.69
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	69	72	3	1.1
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	25	27	2	1.77
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	62	65	3	0.71
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	53	56	3	0.41
CMRC1270	516536.33	6709741.15	343.59	180	-62.35/297	112	116	4	3.59
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	152	154	2	0.67
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	164	168	4	0.78
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	99	100	1	0.52
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	89	90	1	0.65
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	66	68	2	0.78
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	62	63	1	1.44
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	53	54	1	1.4
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	43	44	1	3.23
CMRC1271	516766.37	6710597.95	333.28	168	-56.57/299	4	9	5	0.83
CMRC1272	516764.59	6710598.85	333.27	222	-57.1/300	52	53	1	0.53
CMRC1272	516764.59	6710598.85	333.27	222	-57.1/300	61	62	1	2.05
CMRC1272	516764.59	6710598.85	333.27	222	-57.1/300	65	67	2	1.91
CMRC1272	516764.59	6710598.85	333.27	222	-57.1/300	5	9	4	0.73
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	64	66	2	1.8
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	234	240	6	12.77
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	224	226	2	0.88
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	199	201	2	0.96

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	217	218	1	0.56
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	213	214	1	1.3
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	155	182	27	1.8
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	149	150	1	1.24
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	132	133	1	0.57
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	89	92	3	0.97
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	55	58	3	0.91
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	122	123	1	0.67
CMRC2039	516350.35	6709757.93	340.8	246	-60.44/299	194	195	1	0.58
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	187	189	2	0.93
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	210	212	2	1.07
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	192	193	1	1.08
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	168	184	16	0.9
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	157	165	8	0.83
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	153	154	1	0.68
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	126	128	2	5.25
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	116	119	3	0.9
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	102	103	1	0.91
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	77	78	1	1.37
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	50	53	3	0.71
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	35	36	1	2.34
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	139	141	2	0.57
CMRC2040	516331.34	6709714.41	341.42	252	-59.63/299	198	201	3	0.56
CMRC2041	516322	6709373	350	309	-55.68/269	97	99	2	0.95
CMRC2041	516322	6709373	350	309	-55.68/269	270	284	14	1.14
CMRC2041	516322	6709373	350	309	-55.68/269	249	252	3	0.5
CMRC2041	516322	6709373	350	309	-55.68/269	228	245	17	9.16
CMRC2041	516322	6709373	350	309	-55.68/269	187	189	2	0.85
CMRC2041	516322	6709373	350	309	-55.68/269	153	154	1	2.51
CMRC2041	516322	6709373	350	309	-55.68/269	68	75	7	1.14
CMRC2041	516322	6709373	350	309	-55.68/269	44	45	1	0.6
CMRC2041	516322	6709373	350	309	-55.68/269	37	38	1	3.48
CMRC2041	516322	6709373	350	309	-55.68/269	162	163	1	5.18
CMRCWB0001	517901.93	6712655.94	318.84	84	-90/0	48	52	4	1.06
CMRCWB0001	517901.93	6712655.94	318.84	84	-90/0	60	64	4	0.89
CMRCWB0001	517901.93	6712655.94	318.84	84	-90/0	80	84	4	0.55
CMRCWB0018	517801.56	6712507.45	321.18	174	-90/0	24	32	8	4.38

Appendix 2
JORC Code, 2012 Edition – Table 1
Section 1 Sampling Techniques and Data
 (Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<p>RC drilling at KGP and MGGP completed by Topdrill with the same techniques and process at both. For Reverse Circulation (RC) drilling 2kg - 3kg samples are split from dry 1m bulk samples. The sample was collected through a cyclone and cone splitter. Once drilling reached fresh rock a fine spray of water was used to suppress dust and limit the loss of fines thorough the cyclone chimney.</p> <p>RC Field duplicates were collected at a ratio of 1:40 and collected at the same time as the original sample through the B chute of the cone splitter. Matrix matched CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 1:40. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges.</p> <p>Samples were sent to the laboratory where they were pulverised to produce a 50 g charge for fire assay.</p> <p>DD: Diamond Drilling was completed at MGGP by Topdrill with triple tube HQ core sampled as quarter core. No field duplicates were sampled for the DD, and CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 2:25.</p> <p>Rock chip samples were taken in the field by CMM geologists during field inspection. Rock samples were collected from surface outcrop. Outcrop samples are considered to be in situ resistant portions of the geology. Samples weighing between 0.5kg and 3kg were collected All sample locations were collected using a hand-held GPS with +/-5m accuracy using MGA zone 50 (GDA94) coordinate system.</p>
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<p>RC: Topdrill Drilling drill rig was used to drill the RC drill holes: Hole diameter was 140mm.</p> <p>DD: Topdrill Sandvik DE840 Truck Mounted Drill Rig was used to drill the DD drill holes. Hole diameter is HQ triple tube, orientation tools used are Axis Champ North Seeking Gyro tool.</p>
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<p>RC: Once drilling reached fresh rock a fine spray of water was used to suppress dust and limit the loss of fines thorough the cyclone chimney.</p> <p>At the end of each metre the bit was lifted off the bottom to separate each metre drilled.</p> <p>The majority of samples were of good quality with ground water having minimal effect on sample quality or recovery. There is no obvious relationship between sample recovery and grade.</p> <p>DD: Core recoveries were typically 100%, with isolated zones of lower recovery.</p>
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. 	<p>Reverse circulation chips were washed and stored in chip trays in 1m intervals for the entire length of each hole. Chip trays were stored on site in a sealed container. Chips were visually inspected and logged by an on-site geologist to record lithology (including rock type, oxidation state, weathering, grain size, colour, mineralogy, and texture), alteration, mineralisation, veining, structure, sample quality (dry/wet, contamination) and approximate water flow down hole. Mineralisation, veining and</p>

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> The total length and percentage of the relevant intersections logged. 	<p>water flow were quantitative or semi-quantitative in nature; the remainder of logging was qualitative.</p> <p>DD: Logging processes include lithology, weathering, alteration, mineralisation, veining, RQD and core recovery and structure. Structural data for selected points has been collected as alpha and beta angles in core. These data are converted to Dip and Dip direction after loading to the database. Intervals for density measurement were identified while logging. All core was photographed both dry and wet after logging.</p> <p>Logging is both qualitative and quantitative or semi-quantitative in nature.</p> <p>Rockchip samples: CMM Geologists recorded a short geological description of each sample location including lithology, alteration, veining, and mineralization. Comments on lithology and regolith features are made where possible. Electronic recorded logging has been captured. Logging is qualitative in nature and captured regolith environment comments</p>
<p><i>Sub-sampling techniques and sample preparation</i></p>	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<p>RC holes samples were split from dry, 1m bulk samples via a cone splitter directly from the cyclone.</p> <p>RC Field duplicates were collected at a ratio of 1:40 and collected at the same time as the original sample through the B chute of the cone splitter. Matrix matched CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 1:40. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges.</p> <p>The duplicates and CRM's were submitted to the lab using unique sample ID's.</p> <p>2kg – 3kg RC samples are submitted to the laboratory.</p> <p>Samples are oven dried at 105°C then jaw crushed to -10mm followed by a Boyd crush to a nominal -2mm. Samples were rotary split to 2.5kg. Samples were then pulverised in LM5 mills to 85% passing 75µm under sample preparation code SP3000 which consists of a 5-minute extended preparation for RC/Soil/RAB. The extended time for the pulverisation is to improve the pulverisation of samples due to the presence of garnets in the samples.</p> <p>All the samples were analysed for Au using the FA50AAS technique which is a 50g lead collection fire assay.</p> <p>This sample preparation technique is appropriate for the MGGP and KGP; and is standard industry practice for a gold deposit.</p> <p>DD: Sampling was completed at quarter core. Core was cut and sampled at the Mt Gibson core yard. Sample intervals were 1.0m for the HQ sized diamond core. Samples were collected in pre numbered Calico and grouped for dispatch to ALS laboratory for FA50AAS and 4 acid digest multielement ME-MS61. No field duplicates were sampled for the DD, and CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 2:25.</p> <p>Rockchip samples: Prepared by ALS AuME-TL43 Analytical code, Au + multi-element packages use a single aqua regia digest on 25g or 50g charge weights, with either Trace or Super Trace level detection options available. Gold, in conjunction with a large suite of base metal and pathfinder elements, are determined from the same solution via a combination of ICPMS and ICP-AES. PUL-24 preparation code, Pulverize up to 3kg of raw sample. QC specification of 85% <75µm. Samples</p>

Criteria	JORC Code explanation	Commentary
		greater than 3kg are split prior to pulverizing and the remainder discarded.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<p>RC: Drilling samples were submitted to MinAnalytical laboratory and ALS in Perth. 1m RC samples were assayed by a FA50AAS 50gm fire assay which is a total assay.</p> <p>RC Field duplicates were collected at a ratio of 1:40 and collected at the same time as the original sample through the B chute of the cone splitter. Matrix matched CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 1:40. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges.</p> <p>DD: Drilling samples were submitted to Minanalytical laboratory and ALS in Perth. 1m RC samples were assayed by a FA50AAS 50gm fire assay which is a total assay. No field duplicates were sampled for the DD, and CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 2:25. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges.</p> <p>Rockchip samples: No CRMs where submitted, laboratory introduced CRMs were reported as part of rock chip submissions.</p>
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<p>Logging and sampling were recorded directly into a Micromine Geobank template, which utilises lookup tables and in file validation on a Toughbook by the geologist on the rig. Validated data was sent to the database administrator in Perth who then carried out independent verifications using Maxwell's Datashed.</p> <p>Assay results when received were plotted on section and were verified against neighbouring holes.</p> <p>QAQC reports were generated on a hole-by-hole basis by the database administrator as results were received.</p> <p>Rockchip samples: All CMM data is verified by the Competent person. All data is stored in an electronic Access Database.</p> <p>Capricorn Metals sampling, data collection in field is captured in an electronic logging system for geological, regolith, sample id, assay and surveying information.</p>
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<p>All Drillhole collar positions were surveyed using hand held GPS. Drillhole location data was initially captured in the MGA94 grid system. Before further resource evaluation work the drillhole locations will be picked up with DGPS by qualified surveyors.</p> <p>Down hole surveys were undertaken on 30m increments from end of hole, using a Reflex down hole gyroscopic tool.</p> <p>The natural surface topography was modelled using a DTM generated from airborne survey, this includes waste dumps and some in-pit waste dumping. Also available are pit surveys of the mining voids at the end of historical mining to enable depletion of the CMM resource. The pit surveys and topography surface were checked in Google Earth for accuracy. Horizontal point accuracy is expected to be <5m and vertical accuracy to 0.5m. The reference datum was GDA94 and the projection was</p>

Criteria	JORC Code explanation	Commentary
		MGA Zone 50. Topographic control appears to be of good quality and is considered adequate for resource estimation. Rockchip samples: sample location were captured using a handheld GPS. All GPS data points were later visualised using ARCGIS software to ensure they were recorded in the correct position The grid system used is UTM GDA 94 Zone 50.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<p>RC and DD Samples were collected and analysed for each metre down the hole. Samples were collected and analysed for each metre down the hole.</p> <p>RC hole spacing was between 50m N x 50m E and 25m N x 25m E, sufficient for resource estimation. DD holes were spaced across the project area with locations picked for geotechnical or metallurgical purposes.</p> <p>Rockchip sampling: Sample locations for the rockchips were selected based on availability of material to sample in areas of interest.</p>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<p>Drill lines are oriented across strike on an MGA grid. MGGP orebody dips at 80 degrees to the East and KGP 25 degrees to the west.</p> <p>Holes in the drill Programmes have been mostly drilled at inclination of -55 to -60 degrees at MGGP and KGP. The orientation of the drilling is suitable for the mineralisation style and orientation of the target mineralisation.</p> <p>Rockchip sampling: Orientation of data in relation to geological structure Sampling is preferentially across the strike or trend of mineralized outcrops.</p>
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	Calico sample bags are sealed into green bags/polyweave bags and cable tied. These bags were then sealed in bulk bags by company personnel and dispatched by third party contractor. In-company reconciliation is completed with laboratory assay returns.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	The Competent Person for Exploration Results reported here has visited the project areas where sampling has taken place and has reviewed and confirmed the sampling procedures.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	MGGP: The resource is located across mining tenements held by wholly owned Capricorn subsidiaries METROVEX PTY LTD and CRIMSON METALS PTY LTD; being M 59/772, E 59/2450, E 59/2594, E 59/2606, G 59/11, G 59/12, G 59/13, G 59/14, G 59/15, G 59/16, G 59/17, G 59/18, G 59/48, G 59/70, L 59/140, L 59/45, L 59/46, L 59/53, M 59/328, M 59/402, M 59/403, M 59/404, P 59/2286, P 59/2287, P 59/2290, P 59/2291, P 59/2306, P 59/2309, P 59/2310.

Criteria	JORC Code explanation	Commentary
		<p>All of the tenements are subject to a 1% NSR royalty to Avenger Projects Ltd, including gold production above 90,000 ounces. A royalty is also payable to St Barbara Limited on all gold production in excess of 20,000 ounces (excluding production from historic waste dumps and tailings) at the rate of \$10 per ounce, applicable to leases M 59/328, M 59/402, M 59/403, M 59/404, G 59/11, G 59/12, G 59/13, G 59/14, G 59/15, G 59/16, G 59/17, G 59/18, L 59/45, L 59/46, L 59/53 No other known impediments exist to operate in the area.</p> <p>KGP: The Bibra deposit is located in M 52/1070 held by Greenmount Resources, a wholly owned subsidiary of Capricorn Metals.</p> <p>M52/1070 is within the area of granted E52/1711 exploration tenement in the Pilbara region of Western Australia. E52/1711 was acquired from BHPB in 2008. South32 (via the spin-out from BHPB) retain a 2% NSR whilst BHPB a claw-back provision whereby BHPB can elect to acquire a 70% equity in the project only if JORC compliant reported resources of 5,000,000 ounces of gold and/or 120,000 tonnes of contained nickel have been delineated. The Nyiyaparli People hold Native Title over the area including E52/1711 and M52/1070. There is no known heritage or environmental impediments over the lease.</p> <p>No other known impediments exist to operate in the area.</p>
<p>Exploration done by other parties</p>	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<p>MGGP: The Mt Gibson Gold Deposit (Mt Gibson) has a history of minor gold production dating back to the 1930's when prospectors operated small gold workings at Paynes-Crusoe and Tobias Find. While the area was subject to previous prospecting and company exploration in smaller leaseholdings, the Mt. Gibson Gold Project was first held in more-or-less its present configuration and extent by Reynolds Australia, who commenced exploration in the early 1980's. Soil and laterite sampling resulted in several significant gold and base metal anomalies being defined; follow up rotary air blast (RAB), air core (AC), reverse circulation (RC) and diamond drilling Programmes outlined significant economic laterite and oxide resources. A joint venture between Reynolds Australia Metals and Forsayth Mining Limited (with FML as the operator) began operations in 1986, mining and processing 6.5 million tonnes of laterite ores defined by FML in 1984, followed later by oxide and sulphide ores defined by drilling beneath the laterite orebodies. The project was sold by Reynolds to Camelot Resources in 1995. Continuing exploration resulted in the discovery of further oxide resources, mainly on the Taurus Trend, and the underground quartz-sulphide deposit at Wombat. These resources were subsequently mined and processed, all mining being completed at the end of 1997 and final milling of low grade stockpiles completed in June of 1998. A 4Mt dump leach remained in operation until November 1998, producing 68,868 ounces of gold. Including the dump leach, a total of 16,477,882 tonnes of ore was processed during the life of the operation, for 868,478 ounces of gold at an overall average grade of 1.64g/t Au.</p> <p>KGP: Prior to Capricorn Metals, E52/1711 was held by Independence group (IGO) who undertook exploration between 2008 & 2014. Prior to Independence group, WMC (BHPB) explored the area from 2004 to 2008.</p>
<p>Geology</p>	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<p>MGGP: The Mt Gibson Gold Project tenements are located at the southern extremity of the Retaliation Greenstone Belt, in the SW portion of the Yalgoo-Singleton Greenstone Belt in the Murchison Province of the Yilgarn Craton. The tenements are mostly covered by a veneer of alluvial</p>

Criteria	JORC Code explanation	Commentary
		<p>quartz sands and laterite gravels, with sporadic greenstone subcrop and outcrop, increasingly exposed in the north of the project area. The mineralised laterite gravels are situated slightly down-slope from the lode deposits on the Gibson trend. Regionally, the greenstone belt has been metamorphosed to middle amphibolite facies and hosts a number of Au-Cu deposits and prospects, including Golden Grove, 90km to the northwest of Mt.Gibson.</p> <p>The lode style mineralisation at Mt. Gibson is predominantly hosted by three main trends:</p> <p>The Gibson Trend</p> <p>The majority of the known and mined mineralisation is hosted by this trend. It is hypothesised to have originally been a gold-copper-zinc rich Volcanogenic Hosted Massive Sulphide (VHMS) deposit that has been overprinted by a later hydrothermal gold mineralising event. This mineralised shear zone has an arcuate north-south to northeasterly strike (trending more north-easterly in the north) and extends for more than seven kilometres from the southern granite contact to beyond the Hornet ore body.</p> <p>The so-called “Mine Sequence” is around 400 metres wide and consists of a parcel of sheared, metamorphosed and chlorite-biotite-muscovite altered mafic volcanics. Numerous felsic porphyries intrude the Mine Sequence. Mineralisation is hosted within multiple sets of elongate lodes with strong strike continuity, which anastomose and pinch-swell along strike and to depth. The main lode systems include Hornet, Enterprise, Orion and S2.</p> <p>The Taurus Trend</p> <p>The north-westerly trending Taurus Trend lies west of and diagonal to the Gibson Trend. Mineralisation is intimately associated with an apparently continuous felsic unit emplaced into the northwest trending shear and was discovered late in the life of the mining operation. It is characterised by discontinuous ore bodies, and strongly mineralised quartz-sulphide veining. The ore bodies on this trend include Sheldon and Wombat which, although not as continuous in strike as the ore bodies on the Gibson Trend, show a higher gold tenor.</p> <p>The Highway Trend</p> <p>The Highway Trend is a northeast trending shear zone, hosted by a mafic sequence in the western terrain, 11km northwest of the main mining area. This trend hosts the Highway ore body, and the Phoenix and Aquarius Prospects. It shares many of the characteristics of the Gibson trend, but it appears to lack the VHMS mineralising event and has generally been regarded as a predominantly low-grade system, although work from previous explores suggest it may have greater persistence and significance than previously thought and hence justifies further attention. The project area also hosts a number of BIF and quartz hosted small mineral occurrences including Paynes-Crusoe and MacDonald’s Find.</p> <p>KGP: Bibra is part of a large-scale Archaean aged gold mineralised system. The resource is hosted within a package of deformed meta-sediments which has developed on at least two parallel, shallow dipping structures; Laterite oxide mineralization has developed over the structures close to surface. The primary mineralisation is strata-bound with lineations identified as controlling higher-grade shoots. The deposit is oxidized to average depths of 50-70m.</p>

Criteria	JORC Code explanation	Commentary
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	All relevant drillhole information can be found in section 1 – “Sampling techniques”, “Drilling techniques” and “Drill Sample Recovery” and the significant intercepts table.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	Reported intercepts include a minimum of 0.5g/t Au value over a minimum length of 1m with a maximum 2m length of consecutive internal waste. No upper cuts have been applied. No aggregation methods have been applied for the rockchips. No metal equivalent values are used.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg ‘down hole length, true width not known’). 	<p>MGGP: The mineralisation dips steeply to the east, and drilling is generally orientated at 60 degrees to the west, meaning intercepts are roughly perpendicular to mineralisation in the majority of cases. Some vertical holes drilled from the base of mined pits and are therefore at a high degree to the mineralisation.</p> <p>KGP: At Bibra, the geometry of the mineralisation has already been defined from previous drilling programs. The intersection angle between drill angle and the perpendicular angle to the ore zone is less than 10 degrees.</p>
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	Refer to the diagrams in the body of this report.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	The accompanying document is considered to be a balanced report with a suitable cautionary note.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	No other material information or data to report.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	Further work includes continued resource infill RC drilling at both projects, and studies on the diamond drilling at MGGP for metallurgical studies, QAQC assessment, geotechnical and bulk density testwork. This work will form the basis of an updated resource and maiden Ore Reserve at Mt Gibson.

Section 3 Estimation and Reporting of Mineral Resources

(Criteria listed in section 1, and where relevant in section 2, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Database integrity	<ul style="list-style-type: none"> Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes. Data validation procedures used. 	No Mineral Resource Estimation update being reported.
Site visits	<ul style="list-style-type: none"> Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	No Mineral Resource Estimation update being reported.
Geological interpretation	<ul style="list-style-type: none"> Confidence in (or conversely, the uncertainty of) the geological interpretation of the mineral deposit. Nature of the data used and of any assumptions made. The effect, if any, of alternative interpretations on Mineral Resource estimation. The use of geology in guiding and controlling Mineral Resource estimation. The factors affecting continuity both of grade and geology. 	No Mineral Resource Estimation update being reported.
Dimensions	<ul style="list-style-type: none"> The extent and variability of the Mineral Resource expressed as length (along strike or otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource. 	No Mineral Resource Estimation update being reported.
Estimation and modelling techniques	<ul style="list-style-type: none"> The nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values, domaining, interpolation parameters and maximum distance of extrapolation from data points. If a computer assisted estimation method was chosen include a description of computer software and parameters used. The availability of check estimates, previous estimates and/or mine production records and whether the Mineral Resource estimate takes appropriate account of such data. The assumptions made regarding recovery of by-products. Estimation of deleterious elements or other non-grade variables of economic significance (eg sulphur for acid mine drainage characterisation). In the case of block model interpolation, the block size in relation to the average sample spacing and the search employed. Any assumptions behind modelling of selective mining units. Any assumptions about correlation between variables. Description of how the geological interpretation was used to control the resource estimates. Discussion of basis for using or not using grade cutting or capping. The process of validation, the checking process used, the comparison of model data to drill hole data, and use of reconciliation data if available. 	No Mineral Resource Estimation update being reported.
Moisture	<ul style="list-style-type: none"> Whether the tonnages are estimated on a dry basis or with natural moisture, and the method of determination of the moisture content. 	No Mineral Resource Estimation update being reported.
Cut-off parameters	<ul style="list-style-type: none"> The basis of the adopted cut-off grade(s) or quality parameters applied. 	No Mineral Resource Estimation update being reported.
Mining factors or assumptions	<ul style="list-style-type: none"> Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made. 	No Mineral Resource Estimation update being reported.

Criteria	JORC Code explanation	Commentary
Metallurgical factors or assumptions	<ul style="list-style-type: none"> The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made. 	No Mineral Resource Estimation update being reported.
Environmental factors or assumptions	<ul style="list-style-type: none"> Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an explanation of the environmental assumptions made. 	No Mineral Resource Estimation update being reported.
Bulk density	<ul style="list-style-type: none"> Whether assumed or determined. If assumed, the basis for the assumptions. If determined, the method used, whether wet or dry, the frequency of the measurements, the nature, size and representativeness of the samples. The bulk density for bulk material must have been measured by methods that adequately account for void spaces (vugs, porosity, etc), moisture and differences between rock and alteration zones within the deposit. Discuss assumptions for bulk density estimates used in the evaluation process of the different materials. 	No Mineral Resource Estimation update being reported.
Classification	<ul style="list-style-type: none"> The basis for the classification of the Mineral Resources into varying confidence categories. Whether appropriate account has been taken of all relevant factors (ie relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data). Whether the result appropriately reflects the Competent Person's view of the deposit. 	No Mineral Resource Estimation update being reported.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of Mineral Resource estimates. 	No Mineral Resource Estimation update being reported.
Discussion of relative accuracy/confidence	<ul style="list-style-type: none"> Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the resource within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	No Mineral Resource Estimation update being reported.

Section 4 Estimation and Reporting of Ore Reserves

(Criteria listed in section 1, and where relevant in sections 2 and 3, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral Resource estimate for conversion to Ore Reserves	<ul style="list-style-type: none"> Description of the Mineral Resource estimate used as a basis for the conversion to an Ore Reserve. Clear statement as to whether the Mineral Resources are reported additional to, or inclusive of, the Ore Reserves. 	No Ore Reserve being reported.
Site visits	<ul style="list-style-type: none"> Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	No Ore Reserve being reported.
Study status	<ul style="list-style-type: none"> The type and level of study undertaken to enable Mineral Resources to be converted to Ore Reserves. The Code requires that a study to at least Pre-Feasibility Study level has been undertaken to convert Mineral Resources to Ore Reserves. Such studies will have been carried out and will have determined a mine plan that is technically achievable and economically viable, and that material Modifying Factors have been considered. 	No Ore Reserve being reported.
Cut-off parameters	<ul style="list-style-type: none"> The basis of the cut-off grade(s) or quality parameters applied. 	No Ore Reserve being reported.
Mining factors or assumptions	<ul style="list-style-type: none"> The method and assumptions used as reported in the Pre-Feasibility or Feasibility Study to convert the Mineral Resource to an Ore Reserve (i.e. either by application of appropriate factors by optimisation or by preliminary or detailed design). The choice, nature and appropriateness of the selected mining method(s) and other mining parameters including associated design issues such as pre-strip, access, etc. The assumptions made regarding geotechnical parameters (eg pit slopes, stope sizes, etc), grade control and pre-production drilling. The major assumptions made and Mineral Resource model used for pit and stope optimisation (if appropriate). The mining dilution factors used. The mining recovery factors used. Any minimum mining widths used. The manner in which Inferred Mineral Resources are utilised in mining studies and the sensitivity of the outcome to their inclusion. The infrastructure requirements of the selected mining methods. 	No Ore Reserve being reported.
Metallurgical factors or assumptions	<ul style="list-style-type: none"> The metallurgical process proposed and the appropriateness of that process to the style of mineralisation. Whether the metallurgical process is well-tested technology or novel in nature. The nature, amount and representativeness of metallurgical test work undertaken, the nature of the metallurgical domaining applied and the corresponding metallurgical recovery factors applied. Any assumptions or allowances made for deleterious elements. The existence of any bulk sample or pilot scale test work and the degree to which such samples are considered representative of the orebody as a whole. For minerals that are defined by a specification, has the ore reserve estimation been based on the 	No Ore Reserve being reported.

Criteria	JORC Code explanation	Commentary
	<i>appropriate mineralogy to meet the specifications?</i>	
Environmental	<ul style="list-style-type: none"> The status of studies of potential environmental impacts of the mining and processing operation. Details of waste rock characterisation and the consideration of potential sites, status of design options considered and, where applicable, the status of approvals for process residue storage and waste dumps should be reported. 	No Ore Reserve being reported.
Infrastructure	<ul style="list-style-type: none"> The existence of appropriate infrastructure: availability of land for plant development, power, water, transportation (particularly for bulk commodities), labour, accommodation; or the ease with which the infrastructure can be provided, or accessed. 	No Ore Reserve being reported.
Costs	<ul style="list-style-type: none"> The derivation of, or assumptions made, regarding projected capital costs in the study. The methodology used to estimate operating costs. Allowances made for the content of deleterious elements. The derivation of assumptions made of metal or commodity price(s), for the principal minerals and co-products. The source of exchange rates used in the study. Derivation of transportation charges. The basis for forecasting or source of treatment and refining charges, penalties for failure to meet specification, etc. The allowances made for royalties payable, both Government and private. 	No Ore Reserve being reported.
Revenue factors	<ul style="list-style-type: none"> The derivation of, or assumptions made regarding revenue factors including head grade, metal or commodity price(s) exchange rates, transportation and treatment charges, penalties, net smelter returns, etc. The derivation of assumptions made of metal or commodity price(s), for the principal metals, minerals and co-products. 	No Ore Reserve being reported.
Market assessment	<ul style="list-style-type: none"> The demand, supply and stock situation for the particular commodity, consumption trends and factors likely to affect supply and demand into the future. A customer and competitor analysis along with the identification of likely market windows for the product. Price and volume forecasts and the basis for these forecasts. For industrial minerals the customer specification, testing and acceptance requirements prior to a supply contract. 	No Ore Reserve being reported.
Economic	<ul style="list-style-type: none"> The inputs to the economic analysis to produce the net present value (NPV) in the study, the source and confidence of these economic inputs including estimated inflation, discount rate, etc. NPV ranges and sensitivity to variations in the significant assumptions and inputs. 	No Ore Reserve being reported.
Social	<ul style="list-style-type: none"> The status of agreements with key stakeholders and matters leading to social licence to operate. 	No Ore Reserve being reported.
Other	<ul style="list-style-type: none"> To the extent relevant, the impact of the following on the project and/or on the estimation and classification of the Ore Reserves: <ul style="list-style-type: none"> Any identified material naturally occurring risks. The status of material legal agreements and marketing arrangements. The status of governmental agreements and approvals critical to the viability of the project, such as mineral tenement status, and government and statutory approvals. There must be reasonable grounds to expect that all necessary government approvals will be received within the timeframes anticipated in the Pre-Feasibility or Feasibility study. Highlight and discuss the materiality of 	No Ore Reserve being reported.

Criteria	JORC Code explanation	Commentary
	<i>any unresolved matter that is dependent on a third party on which extraction of the reserve is contingent.</i>	
Classification	<ul style="list-style-type: none"> <i>The basis for the classification of the Ore Reserves into varying confidence categories.</i> <i>Whether the result appropriately reflects the Competent Person's view of the deposit.</i> <i>The proportion of Probable Ore Reserves that have been derived from Measured Mineral Resources (if any).</i> 	No Ore Reserve being reported.
Audits or reviews	<ul style="list-style-type: none"> <i>The results of any audits or reviews of Ore Reserve estimates.</i> 	No Ore Reserve being reported.
Discussion of relative accuracy/confidence	<ul style="list-style-type: none"> <i>Where appropriate a statement of the relative accuracy and confidence level in the Ore Reserve estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the reserve within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors which could affect the relative accuracy and confidence of the estimate.</i> <i>The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used.</i> <i>Accuracy and confidence discussions should extend to specific discussions of any applied Modifying Factors that may have a material impact on Ore Reserve viability, or for which there are remaining areas of uncertainty at the current study stage.</i> <i>It is recognised that this may not be possible or appropriate in all circumstances. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available.</i> 	No Ore Reserve being reported.