

20 April 2023

ABOUT ADRIATIC METALS (ASX:ADT, LSE:ADT1, OTCQX:ADMLF)

Adriatic Metals Plc is focused on the development of the 100%-owned, Vares high-grade silver project in Bosnia & Herzegovina, and exploration at the Raska base & precious metals project in Serbia.

DIRECTORS

Mr Michael Rawlinson
NON-EXECUTIVE CHAIRMAN

Mr Paul Cronin
MANAGING DIRECTOR & CEO

Mr Peter Bilbe
NON-EXECUTIVE DIRECTOR

Mr Julian Barnes
NON-EXECUTIVE DIRECTOR

Ms Sandra Bates
NON-EXECUTIVE DIRECTOR

Ms Sanela Karic
NON-EXECUTIVE DIRECTOR

adriaticmetals.com

RUPICE NORTHWEST DEPOSIT - NEW HIGH GRADE BASE METALS ZONE, GAP ZONE SUCCESS & EXTENSIONS TO SOUTHEAST

HIGHLIGHTS

- A new elevated base and precious metals zone was identified below the footwall of the Rupice Northwest ('Rupice NW') deposit and referred to as the Rupice NW 'Lower Zone'.
- First assays from **Lower Zone** report **17.50m at 2,041.9g/t AgEq, 65.65% ZnEq** from 638.0g/t Ag, 13.73% Zn, 10.28% Pb, 7.05g/t Au, 3.53% Cu, 6.2% BaSO₄ and 1.06% Sb (Hole BR-07-23).
- Recent follow up drilling in the Lower Zone confirms continuity of mineralisation and similar massive sulphide content.
- In April 2023 the '**Gap**', separating Rupice and Rupice NW, was narrowed to 50m and first significant assays from massive sulphides in holes BR-04-23 and BR-06-23 were received.
- Best assay from the **Gap** returned to date is **2.90m at 1,429.5g/t AgEq, 45.96% ZnEq** from 697.1g/t Ag, 6.63% Zn, 5.28% Pb, 5.09g/t Au, 0.50% Cu, >50.0% BaSO₄, and 0.15% Sb (BR-04-23). Assays represent the nearest Rupice NW mineralisation to Rupice drilled to date.
- Gap mineralisation is expected to thicken and maintain high grades as drilling progresses to the southwest based on previous drill section trends.
- Outcomes from drilling to the end of April and assay results returned to the end of May are to be included in a combined Rupice and Rupice NW Mineral Resource Estimate ('MRE'), which will be announced in July 2023.
- Infill and extension drilling of Rupice NW will continue through Q2 as the high grade mineralised system is still open at depth, to the northwest, southeast, and southwest.
- A fourth diamond drill rig has been mobilised to accelerate 2023 exploration programs from 1 May 2023.



Presented below are significant intercept assay results from 8 of 11 Rupice NW exploration drill holes completed since the last public announcement. One drill hole (BR-02-23) did not contain reportable significant assays. Two drill holes (BR-01-23 and BR-03-23) were abandoned and redrilled as a result of technical issues. The presented assay results are in addition to the previous results announced for Rupice NW on 27 February 2023. Details of all 11 holes are appended.

Drillhole Highlights

Drillholes **BR-05-23** and **BR-02-23** are located on a single section line 280m northwest of the Rupice Mineral Resource ('RMR') and drilled up-dip of the previously reported hole BR-21-22 (11.00m at 417.0 g/t AgEq). Drilling intercepted:

- **BR-05-23 (NW Main Zone) – 4.60m at 2,293.6 g/t AgEq, 73.75% ZnEq** (576.2 g/t Ag, 20.88% Zn, 15.69% Pb, 9.05 g/t Au, 1.86% Cu, 20.96% BaSO₄, 0.21% Sb) from 244.00m -
 - including **2.70m at 3,433.5 g/t AgEq, 110.40% ZnEq** (887.8g/t Ag, 34.79% Zn, 24.58% Pb, 12.08 g/t Au, 2.92% Cu, 0.5% BaSO₄, 0.36% Sb) from 245.90m;

Drillholes **BR-01A-23**, **BR-03A-23**, **BR-07-23** and **BR-33-22** are located on a single section line 240m northwest of the RMR and drilled up-dip and down-dip respectively of previously reported hole BR-30-22 (34.50m at 987.5 g/t AgEq, 31.75% ZnEq) and BR-32-22 (13.60m at 192.2 g/t AgEq, 6.18% ZnEq). The drill holes intercepted:

- **BR-33-22 (NW Main Zone) – 22.20m at 1,411.6g/t AgEq, 45.39% ZnEq** (490.6g/t Ag, 14.05% Zn, 8.23% Pb, 3.27g/t Au, 1.32% Cu, 19.8% BaSO₄, 0.36% Sb) from 200.30m -
 - including **16.70m at 1,743.3g/t AgEq, 56.05% ZnEq** (620.2g/t Ag, 17.15% Zn, 10.30% Pb, 4.07g/t Au, 1.51% Cu, 25.5% BaSO₄, 0.37% Sb) from 200.30m;
- **BR-01A-23 (NW Upper Zone) – 10.40m at 547.0g/t AgEq, 17.59% ZnEq** (179.0g/t Ag, 4.81% Zn, 2.69% Pb, 0.78g/t Au, 0.29% Cu, 34.77% BaSO₄, 0.74% Sb) from 179.40m;
- **BR-03A-23 (NW Main Zone) – 11.80m at 905.6g/t AgEq, 29.12% ZnEq** (362.6g/t Ag, 7.18% Zn, 4.46% Pb, 2.20g/t Au, 0.65% Cu, 35.2% BaSO₄, 0.19% Sb) from 198.80m -
 - including **3.70m at 1,436.2g/t AgEq, 46.18% ZnEq** (658.3g/t Ag, 7.90% Zn, 6.13% Pb, 4.52g/t Au, 0.82% Cu, >50% BaSO₄, 0.21% Sb) from 203.00m;
- **BR-03A-23 (NW Lower Zone) – 12.90m at 131.3g/t AgEq, 4.22% ZnEq** (54.1g/t Ag, 1.35% Zn, 1.00% Pb, 0.10g/t Au, 0.10% Cu, 3.0% BaSO₄, 0.03% Sb) from 247.80m;
- **BR-07-23 (NW Main Zone) – 17.0m at 1,973.5g/t AgEq, 63.45% ZnEq** (669.4g/t Ag, 19.46% Zn, 12.19% Pb, 4.49g/t Au, 2.47% Cu, 2.41% BaSO₄, 0.62% Sb) from 216.60m -
 - including **7.40m at 3,401.0g/t AgEq, 109.36% ZnEq** (1,278.2g/t Ag, 32.00% Zn, 18.33% Pb, 8.79g/t Au, 3.21% Cu, 2.1% BaSO₄, 1.00% Sb) from 216.60m-
 - and **5.60m at 1,186g/t AgEq, 38.13% ZnEq** (268.8 g/t Ag, 13.18% Zn, 10.92% Pb, 1.01g/t Au, 2.98% Cu, 3.0 BaSO₄, 0.47% Sb) from 228.00m;
- **BR-07-23 (NW Lower Zone) – 17.50m at 2,041.9g/t AgEq, 65.65% ZnEq** (638.0g/t Ag, 13.73% Zn, 10.28% Pb, 7.05g/t Au, 3.53% Cu, 6.2% BaSO₄, 1.06% Sb) from 240.70m;

Drillholes **BR-04-23** and **BR-06-23** are located on a single section line 80m northwest of the RMR and drilled within the GAP area between the southern mineralised intersection of Rupice NW and the northern part of Rupice RMR. The drill holes intercepted:

- **BR-04-23 (NW Main Zone) – 2.90m at 1,429.5g/t AgEq, 45.96% ZnEq** (697.1g/t Ag, 6.63% Zn, 5.28% Pb, 5.09g/t Au, 0.50% Cu, >50.0% BaSO₄, 0.15% Sb) from 188.10m;
- **BR-06-23 (NW Main Zone) – 2.30m at 101.0g/t AgEq, 3.24% ZnEq** (88.5g/t Ag, 0.40% Zn, 0.25% Pb, 0.01g/t Au, 0.01% Cu, 1.0% BaSO₄, 0.01% Sb) from 198.70m;



Drillhole **BR-08-23** is located 85m northwest of the RMR and drilled down-dip from previously reported hole BR-18-22 (12.60m at 425.0 g/t AgEq, 13.70% ZnEq). The drill hole intercepted:

- **BR-08-23 (NW Upper Zone) – 7.40m at 131.9g/t AgEq, 4.24% ZnEq** (38.5g/t Ag, 1.23% Zn, 1.40% Pb, 0.18g/t Au, 0.15% Cu, <1.0% BaSO₄, 0.08% Sb) from 133.20m;
- **BR-08-23 (NW Upper Zone) – 3.00m at 96.5g/t AgEq, 3.10% ZnEq** (17.6g/t Ag, 0.93% Zn, 0.41% Pb, 0.50g/t Au, 0.06% Cu, <1.0% BaSO₄, 0.04% Sb) from 178.00m;
- **BR-08-23 (NW Main Zone) – 1.80m at 193.5g/t AgEq, 6.22% ZnEq** (38.1g/t Ag, 2.92% Zn, 2.21% Pb, 0.06g/t Au, 0.17% Cu, 1.7% BaSO₄, 0.10% Sb) from 304.00m;

Paul Cronin, Adriatic's Managing Director and CEO, commented:

"I am delighted to announce a new Lower Zone of high-grade mineralisation under Rupice NW – the assay results demonstrate outstanding metal grades. We are excited to continue to drill this area and we will announce further drill results once received.

Even with this new zone of mineralisation, the combined Rupice and Rupice NW MRE will only include outcomes from drilling to the end of April. We hope this will demonstrate a significant increase to the Rupice mineralisation inventory and life of mine, but drilling will continue on Rupice and Rupice NW over the remainder of the year.

With an additional drill rig on site in May and an enlarged exploration team we will be accelerating the 2023 exploration programme as the Rupice high-grade mineralised system is still open at depth, to the northwest, southeast, and southwest."

RUPICE NORTHWEST EXPLORATION RESULTS

Adriatic Metals PLC (ASX:ADT, LSE:ADT1, OTCQX:ADMLF) ("Adriatic" or the "Company") is pleased to report on recent exploration results at the Company's flagship Vares Silver Project in Bosnia & Herzegovina.

As previously announced on the 27 February 2023, exploration drilling intersected high-grade mineralisation in drill holes BR-25-22, BR-26-22, BR-27-22, BR-29-22, BR-30-22 and BR-32-22, located 100m to 180m northwest of the existing RMR. Subsequently, the Company has focused exploration activities on further extending and infilling Rupice NW with continued success. Results from new drill holes BR-33-22, BR-01A-23, BR-03A-23, BR-04-23, BR-05-23, BR-06-23, BR-07-23 and BR-08-23 are detailed.

Drill holes **BR-04-23** and **BR-06-23** extended mineralisation to 30m to 40m further to the southeast of the previously defined limit of Rupice NW. The drilling was part of the planned 'Gap' drilling program between the existing Rupice RMR and Rupice NW orebody. Results from the holes confirm extension of high-grade massive sulphides. The narrow 2-3m widths of mineralisation are interpreted to be the start of mineralisation on this section with thickening expected as drilling continues up-dip and south-westward towards the centre of the expected mineralisation.


Drill holes **BR-33-22**, **BR-03A-23** and **BR-07-23** extended previously known mineralisation 85m up-dip of drill hole BR-30-22, including the discovery of a **new mineralised body of exceptionally high grade below the Rupice NW main mineralised body**. This is referred to as the Rupice NW Lower Zone. Mineralisation is narrowing south-westward on section, rolling over, increasing in grade and generally decreasing in barium content.

Drill hole **BR-05-23** extended previously reported mineralisation 72m up-dip of drill hole BR-21-22. Hole BR-02-23 between BR-05-23 and BR-02-23 did not produce a reportable significant assay interval as the interval of high-grade massive sulphide was less than 1m in width. The drilling has shown that mineralisation tails-out and flattens in dip to the southwest on this section.



Drill hole **BR-08-23** intersected a wide zone of base metal rich stringer and disseminated mineralisation without intersecting the Rupice NW main mineralised body that is characterised by massive and semi-massive base metal sulphides in a barium matrix. Rupice NW on this section is interpreted to have been closed-out to the northwest.

Figure 1: Plan view map of Rupice and location of recent drilling activity



Note 1: Sections A-A', B-B', C-C' and D-D' offset to southeast of section lines to not obscure drill holes traces.

Note 2: BaSO₄ results capped at 50% on holes returning assays >50% BaO and waiting return of high range results.

2023 Exploration Works

Adriatic continued exploration activities to extend and infill the Rupice NW base and precious metals deposit. The deposit is progressively being infilled to a nominal 40m x 30m drill spacing and incrementally extended up and down-dip, as well as new sections being added to the south in increments of 40m. Diamond drill holes are drilled in fans to achieve a 25m to 30m separation between mineralisation intersections on the drill lines (sections).

New results have shown continued extension of mineralisation up-dip and down-plunge from previous reported drill holes. The orebody is attenuating to the SE from a thick central axis zone trending NW-SE. The shape of the deposit is now well defined as well as the stratigraphic controls constraining the stratabound mineralisation.

Surprises are still occurring as the structural complexity of the deposit is creating opportunity for new base metal trap sites at the peripheries of existing drilling (south-westward and deeper). Hole BR-07-23 is an example of the discovery of a new Rupice NW Lower Zone of a barite poor, base and precious metals enriched mineralisation. This has been confirmed in follow-up holes indicating good continuity, and similar massive sulphide content in yet to be assayed core. The new mineralisation is within 50m of the footwall of the Rupice NW main body of



mineralisation. Exploration strategy has been adjusted to deepen holes and continue to define the high-grade Lower Zone of mineralisation below the current strike extent of Rupice NW. Rupice NW currently has an Upper Zone, Main Zone and now a Lower Zone of mixed massive and semi-massive sulphides.

First assay results have been received from step-out drilling into the 'Gap' between Rupice NW and Rupice mineralisation. Drill holes BR-04-23 and BR-06-23 extended the Rupice NW mineralised body by up to 40m to the southeast towards Rupice. The Gap is now down to 50m between the Rupice MRE and the extending Rupice NW mineralised body of massive and semi-massive sulphides. Assays from BR-04-23 and BR-06-23 are significant and are interpreted to represent the north-eastern edge of the Rupice NW mineralisation. Mineralisation is expected to thicken and develop to the southwest on this section. New drilling platforms are being planned to continue to test to chase mineralisation to the southwest of BR-04-23. Drilling has commenced 40m to the southeast of this section to continue to close the GAP and connect geology and mineralisation between Rupice and Rupice NW.

Figure 2: Cross-section (A-A') through BR-02-23 and BR-05-23






Figure 3: Cross-section (B-B') through BR-01A-23, BR-03A-23, BR-07-23 and BR-01A-23






Figure 4: Cross-section (C-C') through BR-04-23 and BR-06-23




Figure 5: Cross-section (D-D') through BR-08-23







Figure 6: Long-section of Rupice looking southwest.



2023 Exploration Plan


Exploration drilling will continue to focus on infilling and stepping out from existing Rupice NW mineralisation. The primary focus of extension will be to the southeast across all remaining open sections and to test for the new Rupice NW Lower Zone in the footwall of the Rupice NW Deposit. Two diamond drill rigs are dedicated to the extension and infill drilling.

Closing the data gap between Rupice and Rupice NW remains a priority. Drilling on a 2nd section of holes to extend the Rupice NW mineralisation to the southeast towards Rupice has commenced.

Outcomes from drilling to the end of April and assay results returned to the end of May are to be included in a combined Rupice and Rupice NW MRE in July 2023.



Figure 7: Plan view map of Rupice 2023 drill program



-ends-

MARKET ABUSE REGULATION DISCLOSURE

The information contained within this announcement is deemed by the Company (LEI: 549300OHAH2GL1DP0L61) to constitute inside information as stipulated under the Market Abuse Regulations (EU) No. 596/2014. The person responsible for arranging and authorising the release of this announcement on behalf of the Company is Paul Cronin, Managing Director and CEO.

Authorised by Paul Cronin, Managing Director & CEO

For further information please visit: www.adriaticmetals.com; email: info@adriaticmetals.com, [@AdriaticMetals](https://twitter.com/AdriaticMetals) on Twitter; or contact:

**Adriatic Metals PLC**

Paul Cronin / Klara Kaczmarek

Via Buchanan

Buchanan

Bobby Morse / Oonagh Reidy

Tel: +44 (0) 20 7466 5000

adriatic@buchanan.uk.com

Canaccord Genuity Limited (Joint Corporate Broker)

Jeremy Dunlop (Australia)

James Asensio (UK)

Tel: +61 2 9263 2700

Tel: +44 (0) 207 523 8000

RBC Capital Markets (Joint Corporate Broker)

James Agnew / Jamil Miah

Tel: +44 (0) 20 7653 4000

Stifel Nicolaus Europe Limited (Joint Corporate Broker)

Ashton Clanfield / Callum Stewart

Tel: +44 (0) 20 7710 7600

Citadel Magnus

Cameron Gilenko

Tel: +61 2 8234 0100

COMPETENT PERSONS REPORT

The information in this report which relates to exploration results is based on and fairly represents information and supporting documentation compiled by Mr Sergei Smolonogov, who is a member of the Australian Institute of Geoscientists (AIG). Mr Smolonogov is an employee of Adriatic Metals PLC and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Smolonogov consents to the inclusion in this report of the matters based on that information in the form and context in which it appears.

ABOUT ADRIATIC METALS

Adriatic Metals PLC (ASX:ADT, LSE:ADT1, OTCQX:ADMLF) is a precious and base metals developer that is advancing the world-class Vares Silver Project in Bosnia & Herzegovina, as well as the Raska Zinc-Silver Project in Serbia.

The Vares Silver Project is fully funded to production, which is expected in Q4 2023. The 2021 Project Definitive Feasibility Study shows robust economics of US\$1,062 million post-tax NPV8, 134% IRR and a capex of US\$168 million. Concurrent with ongoing construction activities, the Company continues to explore across its highly prospective 42km² concession package.

The Mineral Resource estimate for the Rupice underground deposit comprising part of the Vares Silver Project was announced in accordance with ASX Listing Rule 5.8 on 1 September 2020. The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcement and that all material assumptions and technical parameters underpinning the estimate in the previous announcement continue to apply and have not materially changed.

The Ore Reserve estimate for the Rupice deposit comprising part of the Vares Silver Project was announced in accordance with ASX Listing Rule 5.9 on 19 August 2021. The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcement and



that all material assumptions and technical parameters underpinning the estimate in the previous announcement continue to apply and have not materially changed.

In accordance with ASX Listing Rule 5.19, the Company confirms that the production targets and forecast financial information for the Vares Project were first disclosed in accordance with ASX Listing Rules 5.16 and 5.17 in the Company's announcement dated 19 August 2021. The Company confirms that all the material assumptions underpinning the production target and the forecast financial information in the previous announcement continue to apply and have not materially changed.

DISCLAIMER

Forward-looking statements are statements that are not historical facts. Words such as "expect(s)", "feel(s)", "believe(s)", "will", "may", "anticipate(s)", "potential(s)" and similar expressions are intended to identify forward-looking statements. These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results. All of such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the Company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and (vi) other risks and uncertainties related to the Company's prospects, properties and business strategy. Our audience is cautioned not to place undue reliance on these forward-looking statements that speak only as of the date hereof, and we do not undertake any obligation to revise and disseminate forward-looking statements to reflect events or circumstances after the date hereof, or to reflect the occurrence of or non-occurrence of any events.

**Table 3 – Assay data for reported drill holes**

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-33-22	0.00	90.00	90.00	Interval not sampled						
BR-33-22	90.00	91.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	91.00	92.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	92.00	93.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	93.00	94.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	94.00	95.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	95.00	96.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	96.00	97.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	97.00	98.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	98.00	99.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	99.00	100.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	100.00	101.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	101.00	102.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	102.00	103.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	103.00	104.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	104.20	105.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	105.40	106.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	106.40	107.60	1.20	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-33-22	107.60	108.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	108.80	110.00	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	110.00	111.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	111.20	112.40	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	112.40	113.60	1.20	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-33-22	113.60	114.80	1.20	<1.0	0.01	0.02	<0.01	0.01	<1.0	<0.01
BR-33-22	114.80	116.00	1.20	<1.0	0.01	0.06	<0.01	0.01	<1.0	<0.01
BR-33-22	116.00	117.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	117.00	118.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	118.00	119.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	119.00	120.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	120.00	121.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	121.00	122.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-33-22	122.00	123.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-33-22	123.00	124.00	1.00	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.02
BR-33-22	124.00	125.30	1.30	<1.0	0.01	0.02	<0.01	<0.01	<1.0	0.02
BR-33-22	125.30	126.10	0.80	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-33-22	126.10	127.00	0.90	<1.0	<0.01	0.09	0.09	0.02	<1.0	0.05
BR-33-22	127.00	128.10	1.10	<1.0	0.01	0.06	0.03	0.01	<1.0	0.07
BR-33-22	128.10	129.10	1.00	<1.0	0.20	0.11	0.02	0.01	<1.0	0.03
BR-33-22	129.10	130.20	1.10	<1.0	0.01	0.16	0.02	0.01	<1.0	0.04
BR-33-22	130.20	130.90	0.70	<1.0	0.01	0.18	0.02	0.03	<1.0	0.02
BR-33-22	130.90	132.00	1.10	<1.0	0.03	0.14	<0.01	<0.01	<1.0	0.01
BR-33-22	132.00	133.00	1.00	<1.0	0.11	0.05	<0.01	<0.01	<1.0	0.01
BR-33-22	133.00	133.80	0.80	<1.0	0.07	0.04	<0.01	<0.01	<1.0	0.02
BR-33-22	133.80	134.80	1.00	<1.0	0.11	0.08	0.02	<0.01	<1.0	0.02
BR-33-22	134.80	135.70	0.90	26.0	0.28	0.29	0.16	0.16	2.859	0.16
BR-33-22	135.70	137.00	1.30	<1.0	0.05	0.01	0.02	<0.01	<1.0	<0.01
BR-33-22	137.00	137.80	0.80	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	137.80	140.30	2.50	5.0	0.11	0.24	0.04	0.06	<1.0	0.12
BR-33-22	140.30	141.70	1.40	<1.0	0.05	0.02	<0.01	<0.01	<1.0	<0.01
BR-33-22	141.70	142.40	0.70	<1.0	0.06	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	142.40	143.60	1.20	<1.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	143.60	144.50	0.90	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	144.50	145.60	1.10	<1.0	0.05	0.03	<0.01	<0.01	<1.0	<0.01
BR-33-22	145.60	146.80	1.20	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-33-22	146.80	148.00	1.20	<1.0	0.02	0.06	<0.01	<0.01	<1.0	<0.01
BR-33-22	148.00	149.00	1.00	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-33-22	149.00	150.00	1.00	<1.0	0.02	0.05	<0.01	<0.01	<1.0	<0.01
BR-33-22	150.00	151.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	151.00	152.30	1.30	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-33-22	152.30	153.40	1.10	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-33-22	153.40	154.60	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	154.60	155.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	155.80	157.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	157.00	158.00	1.00	<1.0	0.05	0.02	<0.01	<0.01	<1.0	<0.01
BR-33-22	158.00	159.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	159.00	160.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	160.00	161.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	161.00	162.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	162.20	163.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	163.40	164.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	164.60	165.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	165.80	167.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	167.00	168.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	168.20	169.40	1.20	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-33-22	169.40	170.60	1.20	7.0	0.09	0.02	<0.01	<0.01	<1.0	0.01
BR-33-22	170.60	171.20	0.60	17.0	0.02	0.03	<0.01	0.01	<1.0	0.01
BR-33-22	171.20	172.00	0.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	172.00	173.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	173.00	174.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	174.20	175.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	175.40	176.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	176.60	177.50	0.90	<1.0	0.02	0.01	0.03	<0.01	<1.0	<0.01
BR-33-22	177.50	178.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	178.60	179.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-33-22	179.80	181.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	181.00	182.80	1.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	182.80	183.30	0.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	183.30	184.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	184.60	185.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	185.70	186.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	186.70	187.70	1.00	774.0	0.06	<0.01	<0.01	0.26	<1.0	<0.01
BR-33-22	187.70	188.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	188.80	189.70	0.90	4.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	189.70	190.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	190.70	191.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	191.80	192.60	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	194.40	195.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	195.40	196.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	196.60	197.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	197.60	198.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	198.80	199.50	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	199.50	200.30	0.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	200.30	201.00	0.70	1,227.0	15.08	15.52	4.07	0.93	15.1	0.06
BR-33-22	201.00	202.00	1.00	876.0	18.83	9.29	3.18	0.73	27.0	0.18
BR-33-22	202.00	203.00	1.00	310.0	11.62	6.33	1.61	0.43	39.9	0.05
BR-33-22	203.00	204.00	1.00	259.0	9.43	3.80	1.88	0.19	44.0	0.04
BR-33-22	204.00	205.00	1.00	323.0	7.22	3.42	1.90	0.29	43.1	0.03
BR-33-22	205.00	206.00	1.00	195.0	12.44	5.22	1.09	0.35	41.3	0.08
BR-33-22	206.00	207.00	1.00	358.0	18.92	10.09	2.94	1.49	24.2	0.14
BR-33-22	207.00	208.00	1.00	153.0	12.29	5.48	2.01	0.70	37.7	0.06



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-33-22	208.00	209.00	1.00	186.0	16.16	8.04	1.50	0.67	33.0	0.08
BR-33-22	209.00	210.00	1.00	336.0	13.83	6.49	2.21	0.85	35.1	0.14
BR-33-22	210.00	211.00	1.00	723.0	10.07	5.10	3.89	0.98	36.7	0.29
BR-33-22	211.00	212.00	1.00	837.0	22.30	14.29	4.69	2.17	14.6	0.44
BR-33-22	212.00	213.00	1.00	1,144.0	24.87	15.11	7.04	3.14	11.5	0.88
BR-33-22	213.00	214.00	1.00	946.0	19.58	20.91	7.39	3.23	3.3	0.80
BR-33-22	214.00	215.10	1.10	1,092.0	33.41	21.42	9.63	3.75	5.5	1.25
BR-33-22	215.10	216.30	1.20	1,181.0	27.39	16.69	8.74	4.11	9.0	1.24
BR-33-22	216.30	217.00	0.70	336.0	12.46	5.87	4.03	0.41	9.2	0.22
BR-33-22	217.00	218.00	1.00	87.0	3.36	1.54	0.73	0.16	1.9	0.11
BR-33-22	218.00	218.80	0.80	181.0	9.24	4.04	1.02	0.87	5.9	0.58
BR-33-22	218.80	219.40	0.60	117.0	12.20	5.38	1.90	0.90	<1.0	0.41
BR-33-22	219.40	220.40	1.00	192.0	5.44	1.97	1.44	2.47	2.9	0.78
BR-33-22	220.40	221.40	1.00	14.0	0.89	0.39	0.31	0.09	1.4	0.06
BR-33-22	221.40	222.50	1.10	23.0	1.04	0.23	0.23	0.16	1.6	0.09
BR-33-22	222.50	223.10	0.60	7.0	0.38	0.10	0.51	0.02	1.6	0.02
BR-33-22	223.10	224.00	0.90	5.0	0.34	0.10	0.13	0.03	<1.0	0.02
BR-33-22	224.00	225.00	1.00	5.0	0.45	0.12	0.11	0.03	1.1	0.02
BR-33-22	225.00	226.00	1.00	5.0	0.53	0.18	0.14	0.01	2.5	0.01
BR-33-22	226.00	227.00	1.00	21.0	1.21	0.78	0.21	0.05	3.6	0.04
BR-33-22	227.00	228.00	1.00	3.0	0.36	0.06	0.11	0.05	<1.0	0.01
BR-33-22	228.00	229.00	1.00	13.0	0.44	0.18	0.14	0.13	1.6	0.02
BR-33-22	229.00	230.00	1.00	6.0	0.88	0.08	0.18	0.01	3.1	0.01
BR-33-22	230.00	231.00	1.00	6.0	0.41	0.11	0.14	<0.01	1.5	<0.01
BR-33-22	231.00	232.00	1.00	3.0	0.27	0.03	0.09	0.01	<1.0	0.01
BR-33-22	232.00	233.00	1.00	4.0	0.10	0.02	0.13	<0.01	<1.0	<0.01
BR-33-22	233.00	234.00	1.00	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-33-22	234.00	235.00	1.00	<1.0	0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-33-22	235.00	236.00	1.00	13.0	0.41	0.07	0.11	<0.01	1.2	0.01
BR-33-22	236.00	237.00	1.00	4.0	0.11	0.01	0.07	<0.01	<1.0	<0.01
BR-33-22	237.00	238.00	1.00	11.0	0.34	0.94	0.07	0.02	1.0	0.01
BR-33-22	238.00	239.00	1.00	4.0	0.27	0.20	0.18	<0.01	<1.0	0.01
BR-33-22	239.00	240.00	1.00	<1.0	0.05	0.06	0.05	<0.01	<1.0	<0.01
BR-33-22	240.00	241.00	1.00	<1.0	0.09	0.04	0.10	<0.01	<1.0	<0.01
BR-33-22	241.00	242.00	1.00	<1.0	0.03	0.01	0.06	<0.01	<1.0	<0.01
BR-33-22	242.00	243.00	1.00	<1.0	0.18	0.01	0.07	<0.01	<1.0	<0.01
BR-33-22	243.00	244.00	1.00	2.0	0.11	0.01	0.06	<0.01	<1.0	<0.01
BR-33-22	244.00	245.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-33-22	245.00	246.00	1.00	<1.0	0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-33-22	246.00	247.00	1.00	<1.0	0.23	0.04	0.07	<0.01	<1.0	<0.01
BR-33-22	247.00	248.00	1.00	<1.0	0.20	0.02	0.06	<0.01	1.1	<0.01
BR-33-22	248.00	249.00	1.00	<1.0	0.07	<0.01	0.02	<0.01	<1.0	<0.01
BR-33-22	249.00	250.00	1.00	2.0	0.36	0.06	0.06	<0.01	1.2	<0.01
BR-33-22	250.00	251.00	1.00	<1.0	0.10	<0.01	0.01	<0.01	<1.0	<0.01
BR-33-22	251.00	252.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	252.00	253.00	1.00	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	253.00	254.00	1.00	<1.0	0.08	0.13	<0.01	<0.01	<1.0	0.012
BR-33-22	254.00	255.00	1.00	<1.0	0.03	<0.01	0.01	<0.01	<1.0	<0.01
BR-33-22	255.00	255.60	0.60	<1.0	0.02	<0.01	0.04	<0.01	<1.0	<0.01
BR-33-22	255.60	257.00	1.40	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	257.00	258.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	0.01
BR-33-22	258.00	259.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	259.00	260.00	1.00	<1.0	0.03	<0.01	0.01	<0.01	<1.0	<0.01
BR-33-22	260.00	260.60	0.60	<1.0	0.04	<0.01	0.02	<0.01	<1.0	0.01
BR-33-22	260.60	262.00	1.40	<1.0	0.02	0.03	<0.01	<0.01	<1.0	0.02
BR-33-22	262.00	263.00	1.00	<1.0	0.05	0.02	0.01	0.01	<1.0	0.02



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-33-22	263.00	264.00	1.00	<1.0	0.08	0.01	0.02	<0.01	<1.0	0.01
BR-33-22	264.00	265.00	1.00	2.0	0.36	0.08	0.06	<0.01	1.0	0.04
BR-33-22	265.00	266.00	1.00	2.0	0.20	0.02	0.03	<0.01	1.0	0.02
BR-33-22	266.00	267.00	1.00	<1.0	0.21	0.02	0.04	<0.01	<1.0	0.02
BR-33-22	267.00	268.10	1.10	2.0	0.23	0.05	0.06	<0.01	2.1	0.02
BR-33-22	268.10	269.00	0.90	5.0	0.81	0.24	0.04	0.01	5.8	0.07
BR-33-22	269.00	270.00	1.00	<1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-33-22	270.00	271.00	1.00	<1.0	0.17	0.03	0.03	<0.01	<1.0	<0.01
BR-33-22	271.00	272.00	1.00	<1.0	0.12	0.03	0.01	<0.01	<1.0	0.01
BR-33-22	272.00	273.00	1.00	<1.0	0.12	0.03	0.02	<0.01	<1.0	<0.01
BR-33-22	273.00	274.00	1.00	<1.0	0.03	0.01	0.05	<0.01	<1.0	<0.01
BR-33-22	274.00	275.00	1.00	24.0	2.50	0.66	0.10	0.06	10.8	0.17
BR-33-22	275.00	276.00	1.00	16.0	2.34	0.56	0.08	0.04	7.3	0.08
BR-33-22	276.00	277.00	1.00	11.0	1.03	0.32	0.03	0.01	5.0	0.05
BR-33-22	277.00	278.00	1.00	<1.0	0.08	0.01	0.09	<0.01	<1.0	<0.01
BR-33-22	278.00	279.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-33-22	279.00	280.00	1.00	<1.0	0.09	0.02	0.01	<0.01	<1.0	<0.01
BR-33-22	281.00	282.10	1.10	2.0	0.10	0.01	0.02	<0.01	<1.0	<0.01
BR-33-22	282.10	283.00	0.90	4.0	0.04	0.01	0.05	<0.01	<1.0	<0.01
BR-33-22	283.00	284.00	1.00	11.0	0.15	0.04	0.03	0.05	<1.0	0.04
BR-33-22	284.00	285.00	1.00	12.0	0.15	0.10	0.09	0.27	<1.0	0.05
BR-33-22	285.00	286.00	1.00	<1.0	0.03	<0.01	<0.01	0.02	<1.0	0.03
BR-33-22	286.00	286.80	0.80	6.0	1.08	0.11	0.03	0.02	2.0	0.02
BR-33-22	286.80	287.60	0.80	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	0.01
BR-01A-23	0.00	123.70	123.70	Interval not sampled						
BR-01A-23	123.70	124.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	124.90	126.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	126.00	127.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	127.00	128.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	128.00	129.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	129.20	130.40	1.20	<1.0	<0.01	<0.01	0.07	<0.01	<1.0	<0.01
BR-01A-23	130.40	131.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	131.60	132.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	132.80	134.00	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	134.00	135.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	135.20	136.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	136.40	137.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	137.60	138.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	138.80	140.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	140.00	141.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	141.00	142.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	142.00	143.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	143.00	144.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	144.00	145.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	145.00	146.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	146.00	146.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	146.90	148.20	1.30	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	148.20	149.70	1.50	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	149.70	151.00	1.30	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	151.00	152.10	1.10	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	152.10	153.30	1.20	<1.0	0.01	0.01	0.02	0.01	<1.0	0.01
BR-01A-23	153.30	154.50	1.20	<1.0	0.02	0.03	0.04	0.01	<1.0	0.01
BR-01A-23	154.50	155.60	1.10	4.0	0.05	0.56	0.01	0.01	<1.0	<0.01
BR-01A-23	155.60	156.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	156.80	157.50	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	157.50	158.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-01A-23	158.70	159.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	159.90	161.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	161.00	161.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	161.70	163.00	1.30	<1.0	0.11	0.09	<0.01	<0.01	<1.0	<0.01
BR-01A-23	163.00	164.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	164.20	165.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	165.20	166.20	1.00	<1.0	<0.01	0.07	<0.01	<0.01	<1.0	<0.01
BR-01A-23	166.20	167.10	0.90	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-01A-23	167.10	168.00	0.90	11.0	0.03	0.02	<0.01	0.07	<1.0	0.05
BR-01A-23	168.00	169.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	169.00	170.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	170.00	171.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	172.00	173.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	173.00	174.00	1.00	<1.0	0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-01A-23	174.00	175.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	175.00	177.50	2.50	2.0	0.02	0.1	<0.01	<0.01	<1.0	0.03
BR-01A-23	177.50	178.50	1.00	<1.0	0.03	0.04	<0.01	<0.01	<1.0	0.03
BR-01A-23	178.50	179.40	0.90	11.0	0.27	0.22	0.1	0.02	9.4	0.08
BR-01A-23	179.40	180.00	0.60	236.0	3.14	1.33	1.17	0.11	50.0	0.79
BR-01A-23	180.00	181.00	1.00	630.0	8.45	3.78	1.69	0.49	50.0	0.95
BR-01A-23	181.00	182.00	1.00	145.0	4.34	3.67	0.69	0.32	50.0	0.45
BR-01A-23	182.00	183.10	1.10	141.0	6.18	4.57	0.65	0.39	50.0	0.41
BR-01A-23	183.10	184.00	0.90	151.0	6.12	4.39	1.23	0.3	50.0	0.66
BR-01A-23	184.00	185.00	1.00	249.0	10.75	4.87	1.14	0.34	50.0	2.88
BR-01A-23	185.00	185.50	0.50	186.0	5.67	2.78	0.95	0.32	50.0	0.87
BR-01A-23	185.50	186.20	0.70	60.0	2.06	1.21	0.51	0.11	50.0	0.31
BR-01A-23	186.20	187.20	1.00	59.0	4.02	0.85	0.46	0.06	5.0	0.14
BR-01A-23	187.20	188.00	0.80	72.0	1.32	0.99	0.35	0.42	4.2	0.38
BR-01A-23	188.00	188.80	0.80	139.0	2.17	1.73	0.38	0.49	11.2	0.46
BR-01A-23	188.80	189.80	1.00	43.0	1.21	0.7	0.28	0.1	4.1	0.37
BR-01A-23	189.80	190.70	0.90	13.0	0.66	0.2	0.14	0.02	<1.0	0.13
BR-01A-23	190.70	191.90	1.20	5.0	0.17	0.04	<0.01	<0.01	<1.0	0.05
BR-01A-23	191.90	193.00	1.10	2.0	0.07	0.02	<0.01	<0.01	<1.0	0.03
BR-01A-23	193.00	194.00	1.00	<1.0	0.06	0.01	<0.01	<0.01	<1.0	0.01
BR-01A-23	194.00	195.00	1.00	2.0	0.09	0.02	<0.01	<0.01	<1.0	0.01
BR-01A-23	195.00	196.00	1.00	3.0	0.02	0.01	<0.01	<0.01	<1.0	0.01
BR-01A-23	196.00	197.00	1.00	2.0	0.1	0.01	<0.01	<0.01	<1.0	0.01
BR-01A-23	197.00	198.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	198.00	199.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	199.00	200.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	200.00	201.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	201.00	202.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	202.00	203.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	203.00	204.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	204.00	205.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	205.00	206.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	206.00	207.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	207.00	208.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	208.00	208.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	208.90	210.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	210.00	211.20	1.20	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	211.20	212.40	1.20	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	212.40	213.60	1.20	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	213.60	214.80	1.20	8.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	214.80	216.00	1.20	15.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-01A-23	216.00	217.00	1.00	12.0	0.03	0.02	<0.01	<0.01	<1.0	<0.01
BR-01A-23	217.00	218.00	1.00	13.0	0.03	0.03	<0.01	<0.01	<1.0	<0.01
BR-01A-23	218.00	219.00	1.00	15.0	0.05	0.05	<0.01	<0.01	<1.0	<0.01
BR-01A-23	219.00	220.00	1.00	4.0	0.01	0.06	<0.01	<0.01	<1.0	<0.01
BR-01A-23	220.00	221.00	1.00	4.0	0.07	0.02	<0.01	<0.01	<1.0	<0.01
BR-01A-23	221.00	222.00	1.00	2.0	0.05	0.03	<0.01	<0.01	<1.0	<0.01
BR-01A-23	222.00	223.00	1.00	3.0	0.02	0.04	0.02	<0.01	<1.0	<0.01
BR-01A-23	223.00	224.00	1.00	3.0	0.06	0.03	0.05	<0.01	<1.0	<0.01
BR-01A-23	224.00	225.20	1.20	3.0	0.03	<0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	225.20	226.40	1.20	6.0	0.1	0.04	0.03	<0.01	1.2	<0.01
BR-01A-23	226.40	227.60	1.20	4.0	0.14	0.04	0.03	<0.01	<1.0	<0.01
BR-01A-23	227.60	228.80	1.20	3.0	0.23	0.06	0.06	<0.01	<1.0	<0.01
BR-01A-23	228.80	230.00	1.20	10.0	0.08	0.01	0.04	0.01	<1.0	<0.01
BR-01A-23	230.00	231.20	1.20	41.0	0.52	0.13	0.03	0.06	<1.0	0.01
BR-01A-23	231.20	232.40	1.20	6.0	0.06	0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	232.40	233.60	1.20	30.0	0.06	0.04	0.04	0.01	<1.0	0.01
BR-01A-23	233.60	234.80	1.20	10.0	0.05	0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	234.80	236.00	1.20	4.0	0.2	0.16	0.02	<0.01	<1.0	<0.01
BR-01A-23	236.00	237.20	1.20	37.0	0.16	0.04	0.02	0.91	<1.0	0.17
BR-01A-23	237.20	238.00	0.80	2.0	0.01	0.18	<0.01	<0.01	<1.0	<0.01
BR-01A-23	238.00	239.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	239.00	240.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	240.00	241.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	241.20	242.40	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-01A-23	242.40	243.60	1.20	4.0	<0.01	<0.01	<0.01	0.02	<1.0	<0.01
BR-01A-23	243.60	244.80	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	244.80	246.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	246.00	247.00	1.00	7.0	0.29	0.23	0.01	<0.01	<1.0	<0.01
BR-01A-23	247.00	248.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	248.00	249.00	1.00	4.0	0.14	0.02	0.01	<0.01	<1.0	<0.01
BR-01A-23	249.00	250.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	250.00	251.20	1.20	15.0	0.1	0.03	0.01	0.49	<1.0	0.08
BR-01A-23	251.20	252.40	1.20	<1.0	0.02	<0.01	0.02	0.01	<1.0	<0.01
BR-01A-23	252.40	253.60	1.20	4.0	0.34	0.04	0.02	<0.01	<1.0	<0.01
BR-01A-23	253.60	254.80	1.20	4.0	0.15	0.03	0.03	<0.01	<1.0	<0.01
BR-01A-23	254.80	256.00	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-01A-23	256.00	257.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	257.00	258.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	258.00	259.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-01A-23	259.00	260.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-01A-23	260.00	261.00	1.00	15.0	0.03	0.03	0.03	0.26	<1.0	0.08
BR-01A-23	261.00	262.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	262.00	263.00	1.00	4.0	0.01	<0.01	0.02	0.06	<1.0	0.02
BR-01A-23	263.00	264.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	264.00	265.00	1.00	3.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	265.00	266.00	1.00	6.0	0.06	0.02	0.04	<0.01	<1.0	<0.01
BR-01A-23	266.00	267.00	1.00	8.0	0.23	0.19	0.02	<0.01	<1.0	<0.01
BR-01A-23	267.00	268.00	1.00	17.0	0.58	0.37	0.02	<0.01	<1.0	<0.01
BR-01A-23	268.00	269.20	1.20	7.0	0.31	0.16	<0.01	<0.01	<1.0	<0.01
BR-01A-23	269.20	270.40	1.20	13.0	0.88	0.41	0.02	<0.01	1.0	<0.01
BR-01A-23	270.40	271.60	1.20	4.0	0.11	0.24	0.02	<0.01	<1.0	<0.01
BR-01A-23	271.60	272.80	1.20	12.0	0.62	0.23	0.07	0.01	<1.0	0.01
BR-01A-23	272.80	274.00	1.20	9.0	0.28	0.16	0.07	0.02	<1.0	0.01
BR-01A-23	274.00	275.00	1.00	28.0	2.53	1.81	0.08	0.02	1.4	0.01
BR-01A-23	275.00	276.00	1.00	19.0	0.32	0.33	0.03	0.06	<1.0	0.03
BR-01A-23	276.00	277.00	1.00	<1.0	0.11	0.03	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-01A-23	277.00	278.20	1.20	3.0	0.09	0.02	<0.01	0.02	<1.0	0.01
BR-01A-23	278.20	279.40	1.20	4.0	0.08	<0.01	<0.01	0.02	<1.0	0.01
BR-01A-23	279.40	280.60	1.20	14.0	0.51	<0.01	<0.01	0.01	2.8	0.01
BR-01A-23	280.60	281.80	1.20	25.0	0.12	<0.01	<0.01	0.03	1.4	0.02
BR-01A-23	281.80	283.00	1.20	32.0	0.07	<0.01	<0.01	0.01	<1.0	0.01
BR-01A-23	283.00	284.20	1.20	44.0	0.02	<0.01	<0.01	0.01	<1.0	0.02
BR-01A-23	284.20	285.40	1.20	34.0	0.04	<0.01	<0.01	0.01	1.3	0.02
BR-01A-23	285.40	286.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	4.0	<0.01
BR-01A-23	286.60	287.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	287.80	289.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	289.00	290.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	290.00	291.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	291.00	292.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	292.00	293.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	1.5	<0.01
BR-01A-23	293.00	294.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	1.2	<0.01
BR-01A-23	294.00	295.10	1.10	<1.0	0	<0.01	<0.01	<0.01	2.8	<0.01
BR-01A-23	295.10	296.30	1.20	<1.0	0.01	<0.01	0.01	<0.01	2.7	<0.01
BR-01A-23	296.30	297.30	1.00	2.0	0.09	0.04	0.14	0.01	<1.0	0.01
BR-01A-23	297.30	298.50	1.20	3.0	0.09	0.03	0.04	0.01	<1.0	0.01
BR-01A-23	298.50	299.50	1.00	3.0	0.22	0.05	0.05	<0.01	<1.0	<0.01
BR-01A-23	299.50	300.60	1.10	8.0	0.34	0.18	0.08	0.07	10.3	0.02
BR-01A-23	300.60	301.80	1.20	<1.0	0.19	0.04	0.05	<0.01	1.6	<0.01
BR-01A-23	301.80	302.80	1.00	<1.0	0.25	0.01	0.04	<0.01	1.3	<0.01
BR-01A-23	302.80	304.00	1.20	7.0	0.15	0.05	0.04	0.01	1.5	<0.01
BR-01A-23	304.00	305.00	1.00	5.0	0.11	0.06	0.05	<0.01	<1.0	<0.01
BR-01A-23	305.00	306.20	1.20	5.0	0.1	0.03	0.05	<0.01	1.1	<0.01
BR-01A-23	306.20	307.40	1.20	7.0	0.15	0.05	0.03	<0.01	5.6	<0.01
BR-01A-23	307.40	308.60	1.20	4.0	0.07	0.03	0.03	<0.01	<1.0	<0.01
BR-01A-23	308.60	309.80	1.20	4.0	0.05	0.02	0.01	<0.01	<1.0	<0.01
BR-01A-23	309.80	311.00	1.20	5.0	0.1	0.04	<0.01	<0.01	<1.0	<0.01
BR-01A-23	311.00	312.00	1.00	5.0	0.12	0.06	0.02	<0.01	<1.0	<0.01
BR-01A-23	312.00	313.00	1.00	12.0	0.34	0.09	0.01	<0.01	<1.0	<0.01
BR-01A-23	313.00	314.00	1.00	6.0	0.06	0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	314.00	315.00	1.00	101.0	0.18	0.73	<0.01	<0.01	<1.0	0.01
BR-01A-23	315.00	316.00	1.00	16.0	0.48	0.1	<0.01	<0.01	<1.0	<0.01
BR-01A-23	316.00	317.00	1.00	18.0	0.22	0.07	0.01	<0.01	1.2	<0.01
BR-01A-23	317.00	318.00	1.00	7.0	0.15	0.05	0.01	<0.01	<1.0	<0.01
BR-01A-23	318.00	319.00	1.00	6.0	0.1	0.01	0.02	<0.01	<1.0	<0.01
BR-01A-23	319.00	320.00	1.00	9.0	0.05	0.07	0.01	<0.01	<1.0	<0.01
BR-01A-23	320.00	321.00	1.00	8.0	0.24	0.06	0.02	<0.01	<1.0	<0.01
BR-01A-23	321.00	322.00	1.00	4.0	0.12	0.02	0.02	<0.01	<1.0	<0.01
BR-01A-23	322.00	323.00	1.00	15.0	0.2	0.07	<0.01	<0.01	1.3	<0.01
BR-01A-23	323.00	324.00	1.00	18.0	0.34	0.19	<0.01	<0.01	<1.0	<0.01
BR-01A-23	324.00	325.00	1.00	20.0	0.01	0.03	<0.01	0.01	<1.0	0.01
BR-01A-23	325.00	326.20	1.20	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	326.20	327.40	1.20	3.0	0.06	0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	327.40	328.60	1.20	6.0	0.12	0.03	0.03	<0.01	<1.0	<0.01
BR-01A-23	328.60	329.80	1.20	7.0	0.03	<0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	329.80	331.00	1.20	2.0	<0.01	0.02	0.02	<0.01	<1.0	<0.01
BR-01A-23	331.00	332.00	1.00	3.0	0.12	0.01	0.03	<0.01	<1.0	<0.01
BR-01A-23	332.00	333.20	1.20	<1.0	0.04	<0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	333.20	334.40	1.20	3.0	0.06	0.02	0.03	<0.01	<1.0	<0.01
BR-01A-23	334.40	335.60	1.20	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-01A-23	335.60	336.80	1.20	4.0	0.04	0.04	0.02	<0.01	<1.0	<0.01
BR-01A-23	336.80	338.00	1.20	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	338.00	339.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	1.1	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-01A-23	339.00	340.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-01A-23	340.00	341.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	341.00	342.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	342.20	343.40	1.20	2.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	343.40	344.60	1.20	2.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	344.60	345.80	1.20	2.0	0.14	0.04	<0.01	<0.01	<1.0	<0.01
BR-01A-23	345.80	347.00	1.20	8.0	0.11	0.12	<0.01	<0.01	<1.0	<0.01
BR-01A-23	347.00	348.00	1.00	11.0	0.12	0.08	0.03	<0.01	1.0	<0.01
BR-01A-23	348.00	349.20	1.20	16.0	0.18	0.04	0.02	<0.01	<1.0	<0.01
BR-01A-23	349.20	350.40	1.20	14.0	0.01	0.01	0.04	<0.01	<1.0	<0.01
BR-01A-23	350.40	351.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	351.60	352.80	1.20	2.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	352.80	353.20	0.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	353.20	354.20	1.00	2.0	0.02	0.03	<0.01	<0.01	<1.0	<0.01
BR-01A-23	354.20	355.40	1.20	166.0	0.33	0.28	0.02	0.09	6.8	0.03
BR-01A-23	355.40	356.60	1.20	9.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	356.60	357.80	1.20	4.0	<0.01	0.01	0.01	<0.01	<1.0	<0.01
BR-01A-23	357.80	359.00	1.20	25.0	0.09	0.05	0.02	0.01	<1.0	0.01
BR-01A-23	359.00	360.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	360.00	361.00	1.00	4.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	361.00	361.60	0.60	9.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	361.60	362.00	0.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-01A-23	362.00	362.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	0.00	89.70	89.70	Interval not sampled						
BR-02-23	89.70	90.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	90.80	92.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	92.00	93.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	93.00	94.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	94.00	95.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	95.00	96.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	96.00	97.20	1.20	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-02-23	97.20	98.20	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	98.20	99.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	99.30	100.20	0.90	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	100.20	100.80	0.60	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-02-23	100.80	101.90	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	101.90	103.10	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	103.10	104.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	104.10	105.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	105.00	106.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	106.00	107.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	107.00	108.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	108.00	109.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	109.00	110.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	110.00	111.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	111.00	112.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	112.20	113.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	113.40	114.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	114.60	115.30	0.70	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	115.30	116.50	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	116.50	117.00	0.50	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	117.00	118.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	118.00	119.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	119.00	120.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	120.20	121.30	1.10	<1.0	0.01	0.01	<0.01	0.02	<1.0	<0.01
BR-02-23	121.30	122.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-02-23	122.30	123.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	123.30	124.50	1.20	<1.0	0.01	0.02	<0.01	0.01	<1.0	<0.01
BR-02-23	124.50	125.70	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	125.70	126.90	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-02-23	126.90	128.00	1.10	<1.0	<0.01	0.01	<0.01	0.01	<1.0	<0.01
BR-02-23	128.00	129.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	129.00	130.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	130.00	131.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	131.00	132.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	132.00	133.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	133.00	134.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	134.00	135.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	135.00	136.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	137.00	138.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	138.00	139.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	139.00	139.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-02-23	139.70	140.90	1.20	<1.0	0.02	0.03	<0.01	0.01	<1.0	<0.01
BR-02-23	140.90	141.50	0.60	<1.0	0.02	0.04	<0.01	0.03	<1.0	0.02
BR-02-23	141.50	142.10	0.60	<1.0	0.02	0.11	0.06	0.04	<1.0	0.03
BR-02-23	142.10	143.00	0.90	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	143.00	144.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	144.20	145.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	145.40	146.00	0.60	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	146.00	147.20	1.20	7.0	0.32	0.1	0.04	<0.01	<1.0	0.01
BR-02-23	147.20	147.90	0.70	9.0	1.18	0.33	0.02	0.01	<1.0	0.02
BR-02-23	147.90	149.00	1.10	16.0	0.87	0.17	0.08	0.01	1.0	0.06
BR-02-23	149.00	150.00	1.00	16.0	0.96	0.19	0.1	0.01	6.6	0.08
BR-02-23	150.00	150.70	0.70	4.0	0.55	0.08	0.03	<0.01	<1.0	0.09
BR-02-23	150.70	151.10	0.40	<1.0	0.22	0.05	<0.01	<0.01	<1.0	0.04
BR-02-23	151.10	152.00	0.90	<1.0	0.05	0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	152.00	153.00	1.00	<1.0	0.11	0.02	<0.01	<0.01	<1.0	0.02
BR-02-23	153.00	154.00	1.00	<1.0	0.39	0.05	<0.01	<0.01	<1.0	0.04
BR-02-23	154.00	155.00	1.00	<1.0	0.15	0.02	<0.01	<0.01	<1.0	0.01
BR-02-23	155.00	156.10	1.10	<1.0	0.09	0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	156.10	157.10	1.00	<1.0	0.06	0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	157.10	158.00	0.90	<1.0	0.05	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	158.00	159.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	159.20	160.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	160.20	161.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	161.00	162.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	162.00	163.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	163.00	164.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	164.20	165.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	165.40	166.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	1.0	<0.01
BR-02-23	166.60	167.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	167.80	169.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	169.00	170.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	170.00	171.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	171.00	172.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	172.00	173.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	173.00	174.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	174.00	175.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	175.00	176.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	176.00	177.00	1.00	<1.0	0.09	0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	177.00	178.00	1.00	<1.0	0.07	0.05	0.03	<0.01	<1.0	0.03



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-02-23	178.00	179.00	1.00	<1.0	0.04	0.27	0.2	0.06	<1.0	0.06
BR-02-23	179.00	179.90	0.90	<1.0	0.03	0.19	0.05	0.03	<1.0	0.04
BR-02-23	179.90	180.40	0.50	<1.0	0.01	0.02	<0.01	0.01	<1.0	0.01
BR-02-23	180.40	181.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-02-23	181.40	182.30	0.90	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.02
BR-02-23	182.30	183.40	1.10	<1.0	0.01	0.04	<0.01	<0.01	<1.0	0.01
BR-02-23	183.40	185.50	2.10	<1.0	0.01	0.02	0.01	0.01	<1.0	0.01
BR-02-23	185.50	185.90	0.40	<1.0	0.9	0.28	0.02	<0.01	<1.0	0.03
BR-02-23	185.90	187.00	1.10	<1.0	0.05	<0.01	<0.01	<0.01	1.7	0.02
BR-02-23	187.00	188.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	1.1	0.01
BR-02-23	188.00	189.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	1.5	0.01
BR-02-23	189.20	190.00	0.80	<1.0	0.02	<0.01	<0.01	<0.01	2.2	<0.01
BR-02-23	190.00	191.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	1.9	0.01
BR-02-23	191.00	192.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	192.00	193.10	1.10	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	193.10	194.30	1.20	6.0	0.17	0.06	<0.01	<0.01	2.4	<0.01
BR-02-23	194.30	195.50	1.20	8.0	0.12	0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	195.50	196.70	1.20	11.0	0.17	0.08	<0.01	<0.01	<1.0	0.01
BR-02-23	196.70	197.80	1.10	18.0	0.28	0.11	<0.01	<0.01	1.8	0.01
BR-02-23	197.80	198.80	1.00	12.0	0.14	0.1	<0.01	<0.01	1.0	<0.01
BR-02-23	198.80	199.70	0.90	13.0	0.08	0.06	<0.01	<0.01	1.5	<0.01
BR-02-23	199.70	200.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-02-23	200.70	201.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	201.80	202.90	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-02-23	202.90	204.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-02-23	204.00	205.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-02-23	205.00	206.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-02-23	206.00	207.20	1.20	<1.0	<0.01	<0.01	0.01	<0.01	1.4	0.02
BR-02-23	207.20	208.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	208.40	209.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	209.60	210.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	210.80	212.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	212.00	213.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-02-23	213.00	214.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	214.00	215.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	215.00	216.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	216.20	217.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	217.30	218.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-02-23	218.40	218.90	0.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	218.90	220.40	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	220.40	223.00	2.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	223.00	224.40	1.40	3.0	0.01	0.03	0.01	<0.01	<1.0	0.01
BR-02-23	224.40	225.80	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	225.80	227.10	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	227.10	229.20	2.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	229.20	231.40	2.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	231.40	233.10	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	233.10	233.90	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	233.90	234.90	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	234.90	235.80	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	235.80	236.90	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	236.90	237.80	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	237.80	239.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	239.00	240.50	1.50	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-02-23	240.50	241.70	1.20	<1.0	0.01	<0.01	0.01	<0.01	50.0	<0.01
BR-02-23	241.70	242.10	0.40	9.0	0.17	0.19	0.04	0.04	4.6	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-02-23	242.10	242.60	0.50	406.0	15.7	9.56	5.19	1.78	50.0	0.08
BR-02-23	242.60	243.30	0.70	3.0	0.07	0.03	0.04	0.01	1.0	0.01
BR-02-23	243.30	244.00	0.70	39.0	0.1	0.02	0.07	0.24	<1.0	0.07
BR-02-23	244.00	244.70	0.70	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-02-23	244.70	245.30	0.60	<1.0	0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-02-23	245.30	246.10	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	246.10	247.50	1.40	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-02-23	247.50	248.70	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-02-23	248.70	249.90	1.20	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-02-23	249.90	251.00	1.10	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-02-23	251.00	252.00	1.00	<1.0	0.04	<0.01	0.02	<0.01	1.6	<0.01
BR-02-23	252.00	253.20	1.20	<1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	253.20	254.20	1.00	<1.0	<0.01	<0.01	0.01	0.01	<1.0	0.01
BR-02-23	254.20	255.00	0.80	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-02-23	255.00	256.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-02-23	256.00	257.10	1.10	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	257.10	258.20	1.10	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	258.20	259.30	1.10	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-02-23	259.30	260.40	1.10	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-02-23	260.40	261.50	1.10	<1.0	<0.01	<0.01	0.03	0.01	<1.0	0.01
BR-02-23	261.50	262.50	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-02-23	262.50	263.70	1.20	5.0	0.03	0.01	0.04	0.11	<1.0	0.06
BR-02-23	263.70	264.70	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	264.70	265.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	265.90	267.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	267.00	268.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	268.00	269.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-02-23	269.00	269.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	0.00	84.10	84.10	Interval not sampled						
BR-03A-23	84.10	85.10	1.00	63.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	85.10	86.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	86.30	87.80	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	87.80	89.20	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	89.20	90.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	90.00	91.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	91.00	92.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	92.00	93.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	93.00	94.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	94.00	95.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	95.00	96.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	96.00	97.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	97.00	98.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	98.00	99.60	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	99.60	100.40	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	100.40	101.70	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	101.70	103.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	103.00	104.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	104.00	105.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	105.00	106.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	106.00	107.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	107.00	108.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	108.00	109.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	109.00	110.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	110.00	111.00	1.00	<1.0	<0.01	0.01	0.02	<0.01	<1.0	<0.01
BR-03A-23	111.00	112.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-03A-23	112.00	113.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-03A-23	113.00	113.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	113.80	115.10	1.30	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	115.10	116.00	0.90	<1.0	0.01	0.03	0.01	0.01	<1.0	<0.01
BR-03A-23	116.00	117.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	117.00	118.40	1.40	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-03A-23	118.40	119.80	1.40	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	119.80	121.00	1.20	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-03A-23	121.00	122.00	1.00	<1.0	<0.01	0.01	0.01	0.01	<1.0	0.01
BR-03A-23	122.00	123.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	123.00	124.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	124.00	125.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	125.00	126.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	126.10	126.80	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-03A-23	126.80	127.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-03A-23	127.80	129.00	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	0.03
BR-03A-23	129.00	130.00	1.00	<1.0	<0.01	0.09	0.01	<0.01	<1.0	<0.01
BR-03A-23	130.00	131.10	1.10	<1.0	0.01	0.08	<0.01	0.01	<1.0	0.03
BR-03A-23	131.10	132.40	1.30	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-03A-23	132.40	133.90	1.50	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-03A-23	133.90	134.60	0.70	<1.0	0.05	0.02	<0.01	0.01	<1.0	0.03
BR-03A-23	134.60	135.80	1.20	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-03A-23	135.80	136.90	1.10	<1.0	0.05	0.04	0.01	0.01	<1.0	0.01
BR-03A-23	136.90	138.00	1.10	<1.0	0.04	0.05	<0.01	<0.01	<1.0	0.01
BR-03A-23	138.00	138.40	0.40	<1.0	0.07	0.05	<0.01	<0.01	<1.0	0.03
BR-03A-23	138.40	139.00	0.60	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	139.00	140.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	140.00	141.00	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	141.00	142.10	1.10	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	142.10	143.00	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	143.00	144.00	1.00	<1.0	0.02	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	144.00	145.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	145.20	146.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	146.40	147.40	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	147.40	148.50	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	148.50	149.50	1.00	<1.0	0.07	0.02	<0.01	<0.01	<1.0	0.01
BR-03A-23	149.50	150.50	1.00	<1.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	150.50	151.70	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	151.70	152.90	1.20	3.0	0.18	0.06	<0.01	<0.01	<1.0	0.01
BR-03A-23	152.90	154.00	1.10	<1.0	0.14	0.05	<0.01	<0.01	<1.0	0.01
BR-03A-23	154.00	155.20	1.20	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-03A-23	155.20	156.00	0.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	156.00	157.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	157.00	158.10	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	158.10	159.00	0.90	4.0	0.02	0.03	<0.01	<0.01	<1.0	0.01
BR-03A-23	159.00	160.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	160.00	161.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	161.00	162.20	1.20	3.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	162.20	163.40	1.20	6.0	0.08	0.03	<0.01	<0.01	<1.0	<0.01
BR-03A-23	163.40	164.60	1.20	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	164.60	165.60	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	165.60	166.70	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	166.70	167.90	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	167.90	169.00	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	169.00	170.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	170.00	171.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	171.00	172.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-03A-23	172.00	173.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	173.00	174.00	1.00	69.0	0.8	0.87	<0.01	<0.01	50.0	0.01
BR-03A-23	174.00	175.20	1.20	7.0	0.21	0.06	<0.01	<0.01	6.2	0.01
BR-03A-23	175.20	176.40	1.20	3.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	176.40	177.60	1.20	4.0	0.23	0.01	<0.01	<0.01	1.8	<0.01
BR-03A-23	177.60	178.80	1.20	2.0	0.06	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	178.80	181.00	2.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	181.00	182.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	182.00	183.00	1.00	2.0	0.1	0.08	<0.01	<0.01	1.4	<0.01
BR-03A-23	183.00	184.00	1.00	3.0	0.09	0.06	0.01	<0.01	<1.0	0.01
BR-03A-23	184.00	185.00	1.00	3.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	185.00	185.80	0.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	185.80	187.10	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	187.10	188.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	188.30	189.80	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	189.80	191.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	191.00	192.50	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	192.50	193.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	193.30	194.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	194.60	195.30	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	195.30	196.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	196.40	197.80	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	197.80	198.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-03A-23	198.80	200.40	1.60	98.0	0.82	1.51	0.36	0.07	50.0	0.03
BR-03A-23	200.40	201.40	1.00	280.0	5.68	2.54	1.07	0.21	50.0	0.07
BR-03A-23	201.40	202.10	0.70	348.0	6.51	3.06	1.55	0.24	50.0	0.09
BR-03A-23	202.10	203.00	0.90	273.0	4.17	3.71	1.56	0.31	50.0	0.03
BR-03A-23	203.00	203.80	0.80	446.0	5.03	6.98	3.49	0.89	50.0	0.28
BR-03A-23	203.80	204.80	1.00	588.0	7.39	5.07	4.06	0.6	50.0	0.07
BR-03A-23	204.80	205.40	0.60	1,438.0	17.11	12.41	8.64	1.77	50.0	0.43
BR-03A-23	205.40	206.20	0.80	394.0	7.59	3.46	3.86	0.67	50.0	0.21
BR-03A-23	206.20	206.70	0.50	626.0	2.93	3.63	3.23	0.26	50.0	0.1
BR-03A-23	206.70	207.90	1.20	87.0	4.05	1.81	1.24	0.11	4.3	0.06
BR-03A-23	207.90	209.00	1.10	600.0	10.88	5.52	2.83	1.28	9.4	0.52
BR-03A-23	209.00	209.60	0.60	12.0	1.47	0.54	0.19	0.04	2.2	0.01
BR-03A-23	209.60	210.60	1.00	145.0	22.49	10.96	0.37	2.25	3.2	0.51
BR-03A-23	210.60	211.70	1.10	7.0	0.24	0.06	0.12	0.1	1.4	0.02
BR-03A-23	211.70	212.40	0.70	6.0	0.29	0.07	0.19	0	1.6	0.01
BR-03A-23	212.40	213.50	1.10	30.0	0.28	0.09	0.29	0.11	5.6	0.04
BR-03A-23	213.50	214.60	1.10	28.0	0.35	0.15	0.22	0.06	2.3	0.02
BR-03A-23	214.60	215.40	0.80	2.0	0.17	0.01	0.18	<0.01	1.3	<0.01
BR-03A-23	215.40	216.20	0.80	5.0	0.44	0.1	0.26	0.01	1.3	<0.01
BR-03A-23	216.20	217.40	1.20	43.0	2.3	0.36	0.64	0.21	13.5	0.09
BR-03A-23	217.40	218.40	1.00	2.0	0.13	0.02	0.23	<0.01	<1.0	0.01
BR-03A-23	218.40	219.00	0.60	5.0	0.49	0.07	0.45	<0.01	<1.0	0.01
BR-03A-23	219.00	220.20	1.20	13.0	1.14	0.26	0.42	0.09	1.8	0.03
BR-03A-23	220.20	221.20	1.00	3.0	0.27	0.08	0.17	<0.01	1.2	<0.01
BR-03A-23	221.20	222.40	1.20	<1.0	0.12	0.03	0.11	<0.01	1.2	<0.01
BR-03A-23	222.40	223.60	1.20	<1.0	0.12	0.01	0.1	<0.01	<1.0	<0.01
BR-03A-23	223.60	224.80	1.20	3.0	0.18	0.04	0.11	<0.01	2.7	<0.01
BR-03A-23	224.80	226.00	1.20	2.0	0.15	0.01	0.12	<0.01	1.1	<0.01
BR-03A-23	226.00	226.70	0.70	3.0	0.23	0.02	0.11	<0.01	0.7	<0.01
BR-03A-23	226.70	227.90	1.20	49.0	0.39	0.09	0.13	0.04	2.1	0.01
BR-03A-23	227.90	229.00	1.10	5.0	0.28	0.03	0.11	<0.01	<1.0	<0.01
BR-03A-23	229.00	230.00	1.00	5.0	0.14	0.03	0.24	<0.01	<1.0	<0.01
BR-03A-23	230.00	231.00	1.00	<1.0	0.07	0.03	0.08	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-03A-23	231.00	232.00	1.00	3.0	0.1	0.01	0.13	<0.01	<1.0	<0.01
BR-03A-23	232.00	233.00	1.00	4.0	0.08	0.02	0.11	<0.01	<1.0	<0.01
BR-03A-23	233.00	234.00	1.00	2.0	0.12	0.02	0.1	<0.01	1.0	<0.01
BR-03A-23	234.00	235.00	1.00	2.0	0.19	0.05	0.1	<0.01	3.5	<0.01
BR-03A-23	235.00	236.20	1.20	2.0	0.04	0.02	0.1	<0.01	2.1	<0.01
BR-03A-23	236.20	237.40	1.20	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-03A-23	237.40	238.60	1.20	<1.0	0.05	0.01	0.09	<0.01	1.4	<0.01
BR-03A-23	238.60	239.60	1.00	2.0	0.31	0.01	0.08	<0.01	<1.0	<0.01
BR-03A-23	239.60	240.60	1.00	<1.0	0.01	<0.01	0.09	<0.01	1.4	<0.01
BR-03A-23	240.60	241.00	0.40	<1.0	0.04	<0.01	0.05	<0.01	<1.0	<0.01
BR-03A-23	241.00	241.80	0.80	13.0	0.47	0.13	1.07	0.01	4.5	0.01
BR-03A-23	241.80	243.00	1.20	<1.0	0.19	0.01	0.14	<0.01	<1.0	<0.01
BR-03A-23	243.00	244.00	1.00	<1.0	0.07	0.01	0.14	<0.01	<1.0	<0.01
BR-03A-23	244.00	245.00	1.00	<1.0	0.01	0	0.03	<0.01	<1.0	<0.01
BR-03A-23	245.00	246.10	1.10	3.0	0.56	0.04	0.1	<0.01	1.3	<0.01
BR-03A-23	246.10	247.00	0.90	23.0	0.41	0.09	0.13	0.01	2.8	0.01
BR-03A-23	247.00	247.80	0.80	25.0	0.79	0.21	0.1	0.02	2.7	0.01
BR-03A-23	247.80	248.60	0.80	48.0	1.48	0.6	0.12	0.04	4.9	0.01
BR-03A-23	248.60	249.80	1.20	20.0	1.05	0.35	0.1	0.01	3.2	<0.01
BR-03A-23	249.80	250.50	0.70	3.0	0.07	0.01	0.11	<0.01	<1.0	<0.01
BR-03A-23	250.50	251.50	1.00	38.0	1.03	0.6	0.1	0.07	1.7	0.02
BR-03A-23	251.50	252.50	1.00	45.0	0.45	0.1	0.1	0.13	2.1	0.03
BR-03A-23	252.50	253.50	1.00	10.0	0.21	0.07	0.06	<0.01	1.6	<0.01
BR-03A-23	253.50	254.50	1.00	264.0	3.33	4.58	0.12	0.21	5.4	0.05
BR-03A-23	254.50	255.10	0.60	7.0	0.08	0.02	0.17	0.01	<1.0	0.01
BR-03A-23	255.10	255.60	0.50	122.0	1.31	1.14	0.13	0.16	4.2	0.05
BR-03A-23	255.60	256.10	0.50	232.0	14.1	7.1	0.11	0.25	15.6	0.15
BR-03A-23	256.10	257.00	0.90	3.0	0.06	0.02	0.08	<0.01	<1.0	<0.01
BR-03A-23	257.00	257.80	0.80	8.0	0.48	0.17	0.1	<0.01	1.8	<0.01
BR-03A-23	257.80	259.00	1.20	5.0	0.18	0.06	0.07	<0.01	<1.0	0.01
BR-03A-23	259.00	260.20	1.20	41.0	0.72	1.6	0.07	0.04	6.3	0.02
BR-03A-23	260.20	260.70	0.50	63.0	1.29	0.56	0.22	1.09	<1.0	0.13
BR-03A-23	260.70	262.00	1.30	4.0	0.02	0.02	0.07	<0.01	<1.0	<0.01
BR-03A-23	262.00	263.20	1.20	4.0	0.08	0.03	0.07	<0.01	<1.0	<0.01
BR-03A-23	263.20	264.20	1.00	<1.0	0.14	<0.01	0.04	<0.01	<1.0	<0.01
BR-03A-23	264.20	265.40	1.20	<1.0	0.24	0.02	0.02	<0.01	3.1	<0.01
BR-03A-23	265.40	266.60	1.20	2.0	0.24	0.03	0.04	<0.01	<1.0	<0.01
BR-03A-23	266.60	267.60	1.00	<1.0	0.12	0.01	0.03	<0.01	1.2	<0.01
BR-03A-23	267.60	269.00	1.40	<1.0	0.12	0.01	0.04	<0.01	<1.0	<0.01
BR-03A-23	269.00	270.00	1.00	<1.0	0.04	<0.01	0.03	<0.01	<1.0	<0.01
BR-03A-23	270.00	271.00	1.00	<1.0	0.08	<0.01	0.02	<0.01	<1.0	<0.01
BR-03A-23	271.00	272.00	1.00	<1.0	0.22	0.01	0.03	<0.01	<1.0	<0.01
BR-03A-23	272.00	273.00	1.00	<1.0	0.12	0.01	0.04	<0.01	1.7	<0.01
BR-03A-23	273.00	273.80	0.80	9.0	1.62	0.44	0.15	0.02	1.4	0.03
BR-03A-23	273.80	274.80	1.00	26.0	3.82	1.26	0.14	0.07	<1.0	0.06
BR-03A-23	274.80	275.80	1.00	<1.0	0.07	<0.01	0.04	<0.01	<1.0	<0.01
BR-03A-23	275.80	277.00	1.20	<1.0	0.14	<0.01	0.01	<0.01	<1.0	<0.01
BR-03A-23	277.00	277.80	0.80	<1.0	0.16	<0.01	0.03	0.01	<1.0	0.01
BR-03A-23	277.80	278.20	0.40	9.0	0.64	0.15	0.08	0.39	2.8	0.08
BR-03A-23	278.20	278.80	0.60	1.0	0.18	0.02	0.06	0.02	1.0	<0.01
BR-03A-23	278.80	279.40	0.60	19.0	1.02	0.16	0.1	0.36	4.6	0.21
BR-03A-23	279.40	280.30	0.90	48.0	0.67	0.12	0.05	1.54	2.2	0.22
BR-03A-23	280.30	281.00	0.70	<1.0	0.05	<0.01	0.04	<0.01	<1.0	0.01
BR-03A-23	281.00	282.00	1.00	<1.0	0.01	<0.01	0.1	<0.01	<1.0	<0.01
BR-03A-23	282.00	283.00	1.00	3.0	<0.01	<0.01	0.1	<0.01	<1.0	0.01
BR-03A-23	283.00	284.00	1.00	<1.0	0.01	0.01	0.08	<0.01	<1.0	0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-03A-23	284.00	285.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-03A-23	285.00	286.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	0
BR-03A-23	286.00	287.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	0.01
BR-03A-23	287.00	288.00	1.00	<1.0	0.03	<0.01	0.06	0.01	<1.0	0.02
BR-03A-23	288.00	289.00	1.00	<1.0	0.04	<0.01	0.01	<0.01	<1.0	0.01
BR-03A-23	289.00	290.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-03A-23	290.00	291.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-03A-23	291.00	292.00	1.00	4.0	0.02	0.47	0.03	0.09	<1.0	0.09
BR-03A-23	292.00	293.80	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	0.00	87.40	87.40	Interval not sampled						
BR-04-23	87.40	88.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	88.60	89.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	89.80	91.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	91.00	92.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	92.00	93.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	93.20	94.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	94.40	95.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	95.60	96.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	96.80	98.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	98.00	98.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	98.90	100.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	100.00	101.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	101.00	102.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	102.00	104.30	2.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	104.30	105.20	0.90	<1.0	0.04	0.01	<0.01	0.01	<1.0	0.02
BR-04-23	105.20	106.20	1.00	<1.0	0.19	0.07	<0.01	<0.01	<1.0	0.01
BR-04-23	106.20	107.70	1.50	<1.0	0.04	0.02	<0.01	<0.01	<1.0	<0.01
BR-04-23	107.70	108.20	0.50	<1.0	0.04	0.02	<0.01	<0.01	<1.0	<0.01
BR-04-23	108.20	109.10	0.90	<1.0	0.06	0.10	0.01	<0.01	<1.0	0.01
BR-04-23	109.10	110.60	1.50	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	110.60	111.20	0.60	<1.0	0.03	0.03	<0.01	<0.01	<1.0	0.01
BR-04-23	111.20	112.50	1.30	<1.0	0.03	0.05	<0.01	0.01	<1.0	0.03
BR-04-23	112.50	113.80	1.30	5.0	0.02	0.09	0.07	0.02	<1.0	0.03
BR-04-23	113.80	114.70	0.90	9.0	0.54	0.10	0.19	0.41	13.7	0.2
BR-04-23	114.70	115.20	0.50	<1.0	0.02	0.02	0.02	<0.01	<1.0	0.01
BR-04-23	115.20	116.00	0.80	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	116.00	117.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	117.00	118.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	118.00	119.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	119.00	120.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	120.00	121.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	121.00	122.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	122.00	122.60	0.60	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	122.60	123.60	1.00	<1.0	0.02	0.01	<0.01	<0.01	<1.0	0.01
BR-04-23	123.60	124.00	0.40	<1.0	0.06	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	124.00	125.00	1.00	<1.0	0.10	0.02	<0.01	<0.01	<1.0	<0.01
BR-04-23	125.00	126.20	1.20	<1.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	126.20	127.40	1.20	<1.0	0.15	0.02	<0.01	<0.01	<1.0	<0.01
BR-04-23	127.40	128.60	1.20	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	128.60	129.80	1.20	<1.0	0.04	0.02	<0.01	<0.01	<1.0	<0.01
BR-04-23	129.80	131.00	1.20	<1.0	0.02	0.03	<0.01	<0.01	<1.0	<0.01
BR-04-23	131.00	132.00	1.00	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-04-23	132.00	133.00	1.00	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-04-23	133.00	134.00	1.00	<1.0	0.02	0.03	<0.01	<0.01	<1.0	<0.01
BR-04-23	134.00	135.00	1.00	<1.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	135.00	136.00	1.00	<1.0	0.04	0.02	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-04-23	136.00	137.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	137.00	138.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	138.00	139.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	139.00	140.00	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	140.00	140.90	0.90	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	140.90	142.00	1.10	3.0	0.04	<0.01	<0.01	<0.01	1.4	<0.01
BR-04-23	142.00	143.00	1.00	4.0	0.04	0.02	<0.01	<0.01	1.1	<0.01
BR-04-23	143.00	144.00	1.00	4.0	0.05	0.02	<0.01	<0.01	<1.0	<0.01
BR-04-23	144.00	145.00	1.00	7.0	0.14	0.03	<0.01	<0.01	<1.0	<0.01
BR-04-23	145.00	146.00	1.00	3.0	0.10	0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	146.00	146.60	0.60	<1.0	0.04	0.03	<0.01	0.01	<1.0	0.01
BR-04-23	146.60	147.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-04-23	147.80	149.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	149.00	150.20	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-04-23	150.20	151.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	151.20	152.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	152.40	153.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	153.60	154.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	154.80	156.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	156.00	157.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	157.20	158.40	1.20	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	158.40	159.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	159.60	160.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	160.80	162.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	162.00	163.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	163.00	164.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	164.00	165.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	165.00	166.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	166.00	167.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	167.00	168.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	2.0	<0.01
BR-04-23	168.00	169.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	169.00	170.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	170.00	171.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	172.00	173.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	173.10	174.00	0.90	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	174.00	175.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	175.00	176.00	1.00	<1.0	<0.01	<0.01	0.01	0.01	<1.0	<0.01
BR-04-23	176.00	177.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	179.00	180.00	1.00	20.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	180.00	181.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	181.00	182.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-04-23	182.00	183.00	1.00	<1.0	0.01	<0.01	0.03	0.01	<1.0	0.01
BR-04-23	183.00	183.50	0.50	<1.0	0.01	0.17	<0.01	0.02	50.0	<0.01
BR-04-23	183.50	184.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	184.70	185.50	0.80	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-04-23	185.50	186.00	0.50	<1.0	<0.01	<0.01	<0.01	0.02	<1.0	0.01
BR-04-23	186.00	186.80	0.80	<1.0	<0.01	0.02	0.02	0.01	50.0	<0.01
BR-04-23	186.80	187.30	0.50	<1.0	0.02	<0.01	0.01	<0.01	50.0	<0.01
BR-04-23	187.30	188.10	0.80	7.0	0.03	0.12	0.03	0.02	1.3	<0.01
BR-04-23	188.10	189.00	0.90	862.0	7.84	6.82	6.00	0.61	50.0	0.15
BR-04-23	189.00	190.10	1.10	658.0	7.59	6.49	6.10	0.62	50.0	0.03
BR-04-23	190.10	191.00	0.90	580.0	4.25	2.26	2.96	0.24	50.0	0.26
BR-04-23	191.00	192.00	1.00	6.0	0.02	0.03	0.09	<0.01	1.1	0.03



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-04-23	192.00	193.00	1.00	1.0	0.06	<0.01	<0.01	<0.01	<1.0	0.01
BR-04-23	193.00	194.00	1.00	6.0	0.10	0.05	<0.01	<0.01	<1.0	<0.01
BR-04-23	194.00	195.00	1.00	34.0	0.21	0.34	0.03	<0.01	4.0	0.01
BR-04-23	195.00	196.00	1.00	3.0	0.02	0.01	<0.01	<0.01	50.0	<0.01
BR-04-23	196.00	197.00	1.00	3.0	0.03	<0.01	0.02	<0.01	2.5	<0.01
BR-04-23	197.00	198.00	1.00	4.0	0.02	0.01	<0.01	<0.01	2.0	<0.01
BR-04-23	198.00	199.00	1.00	6.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-04-23	199.00	200.00	1.00	4.0	<0.01	0.01	<0.01	<0.01	3.7	<0.01
BR-04-23	200.00	201.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	201.00	202.00	1.00	9.0	0.01	<0.01	<0.01	<0.01	2.5	0.01
BR-04-23	202.00	203.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	203.00	204.00	1.00	6.0	0.07	<0.01	<0.01	<0.01	1.6	<0.01
BR-04-23	204.00	205.00	1.00	6.0	0.11	0.04	<0.01	<0.01	<1.0	<0.01
BR-04-23	205.00	206.00	1.00	7.0	0.20	0.04	<0.01	<0.01	<1.0	<0.01
BR-04-23	206.00	207.00	1.00	6.0	0.01	0.03	0.02	<0.01	1.5	<0.01
BR-04-23	207.00	208.00	1.00	11.0	0.01	0.03	0.01	<0.01	1.7	<0.01
BR-04-23	208.00	209.00	1.00	4.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	209.00	210.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	210.00	211.00	1.00	54.0	0.02	<0.01	0.01	0.03	<1.0	0.03
BR-04-23	211.00	211.90	0.90	24.0	0.03	0.01	0.03	0.01	3.6	<0.01
BR-04-23	211.90	212.40	0.50	390.0	0.06	0.02	0.06	0.22	11.9	0.06
BR-04-23	212.40	213.00	0.60	33.0	0.03	<0.01	0.02	0.08	1.9	0.06
BR-04-23	213.00	214.00	1.00	227.0	0.03	0.02	0.04	0.08	<1.0	0.07
BR-04-23	214.00	215.00	1.00	3.0	0.01	<0.01	0.01	0.02	<1.0	0.01
BR-04-23	215.00	216.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	216.00	217.00	1.00	<1.0	0.04	0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	217.00	218.00	1.00	<1.0	0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	218.00	219.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	219.00	220.00	1.00	2.0	0.07	0.04	0.04	<0.01	2.9	<0.01
BR-04-23	220.00	221.00	1.00	<1.0	0.01	0.02	0.04	<0.01	<1.0	<0.01
BR-04-23	221.00	222.00	1.00	7.0	0.18	0.09	0.03	<0.01	<1.0	0.01
BR-04-23	222.00	223.00	1.00	<1.0	0.01	0.01	0.04	<0.01	<1.0	<0.01
BR-04-23	223.00	224.00	1.00	4.0	0.15	0.02	0.04	0.02	<1.0	0.02
BR-04-23	224.00	225.00	1.00	<1.0	0.03	0.02	0.01	0.02	2.5	0.01
BR-04-23	225.00	226.00	1.00	4.0	0.05	0.03	0.03	0.01	4.3	0.01
BR-04-23	226.00	227.00	1.00	10.0	0.54	0.22	0.05	0.01	<1.0	0.01
BR-04-23	227.00	228.00	1.00	27.0	0.59	0.26	0.05	0.01	<1.0	0.01
BR-04-23	228.00	229.00	1.00	19.0	0.55	0.13	0.12	0.02	<1.0	0.01
BR-04-23	229.00	230.00	1.00	14.0	0.29	0.15	0.07	0.06	1.4	0.02
BR-04-23	230.00	231.00	1.00	8.0	0.40	0.40	0.11	0.01	2.2	<0.01
BR-04-23	231.00	232.00	1.00	10.0	0.46	0.25	0.1	0.02	<1.0	0.01
BR-04-23	232.00	232.80	0.80	15.0	0.59	0.16	0.14	0.03	<1.0	0.01
BR-04-23	232.80	234.00	1.20	5.0	0.48	0.21	0.18	0.01	<1.0	0.01
BR-04-23	234.00	235.00	1.00	3.0	0.33	0.16	0.14	0.01	<1.0	0.01
BR-04-23	235.00	236.00	1.00	4.0	0.12	0.35	0.18	<0.01	<1.0	<0.01
BR-04-23	236.00	237.00	1.00	3.0	0.36	0.11	0.16	<0.01	1.6	0.01
BR-04-23	237.00	238.00	1.00	7.0	0.33	0.56	0.38	0.01	1.9	0.01
BR-04-23	238.00	239.00	1.00	2.0	<0.01	0.15	0.15	<0.01	<1.0	<0.01
BR-04-23	239.00	240.00	1.00	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-04-23	240.00	241.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-04-23	241.00	241.90	0.90	<1.0	0.02	<0.01	0.06	0.01	<1.0	0.01
BR-04-23	241.90	242.40	0.50	126.0	16.45	8.85	0.23	1.31	3.6	0.69
BR-04-23	242.40	243.40	1.00	5.0	0.24	0.07	0.08	0.34	<1.0	0.09
BR-04-23	243.40	244.00	0.60	<1.0	0.01	0.01	0.13	<0.01	<1.0	<0.01
BR-04-23	244.00	245.00	1.00	<1.0	0.04	<0.01	0.07	<0.01	<1.0	<0.01
BR-04-23	245.00	246.00	1.00	<1.0	0.13	0.01	0.07	0.04	1.8	0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-04-23	246.00	247.00	1.00	<1.0	0.02	0.01	0.08	<0.01	<1.0	0.01
BR-04-23	247.00	248.00	1.00	<1.0	0.22	0.07	0.08	0.01	<1.0	0.02
BR-04-23	248.00	249.00	1.00	4.0	0.03	0.05	0.04	0.09	<1.0	0.06
BR-04-23	249.00	250.00	1.00	3.0	0.17	0.11	0.10	0.12	<1.0	0.05
BR-04-23	250.00	250.90	0.90	<1.0	0.02	0.01	0.05	0.01	<1.0	0.01
BR-04-23	250.90	252.00	1.10	4.0	0.44	0.17	0.08	0.03	<1.0	0.02
BR-04-23	252.00	253.20	1.20	3.0	0.41	0.10	0.11	0.01	1.0	0.02
BR-04-23	253.20	254.40	1.20	61.0	0.84	1.34	0.16	0.50	4.1	0.31
BR-04-23	254.40	255.60	1.20	<1.0	0.31	0.07	0.06	<0.01	<1.0	<0.01
BR-04-23	255.60	256.80	1.20	2.0	0.19	0.08	0.06	0.01	1.0	0.01
BR-04-23	256.80	258.00	1.20	<1.0	0.06	0.02	0.03	<0.01	<1.0	<0.01
BR-04-23	258.00	259.00	1.00	2.0	0.22	0.12	0.04	<0.01	<1.0	<0.01
BR-04-23	259.00	260.00	1.00	2.0	0.13	0.10	0.04	0.01	<1.0	<0.01
BR-04-23	260.00	261.00	1.00	<1.0	0.07	0.02	0.04	<0.01	<1.0	<0.01
BR-04-23	261.00	262.00	1.00	<1.0	0.04	0.01	0.05	<0.01	1.2	<0.01
BR-04-23	262.00	263.00	1.00	<1.0	<0.01	<0.01	0.09	<0.01	<1.0	<0.01
BR-04-23	263.00	264.00	1.00	<1.0	0.01	0.01	0.09	<0.01	<1.0	<0.01
BR-04-23	264.00	265.00	1.00	<1.0	0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	265.00	266.00	1.00	<1.0	0.01	0.01	0.08	<0.01	<1.0	<0.01
BR-04-23	266.00	267.00	1.00	8.0	0.22	0.64	0.06	0.02	1.5	0.01
BR-04-23	267.00	268.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	268.00	269.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	269.00	270.00	1.00	6.0	0.34	0.41	0.08	0.01	<1.0	0.02
BR-04-23	270.00	271.00	1.00	3.0	0.18	0.25	0.06	0.01	<1.0	0.03
BR-04-23	271.00	272.60	1.60	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	272.60	274.20	1.60	<1.0	0.06	0.02	0.07	<0.01	<1.0	<0.01
BR-04-23	274.20	275.20	1.00	<1.0	0.08	0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	275.20	276.40	1.20	<1.0	0.04	<0.01	0.04	<0.01	<1.0	<0.01
BR-04-23	276.40	277.60	1.20	<1.0	0.04	<0.01	0.06	<0.01	<1.0	<0.01
BR-04-23	277.60	278.80	1.20	<1.0	0.03	<0.01	0.06	<0.01	<1.0	<0.01
BR-04-23	278.80	280.00	1.20	<1.0	0.06	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	280.00	281.00	1.00	<1.0	0.17	0.03	0.06	<0.01	2.0	<0.01
BR-04-23	281.00	282.00	1.00	<1.0	0.1	0.01	0.06	<0.01	<1.0	0.01
BR-04-23	282.00	283.00	1.00	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-04-23	283.00	284.00	1.00	<1.0	<0.01	<0.01	0.07	<0.01	<1.0	<0.01
BR-04-23	284.00	285.00	1.00	<1.0	0.02	<0.01	0.07	<0.01	<1.0	0.01
BR-04-23	285.00	286.00	1.00	<1.0	0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	286.00	287.00	1.00	<1.0	0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-04-23	287.00	288.00	1.00	3.0	0.14	0.23	0.09	0.06	1.1	0.02
BR-04-23	288.00	289.00	1.00	<1.0	0.22	0.06	0.07	<0.01	1.4	0.01
BR-04-23	289.00	290.00	1.00	<1.0	0.25	0.05	0.05	<0.01	2.4	0.01
BR-04-23	290.00	291.00	1.00	<1.0	0.18	0.06	0.10	<0.01	2.5	0.01
BR-04-23	291.00	292.00	1.00	<1.0	0.16	0.05	0.07	0.02	1.6	0.01
BR-04-23	292.00	293.20	1.20	<1.0	0.12	0.1	0.07	0.03	<1.0	0.03
BR-04-23	293.20	294.40	1.20	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	294.40	295.60	1.20	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-04-23	295.60	296.80	1.20	6.0	0.17	0.12	0.06	0.48	2.1	0.21
BR-04-23	296.80	298.00	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	298.00	299.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	299.00	300.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-04-23	300.00	301.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-04-23	301.00	301.70	0.70	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-04-23	301.70	302.90	1.20	<1.0	0.02	<0.01	0.04	0.01	<1.0	0.01
BR-04-23	302.90	304.00	1.10	<1.0	0.02	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	304.00	305.20	1.20	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-04-23	305.20	306.20	1.00	<1.0	0.01	<0.01	0.18	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-04-23	306.20	307.00	0.80	<1.0	0.01	<0.01	0.08	<0.01	2.6	<0.01
BR-04-23	307.00	308.00	1.00	8.0	0.01	0.5	0.03	0.02	3.6	0.01
BR-04-23	308.00	309.20	1.20	3.0	0.01	0.27	0.19	0.02	<1.0	0.01
BR-04-23	309.20	310.20	1.00	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-04-23	310.20	311.40	1.20	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-04-23	311.40	312.60	1.20	<1.0	<0.01	0.03	0.07	<0.01	<1.0	<0.01
BR-04-23	312.60	313.80	1.20	<1.0	0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-04-23	313.80	315.00	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	315.00	316.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	316.00	317.00	1.00	<1.0	0.01	0.02	0.04	0.01	6.0	<0.01
BR-04-23	317.00	318.00	1.00	<1.0	0.01	0.03	0.01	<0.01	1.6	<0.01
BR-04-23	318.00	319.00	1.00	<1.0	0.01	0.01	0.04	<0.01	<1.0	<0.01
BR-04-23	319.00	320.00	1.00	<1.0	<0.01	<0.01	0.01	0.01	1.6	<0.01
BR-04-23	320.00	321.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	321.00	322.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	322.00	323.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-04-23	323.00	324.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	324.00	325.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	325.00	326.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	326.00	327.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	327.00	328.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	328.00	329.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	329.00	330.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	330.00	331.20	1.20	<1.0	0.02	0.03	<0.01	<0.01	<1.0	<0.01
BR-04-23	331.20	332.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	332.40	333.60	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-04-23	333.60	334.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	334.80	336.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-04-23	336.00	337.10	1.10	<1.0	0.01	<0.01	0.02	0.01	<1.0	0.01
BR-04-23	337.10	338.20	1.10	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-04-23	338.20	339.00	0.80	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-04-23	339.00	340.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-04-23	340.00	341.60	1.60	<1.0	0.05	0.02	0.02	0.15	<1.0	0.10
BR-05-23	0.00	90.00	90.0	Interval not sampled						
BR-05-23	90.00	91.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	91.00	92.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	92.00	93.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	93.00	94.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	94.00	95.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	95.00	96.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	96.00	97.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	97.00	98.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	98.00	99.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	99.00	100.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	100.00	101.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	101.00	102.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	102.00	103.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	103.00	104.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	104.00	105.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	105.00	105.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	105.90	107.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	107.00	108.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	108.00	109.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	109.00	110.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
BR-05-23	110.00	111.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	111.00	112.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-05-23	112.00	113.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	113.00	114.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	114.00	115.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	115.00	116.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	116.00	117.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	117.00	117.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	117.90	119.20	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	119.20	120.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	120.00	121.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	121.00	122.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	122.00	123.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	123.00	124.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	124.00	124.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	124.70	125.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	125.90	127.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	127.00	128.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	128.00	129.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	129.00	130.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	130.00	131.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	131.00	132.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	132.00	133.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	133.00	134.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	134.00	135.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	135.00	136.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	137.00	138.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	138.00	139.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	139.00	140.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	140.00	141.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	141.00	142.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	142.00	142.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	142.90	144.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	144.10	144.70	0.60	<1.0	0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-05-23	144.70	145.90	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	145.90	146.70	0.80	<1.0	0.03	0.03	<0.01	0.01	<1.0	0.01
BR-05-23	146.70	148.40	1.70	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	148.40	149.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	149.40	150.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	150.60	151.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	151.80	153.00	1.20	5.0	0.02	0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	153.00	154.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	154.00	155.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	155.00	156.00	1.00	<1.0	0.13	0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	156.00	157.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	157.00	158.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	158.00	159.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	159.00	160.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	160.00	160.90	0.90	<1.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	160.90	162.00	1.10	<1.0	<0.01	0.05	<0.01	<0.01	<1.0	0.01
BR-05-23	162.00	162.90	0.90	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	162.90	164.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	164.10	165.20	1.10	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	165.20	166.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	166.10	167.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	167.00	168.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	168.20	169.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-05-23	169.20	170.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	170.40	171.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	171.60	172.20	0.60	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	172.20	173.20	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	173.20	173.90	0.70	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.13
BR-05-23	173.90	175.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	175.00	176.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	176.00	177.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	179.00	180.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	180.00	181.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	181.00	182.40	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	182.40	183.20	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	183.20	184.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	184.40	185.40	1.00	<1.0	0.01	0.03	<0.01	0.01	<1.0	0.03
BR-05-23	185.40	186.40	1.00	2.0	0.01	0.06	<0.01	0.01	<1.0	0.04
BR-05-23	186.40	187.60	1.20	<1.0	<0.01	0.01	<0.01	0	<1.0	0.03
BR-05-23	187.60	189.00	1.40	<1.0	0.1	0.07	<0.01	0.02	<1.0	0.05
BR-05-23	189.00	190.00	1.00	<1.0	0.01	0.17	<0.01	0.06	3.0	0.11
BR-05-23	190.00	191.80	1.80	3.0	0.32	0.1	<0.01	0.02	1.7	0.06
BR-05-23	191.80	192.70	0.90	<1.0	0.02	0.02	<0.01	<0.01	<1.0	0.01
BR-05-23	192.70	194.10	1.40	<1.0	0.14	0.06	<0.01	0.01	1.1	0.02
BR-05-23	194.10	194.80	0.70	4.0	0.13	0.47	<0.01	0.01	1.5	0.02
BR-05-23	194.80	196.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-05-23	196.00	197.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	197.00	198.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	198.10	199.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	199.30	200.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	200.30	201.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	201.30	202.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	202.30	203.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	203.40	204.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	204.60	205.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	205.60	206.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	206.70	208.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	208.00	209.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-05-23	209.00	210.20	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.04
BR-05-23	210.20	211.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.05
BR-05-23	211.40	212.70	1.30	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-05-23	212.70	213.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	213.70	214.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	214.70	215.60	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	215.60	216.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	216.70	217.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	217.70	218.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	218.70	219.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	219.80	221.40	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	221.40	222.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	222.60	223.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	223.80	224.90	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	224.90	226.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	226.10	227.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	227.30	228.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	228.30	229.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	229.50	231.20	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-05-23	231.20	232.50	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	232.50	233.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	233.60	234.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	234.60	235.20	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	235.20	236.70	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	236.70	237.50	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	237.50	238.20	0.70	<1.0	0.04	0.04	0.01	0.01	50.0	<0.01
BR-05-23	238.20	239.40	1.20	<1.0	0.03	0.04	0.01	<0.01	50.0	<0.01
BR-05-23	239.40	240.70	1.30	<1.0	<0.01	0.04	<0.01	0.01	<1.0	<0.01
BR-05-23	240.70	241.90	1.20	<1.0	0.01	0.06	0.01	0.02	1.1	<0.01
BR-05-23	241.90	242.60	0.70	<1.0	0.01	0.01	<0.01	<0.01	50.0	<0.01
BR-05-23	242.60	244.00	1.40	<1.0	0.02	0.05	0.01	0.01	9.1	<0.01
BR-05-23	244.00	245.00	1.00	240.0	2.06	4.45	6.67	0.68	50.0	0.01
BR-05-23	245.00	245.90	0.90	15.0	0.04	1.52	2.63	0.02	50.0	<0.01
BR-05-23	245.90	246.80	0.90	1,537.0	30.6	28.71	23.5	4.62	<1.0	0.53
BR-05-23	246.80	247.30	0.50	670.0	35.64	30.16	12.4	2.70	<1.0	0.24
BR-05-23	247.30	248.00	0.70	447.0	40.00	20.89	5.10	1.89	<1.0	0.20
BR-05-23	248.00	248.60	0.60	610.0	34.31	18.08	2.83	1.76	1.2	0.40
BR-05-23	248.60	249.70	1.10	4.0	0.03	0.04	<0.01	<0.01	<1.0	<0.01
BR-05-23	249.70	250.90	1.20	7.0	0.17	0.15	0.09	0.02	<1.0	<0.01
BR-05-23	250.90	252.00	1.10	5.0	0.20	0.05	0.06	<0.01	<1.0	0.01
BR-05-23	252.00	253.00	1.00	3.0	0.43	0.07	0.06	<0.01	3.9	0.01
BR-05-23	253.00	254.00	1.00	6.0	0.69	0.15	0.05	0.02	1.0	0.01
BR-05-23	254.00	255.00	1.00	3.0	0.10	0.04	0.03	0.01	1.1	<0.01
BR-05-23	255.00	256.00	1.00	2.0	0.03	0.05	0.05	<0.01	<1.0	0.01
BR-05-23	256.00	257.00	1.00	<1.0	0.04	0.02	0.02	<0.01	<1.0	<0.01
BR-05-23	257.00	258.00	1.00	<1.0	0.02	0.02	0.05	<0.01	<1.0	<0.01
BR-05-23	258.00	260.30	2.30	<1.0	0.01	0.01	0.04	<0.01	<1.0	<0.01
BR-05-23	260.30	261.50	1.20	<1.0	0.01	0.01	0.03	<0.01	<1.0	<0.01
BR-05-23	261.50	262.50	1.00	4.0	0.17	0.05	0.10	0.01	2.3	<0.01
BR-05-23	262.50	264.00	1.50	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-05-23	264.00	265.00	1.00	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-05-23	265.00	266.00	1.00	<1.0	0.02	<0.01	0.03	0.09	4.3	0.01
BR-05-23	266.00	267.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-05-23	267.00	268.00	1.00	<1.0	0.01	<0.01	0.02	0.04	<1.0	0.03
BR-05-23	268.00	269.00	1.00	<1.0	0.01	<0.01	0.02	0.01	<1.0	0.01
BR-05-23	269.00	270.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-05-23	270.00	271.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-05-23	271.00	272.00	1.00	<1.0	0.03	<0.01	0.03	<0.01	<1.0	<0.01
BR-05-23	272.00	273.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-05-23	273.00	274.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	274.00	275.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-05-23	275.00	276.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-05-23	276.00	277.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	277.00	278.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	278.00	279.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	279.00	280.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	280.00	281.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	281.00	282.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	282.00	283.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	283.00	284.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-05-23	284.00	284.70	0.70	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	0.00	90.00	90.00	Interval not sampled						
BR-06-23	90.00	91.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	91.00	92.00	1.00	<1.1	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	92.00	93.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-06-23	93.00	94.00	1.00	3.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	94.00	95.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	95.00	96.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	96.00	97.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-06-23	97.00	98.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	98.10	99.50	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	1.6	<0.01
BR-06-23	99.50	102.30	2.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	102.30	103.10	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	103.10	104.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	104.00	105.60	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	105.60	107.00	1.40	<1.0	0.04	0.14	<0.01	0.01	<1.0	<0.01
BR-06-23	107.00	108.60	1.60	<1.0	0.04	0.05	<0.01	<0.01	<1.0	<0.01
BR-06-23	108.60	110.60	2.00	<1.0	0.04	0.13	<0.01	0.06	<1.0	0.04
BR-06-23	110.60	111.80	1.20	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	111.80	113.60	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	113.60	114.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	114.80	116.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	116.00	117.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	117.00	118.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	118.00	119.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	119.00	120.00	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	120.00	121.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	121.00	122.00	1.00	3.0	0.10	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	122.00	123.00	1.00	5.0	0.06	0.02	<0.01	<0.01	<1.0	<0.01
BR-06-23	123.00	124.00	1.00	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	124.00	125.00	1.00	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	125.00	126.00	1.00	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	126.00	127.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	127.00	128.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	128.00	129.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	129.00	130.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	130.00	131.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	131.00	132.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	132.00	133.00	1.00	<1.0	0.53	0.01	0.06	<0.01	<1.0	0.01
BR-06-23	133.00	134.00	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	134.00	135.00	1.00	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	135.00	136.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	136.00	137.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	137.00	138.00	1.00	2.0	0.05	0.03	<0.01	<0.01	<1.0	<0.01
BR-06-23	138.00	139.00	1.00	6.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	139.00	140.00	1.00	21.0	0.08	0.03	<0.01	<0.01	<1.0	<0.01
BR-06-23	140.00	141.00	1.00	8.0	0.05	0.03	<0.01	<0.01	<1.0	<0.01
BR-06-23	141.00	142.00	1.00	8.0	0.05	0.03	<0.01	<0.01	<1.0	<0.01
BR-06-23	142.00	143.00	1.00	6.0	0.07	0.02	<0.01	<0.01	<1.0	<0.01
BR-06-23	143.00	144.20	1.20	6.0	0.06	0.02	<0.01	<0.01	<1.0	<0.01
BR-06-23	144.20	145.20	1.00	4.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	145.20	146.20	1.00	3.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	146.20	147.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-06-23	147.40	148.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	148.60	149.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	149.80	151.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	151.00	152.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	152.00	153.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-06-23	153.00	154.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	154.00	155.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	155.00	156.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-06-23	156.00	157.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	157.00	158.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	158.00	159.00	1.00	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	159.00	160.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	160.00	161.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	161.00	162.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	162.00	163.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	163.00	164.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	164.00	165.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	165.00	166.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	166.00	167.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	167.00	168.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	168.10	169.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	169.10	170.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	170.10	171.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	172.00	173.10	1.10	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-06-23	173.10	174.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	174.30	175.10	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	175.10	176.00	0.90	<1.0	<0.01	<0.01	<0.01	0.02	<1.0	0.01
BR-06-23	176.00	177.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-06-23	179.00	180.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-06-23	180.00	181.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	181.00	182.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	182.00	183.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	183.00	184.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	184.00	185.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	185.00	186.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	186.00	187.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	187.00	188.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	188.00	189.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	189.00	190.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	190.00	191.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	191.00	192.10	1.10	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	192.10	193.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	193.30	194.50	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	194.50	195.70	1.20	<1.0	0.06	0.04	0.02	0.01	6.7	0.01
BR-06-23	195.70	196.30	0.60	11.0	0.26	0.17	0.10	0.01	7.6	0.04
BR-06-23	196.30	197.50	1.20	1.0	0.1	0.02	<0.01	<0.01	<1.0	0.01
BR-06-23	197.50	198.70	1.20	5.0	0.16	0.03	<0.01	<0.01	<1.0	<0.01
BR-06-23	198.70	199.90	1.20	78.0	0.65	0.34	<0.01	0.01	1.2	0.01
BR-06-23	199.90	201.00	1.10	100.0	0.14	0.15	<0.01	0.01	<1.0	0.01
BR-06-23	201.00	202.00	1.00	5.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	202.00	203.00	1.00	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	203.00	204.00	1.00	3.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	204.00	205.00	1.00	45.0	0.08	0.01	<0.01	<0.01	<1.0	0.01
BR-06-23	205.00	206.00	1.00	51.0	0.13	0.11	<0.01	<0.01	<1.0	0.01
BR-06-23	206.00	207.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	207.00	208.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	208.00	209.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-06-23	209.00	210.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-06-23	210.00	211.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-06-23	211.00	212.00	1.00	<1.0	0.03	0.01	0.01	<0.01	<1.0	<0.01
BR-06-23	212.00	213.00	1.00	<1.0	0.19	0.02	0.04	0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-06-23	213.00	214.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-06-23	214.00	215.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-06-23	215.00	216.00	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	<0.01
BR-06-23	216.00	217.00	1.00	<1.0	0.02	0.01	0.07	<0.01	<1.0	<0.01
BR-06-23	217.00	218.00	1.00	<1.0	0.03	<0.01	0.07	<0.01	<1.0	<0.01
BR-06-23	218.00	219.00	1.00	<1.0	0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-06-23	219.00	220.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-06-23	220.00	221.10	1.10	7.0	0.64	0.17	0.14	0.06	1.7	0.02
BR-06-23	221.10	222.30	1.20	<1.0	0.06	0.01	0.06	<0.01	<1.0	<0.01
BR-06-23	222.30	223.30	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-06-23	223.30	224.50	1.20	<1.0	<0.01	<0.01	0.04	0.02	<1.0	0.01
BR-07-23	0.00	80.30	80.30	Interval not sampled						
BR-07-23	80.30	81.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	81.60	82.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	82.80	84.50	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	84.50	85.50	1.00	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	85.50	87.30	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	87.30	88.80	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	88.80	89.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	89.80	91.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	91.00	92.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	92.00	93.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	93.00	94.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	94.00	95.60	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	95.60	96.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	96.70	97.30	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	97.30	101.10	3.80	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-07-23	101.10	102.60	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	102.60	103.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	103.50	104.40	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	104.40	105.40	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	105.40	106.70	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	106.70	107.70	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	107.70	109.30	1.60	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	109.30	110.60	1.30	<1.0	0.01	0.05	<0.01	<0.01	<1.0	<0.01
BR-07-23	110.60	111.60	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	111.60	113.00	1.40	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-07-23	113.00	114.50	1.50	1.0	<0.01	0.01	0.01	<0.01	<1.0	<0.01
BR-07-23	114.50	115.50	1.00	1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-07-23	115.50	116.60	1.10	<1.0	0.01	0.02	<0.01	0.01	<1.0	<0.01
BR-07-23	116.60	118.60	2.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	118.60	120.50	1.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	120.50	121.10	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	121.10	122.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	122.20	123.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	123.30	124.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-07-23	124.50	125.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-07-23	125.60	126.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-07-23	126.80	127.70	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-07-23	127.70	128.60	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-07-23	128.60	129.40	0.80	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.02
BR-07-23	129.40	130.30	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-07-23	130.30	131.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-07-23	131.40	133.30	1.90	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-07-23	133.30	134.40	1.10	5.0	0.04	0.38	<0.01	0.05	<1.0	0.02
BR-07-23	134.40	136.10	1.70	5.0	0.03	0.26	0.04	0.02	<1.0	0.04



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-07-23	136.10	136.70	0.60	32.0	1.65	1.51	0.1	0.03	2.3	0.04
BR-07-23	136.70	137.80	1.10	2.0	0.17	0.14	0.02	0.02	<1.0	0.02
BR-07-23	137.80	138.80	1.00	2.0	0.55	0.61	0.02	0.04	<1.0	0.03
BR-07-23	138.80	139.20	0.40	1.0	0.02	0.08	<0.01	0.01	<1.0	0.02
BR-07-23	139.20	140.20	1.00	1.0	0.18	0.19	<0.01	0.01	<1.0	0.03
BR-07-23	140.20	140.70	0.50	1.0	1.33	0.23	<0.01	<0.01	<1.0	<0.01
BR-07-23	140.70	141.70	1.00	<1.0	0.19	0.07	<0.01	<0.01	<1.0	<0.01
BR-07-23	141.70	142.90	1.20	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	142.90	144.00	1.10	<1.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	144.00	145.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	145.00	146.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	146.00	146.50	0.50	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	146.50	147.00	0.50	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	147.00	147.50	0.50	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	147.50	148.50	1.00	<1.0	0.07	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	148.50	149.50	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	149.50	150.70	1.20	<1.0	0.07	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	150.70	151.90	1.20	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	151.90	153.10	1.20	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	153.10	154.70	1.60	<1.0	0.08	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	154.70	155.70	1.00	2.0	0.04	0.01	<0.01	<0.01	<1.0	0.02
BR-07-23	155.70	156.60	0.90	2.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-07-23	156.60	157.60	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	157.60	158.40	0.80	9.0	0.01	0.01	<0.01	<0.01	1.9	<0.01
BR-07-23	158.40	159.00	0.60	2.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	159.00	160.00	1.00	4.0	0.04	0.01	<0.01	<0.01	1.7	<0.01
BR-07-23	160.00	161.00	1.00	3.0	0.03	<0.01	<0.01	<0.01	1.8	<0.01
BR-07-23	161.00	162.00	1.00	3.0	0.03	<0.01	<0.01	<0.01	1.7	<0.01
BR-07-23	162.00	163.00	1.00	3.0	0.01	0.05	<0.01	<0.01	1.8	<0.01
BR-07-23	163.00	164.00	1.00	4.0	0.03	0.02	<0.01	<0.01	1.2	<0.01
BR-07-23	164.00	165.00	1.00	4.0	0.02	0.01	<0.01	<0.01	1.2	<0.01
BR-07-23	165.00	166.00	1.00	5.0	0.02	0.02	<0.01	<0.01	<1.0	<0.01
BR-07-23	166.00	167.00	1.00	4.0	0.03	0.01	<0.01	<0.01	6.2	<0.01
BR-07-23	167.00	168.00	1.00	4.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	168.00	169.00	1.00	6.0	0.03	0.06	<0.01	<0.01	3.0	<0.01
BR-07-23	169.00	170.00	1.00	3.0	0.08	0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	170.00	170.80	0.80	2.0	0.04	0.02	<0.01	<0.01	1.7	<0.01
BR-07-23	170.80	172.00	1.20	2.0	0.03	0.03	<0.01	<0.01	<1.0	<0.01
BR-07-23	172.00	172.60	0.60	7.0	0.03	0.05	<0.01	<0.01	<1.0	0.01
BR-07-23	172.60	173.40	0.80	8.0	0.07	0.04	<0.01	<0.01	<1.0	<0.01
BR-07-23	173.40	174.60	1.20	8.0	0.04	0.04	<0.01	<0.01	<1.0	<0.01
BR-07-23	174.60	175.80	1.20	8.0	0.08	0.03	<0.01	<0.01	<1.0	<0.01
BR-07-23	175.80	177.00	1.20	15.0	0.23	0.03	<0.01	<0.01	2.2	<0.01
BR-07-23	177.00	178.10	1.10	4.0	0.03	0.01	<0.01	<0.01	1.0	<0.01
BR-07-23	178.10	179.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	179.00	179.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	179.90	182.60	2.70	3.0	0.05	0.03	<0.01	<0.01	<1.0	<0.01
BR-07-23	182.60	184.20	1.60	3.0	0.08	<0.01	<0.01	<0.01	1.2	<0.01
BR-07-23	184.20	186.20	2.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	186.20	186.80	0.60	<1.0	0.05	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	186.80	188.00	1.20	2.0	0.08	0.03	<0.01	<0.01	<1.0	<0.01
BR-07-23	188.00	189.00	1.00	3.0	0.15	0.05	<0.01	<0.01	<1.0	<0.01
BR-07-23	189.00	190.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	190.30	191.10	0.80	<1.1	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	191.10	191.80	0.70	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	191.80	192.70	0.90	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-07-23	192.70	193.80	1.10	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	193.80	194.50	0.70	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	194.50	195.10	0.60	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	195.10	196.00	0.90	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	196.00	196.80	0.80	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	196.80	197.80	1.00	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	197.80	198.90	1.10	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	198.90	200.10	1.20	1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	200.10	201.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	201.00	201.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	201.80	202.90	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	202.90	204.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	204.00	205.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	205.10	206.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	206.10	207.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	207.10	208.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	208.00	209.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	209.00	210.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	210.00	211.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	211.20	212.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	212.20	213.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	213.00	214.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	3.9	0.01
BR-07-23	214.00	214.90	0.90	1.0	<0.01	<0.01	0.02	0.01	50.0	<0.01
BR-07-23	214.90	215.60	0.70	<1.0	0.01	0.06	0.02	0.02	50.0	<0.01
BR-07-23	215.60	216.60	1.00	<1.0	0.10	0.04	0.01	0.01	6.3	0.01
BR-07-23	216.60	217.00	0.40	1,780.0	26.05	22.68	14.1	1.29	4.1	0.43
BR-07-23	217.00	217.90	0.90	2,221.0	20.07	17.17	13	1.81	10.7	0.94
BR-07-23	217.90	219.00	1.10	1,335.0	36.72	20.86	8.14	1.9	2.6	0.57
BR-07-23	219.00	220.00	1.00	1,474.0	38.83	20.34	12.5	3.23	<1.0	0.86
BR-07-23	220.00	220.80	0.80	762.0	38.92	20.89	4.58	3.65	<1.0	0.67
BR-07-23	220.80	221.60	0.80	922.0	34.17	21.58	3.91	5.77	<1.0	0.46
BR-07-23	221.60	222.60	1.00	1,056.0	37.41	16.61	9.81	3.71	<1.0	1.63
BR-07-23	222.60	223.60	1.00	1,247.0	26.91	14.47	7.71	4.79	<1.0	2.23
BR-07-23	223.60	224.00	0.40	388.0	15.88	7.05	4.97	0.8	<1.0	0.3
BR-07-23	224.00	225.00	1.00	155.0	6.64	2.87	1.26	0.46	1.1	0.21
BR-07-23	225.00	226.00	1.00	127.0	2.92	3.14	0.6	0.29	2.6	0.08
BR-07-23	226.00	227.10	1.10	62.0	3.62	1.61	0.95	0.27	2.3	0.13
BR-07-23	227.10	228.00	0.90	73.0	7.38	2.88	2.95	0.51	2.0	0.17
BR-07-23	228.00	229.00	1.00	105.0	13.11	5.68	2.37	0.77	<1.0	0.16
BR-07-23	229.00	229.50	0.50	91.0	15.19	7.65	1.19	0.95	<1.0	0.08
BR-07-23	229.50	230.00	0.50	317.0	9.86	4.57	1.41	5.97	1.3	0.5
BR-07-23	230.00	231.00	1.00	319.0	12.37	8.41	1.03	3.15	3.8	0.49
BR-07-23	231.00	232.00	1.00	314.0	24.7	13.67	0.31	2.89	3.1	0.46
BR-07-23	232.00	233.00	1.00	467.0	7.58	24.52	0.43	5.3	6.6	0.84
BR-07-23	233.00	233.60	0.60	161.0	5.94	4.69	0.42	1.91	3.8	0.64
BR-07-23	233.60	234.70	1.10	12.0	0.25	0.27	0.24	0.25	<1.0	0.12
BR-07-23	234.70	235.80	1.10	4.0	0.41	0.03	0.13	<0.01	<1.0	<0.01
BR-07-23	235.80	237.00	1.20	3.0	0.28	0.03	0.09	0.02	<1.0	0.01
BR-07-23	237.00	238.20	1.20	1.0	0.46	0.04	0.12	0.01	<1.0	<0.01
BR-07-23	238.20	239.20	1.00	1.0	0.23	0.03	0.17	<0.01	<1.0	0.01
BR-07-23	239.20	240.10	0.90	3.0	0.46	0.03	0.18	<0.01	1.1	<0.01
BR-07-23	240.10	240.70	0.60	8.0	0.76	0.16	0.14	0.27	7.3	0.06
BR-07-23	240.70	241.50	0.80	130.0	6.57	5.79	0.25	2.67	2.2	0.59
BR-07-23	241.50	242.00	0.50	27.0	1.5	0.9	0.15	0.39	1.7	0.04
BR-07-23	242.00	242.70	0.70	134.0	1.99	1.45	0.49	1.24	<1.0	0.33
BR-07-23	242.70	243.30	0.60	148.0	2.88	1.43	0.85	0.7	1.4	0.14



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-07-23	243.30	244.20	0.90	38.0	1.22	0.45	0.9	0.08	1.8	0.02
BR-07-23	244.20	245.00	0.80	58.0	2.38	0.97	1.02	0.11	1.9	0.05
BR-07-23	245.00	245.50	0.50	46.0	1.7	0.72	0.41	0.06	3.1	0.02
BR-07-23	245.50	246.00	0.50	390.0	13.18	6.73	12	5.42	10.8	0.22
BR-07-23	246.00	247.00	1.00	502.0	17.86	11.39	7.44	8.99	<1.0	4.48
BR-07-23	247.00	248.00	1.00	859.0	9.4	9.32	10.5	9.89	1.4	5.23
BR-07-23	248.00	248.80	0.80	1,274.0	14.93	13.02	21.2	5.01	3.4	0.54
BR-07-23	248.80	249.40	0.60	1,891.0	17.59	24.59	20	6.73	<1.0	0.88
BR-07-23	249.40	250.00	0.60	1,623.0	17.7	29.4	17	2.9	<1.0	0.38
BR-07-23	250.00	250.70	0.70	1,562.0	35.59	27.01	14.4	1.7	<1.0	0.32
BR-07-23	250.70	251.70	1.00	546.0	15.8	11.08	4.66	3.18	<1.0	0.9
BR-07-23	251.70	252.50	0.80	281.0	4.35	2.88	2.15	0.87	<1.0	0.24
BR-07-23	252.50	252.90	0.40	121.0	4.45	3.14	1.57	0.73	<1.0	0.14
BR-07-23	252.90	254.00	1.10	1,354.0	27.99	21.86	11.5	4.94	1.8	2.42
BR-07-23	254.00	255.00	1.00	557.0	25.9	18.02	7.96	2.87	<1.0	0.28
BR-07-23	255.00	255.60	0.60	540.0	22.95	12.05	6.84	3.36	50.0	0.27
BR-07-23	255.60	256.40	0.80	952.0	29.79	11.59	7.54	8.3	3.5	1.94
BR-07-23	256.40	257.20	0.80	1,191.0	24.03	13.19	11	5.14	4.5	0.66
BR-07-23	257.20	258.20	1.00	81.0	0.94	1.93	0.77	0.21	50.0	0.03
BR-07-23	258.20	259.00	0.80	5.0	0.72	0.07	0.08	0.02	<1.0	0.01
BR-07-23	259.00	260.00	1.00	2.0	0.75	0.04	0.09	0.02	<1.0	<0.01
BR-07-23	260.00	261.00	1.00	3.0	0.55	0.07	0.1	0.01	<1.0	<0.01
BR-07-23	261.00	262.00	1.00	3.0	0.39	0.13	0.09	0.02	<1.0	0.01
BR-07-23	262.00	263.00	1.00	5.0	0.28	0.11	0.06	0.03	<1.0	0.01
BR-07-23	263.00	264.00	1.00	1.0	0.05	0.04	0.04	<0.01	<1.0	<0.01
BR-07-23	264.00	265.00	1.00	1.0	0.22	0.12	0.03	0.02	<1.0	<0.01
BR-07-23	265.00	266.00	1.00	1.0	0.13	0.03	0.02	0.01	<1.0	0.01
BR-07-23	266.00	267.00	1.00	12.0	0.37	0.19	0.1	0.12	<1.0	0.04
BR-07-23	267.00	268.00	1.00	7.0	0.47	0.23	0.03	0.06	<1.0	0.03
BR-07-23	268.00	269.00	1.00	2.0	<0.01	0.11	0.04	<0.01	<1.0	<0.01
BR-07-23	269.00	269.80	0.80	<1.0	0.01	0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	269.80	270.40	0.60	<1.1	0.03	0.03	0.02	<0.01	<1.0	<0.01
BR-07-23	270.40	271.60	1.20	35.0	3.25	2.45	0.05	0.21	<1.0	0.08
BR-07-23	271.60	272.40	0.80	3.0	0.04	0.07	0.04	0.05	<1.0	0.02
BR-07-23	272.40	273.00	0.60	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	273.00	274.00	1.00	<1.0	0.01	<0.01	0.02	0.01	<1.0	0.01
BR-07-23	274.00	275.00	1.00	<1.0	<0.01	<0.01	0.02	0.01	<1.0	0.01
BR-07-23	275.00	276.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	276.00	277.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-07-23	277.00	278.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	1.9	0.02
BR-07-23	278.00	279.00	1.00	<1.0	0.02	0.01	0.05	0.01	3.0	<0.01
BR-07-23	279.00	280.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	280.00	281.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-07-23	281.00	282.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	282.00	283.00	1.00	3.0	0.11	0.01	0.04	0.37	<1.0	0.2
BR-07-23	283.00	284.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	284.00	285.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	285.00	286.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-07-23	286.00	287.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	287.00	288.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	288.00	289.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	289.00	290.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-07-23	290.00	291.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-07-23	291.00	292.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-07-23	292.00	293.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-07-23	293.00	294.00	1.00	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-07-23	294.00	295.00	1.00	23.0	1.6	1.9	0.19	0.03	2.1	0.02
BR-07-23	295.00	296.00	1.00	3.0	0.34	0.22	0.11	0.02	<1.0	0.02
BR-07-23	296.00	297.00	1.00	<1.0	0.01	0.01	0.03	<0.01	<1.0	<0.01
BR-07-23	297.00	298.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-07-23	298.00	299.70	1.70	<1.0	0.08	0.04	0.04	<0.01	<1.0	<0.01
BR-07-23	299.70	300.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	300.90	302.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-07-23	302.00	303.00	1.00	<1.0	0.03	<0.01	0.02	<0.01	<1.0	<0.01
BR-07-23	303.00	304.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	0.00	85.50	85.50	Interval not sampled						
BR-08-23	85.50	86.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	86.60	87.10	0.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	87.10	88.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	88.30	89.10	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	89.10	90.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	90.20	91.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	91.10	92.50	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	92.50	93.40	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	93.40	94.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	94.60	95.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	2.7	<0.01
BR-08-23	95.80	96.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	96.80	97.50	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	97.50	98.20	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	98.20	99.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	99.40	100.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	100.40	101.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	101.60	102.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	102.80	103.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	103.80	104.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	104.80	106.30	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	106.30	108.60	2.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	108.60	110.40	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	110.40	113.50	3.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	113.50	114.00	0.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	114.00	116.70	2.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	116.70	118.60	1.90	<1.0	0.03	0.61	0.02	0.01	<1.0	0.01
BR-08-23	118.60	120.00	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	120.00	120.60	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	120.60	123.90	3.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	123.90	125.00	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	125.00	127.50	2.50	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	127.50	130.80	3.30	5.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	130.80	133.20	2.40	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	133.20	135.80	2.60	61.0	2.94	1.64	0.18	0.10	<1.0	0.07
BR-08-23	135.80	136.70	0.90	21.0	0.89	1.03	0.26	0.10	<1.0	0.05
BR-08-23	136.70	137.20	0.50	12.0	0.07	0.43	0.14	0.20	<1.0	0.10
BR-08-23	137.20	138.00	0.80	40.0	0.18	2.51	0.15	0.21	<1.0	0.10
BR-08-23	138.00	139.00	1.00	15.0	0.25	0.91	0.14	0.06	<1.0	0.04
BR-08-23	139.00	139.70	0.70	27.0	0.17	0.89	0.19	0.15	<1.0	0.07
BR-08-23	139.70	140.60	0.90	40.0	0.11	1.58	0.23	0.38	1.5	0.13
BR-08-23	140.60	142.40	1.80	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	142.40	143.40	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	143.40	144.20	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	144.20	145.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	145.20	146.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	146.00	146.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-08-23	146.80	148.10	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	148.10	148.90	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	148.90	149.70	0.80	4	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	149.70	151.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	151.00	151.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	151.80	152.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	152.80	154.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	154.00	155.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	155.00	156.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	156.00	157.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	157.00	158.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	158.00	159.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	159.00	159.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	159.70	160.80	1.10	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	160.80	162.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	162.00	163.20	1.20	3.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	163.20	164.00	0.80	7.0	0.06	0.02	<0.01	<0.01	<1.0	<0.01
BR-08-23	164.00	165.00	1.00	9.0	0.07	0.03	<0.01	<0.01	<1.0	0.01
BR-08-23	165.00	166.00	1.00	5.0	0.11	0.05	<0.01	<0.01	<1.0	<0.01
BR-08-23	166.00	167.00	1.00	2.0	0.08	0.03	<0.01	<0.01	<1.0	<0.01
BR-08-23	167.00	168.00	1.00	4.0	0.19	0.05	0.01	<0.01	<1.0	<0.01
BR-08-23	168.00	169.00	1.00	4.0	0.28	0.12	0.02	<0.01	<1.0	<0.01
BR-08-23	169.00	170.00	1.00	17.0	0.59	0.46	0.04	0.02	<1.0	0.02
BR-08-23	170.00	171.00	1.00	3.0	0.10	0.08	0.17	<0.01	<1.0	<0.01
BR-08-23	171.00	172.00	1.00	<1.0	0.01	0.01	0.14	<0.01	<1.0	<0.01
BR-08-23	172.00	173.00	1.00	<1.0	0.01	0.01	0.09	<0.01	<1.0	<0.01
BR-08-23	173.00	174.00	1.00	3.0	0.05	0.02	0.08	<0.01	<1.0	0.01
BR-08-23	174.00	175.00	1.00	21.0	0.04	0.38	0.09	0.02	<1.0	0.02
BR-08-23	175.00	176.00	1.00	2.0	0.03	0.01	0.08	<0.01	<1.0	<0.01
BR-08-23	176.00	177.00	1.00	5.0	0.01	0.02	0.11	<0.01	<1.0	0.01
BR-08-23	177.00	178.00	1.00	3.0	0.23	0.04	0.16	<0.01	<1.0	0.01
BR-08-23	178.00	179.00	1.00	8.0	1.13	0.31	0.50	0.03	<1.0	0.03
BR-08-23	179.00	180.00	1.00	16.0	0.99	0.53	0.48	0.04	<1.0	0.02
BR-08-23	180.00	181.00	1.00	29.0	0.67	0.38	0.54	0.13	<1.0	0.07
BR-08-23	181.00	182.00	1.00	27.0	0.52	0.12	0.09	0.06	<1.0	0.05
BR-08-23	182.00	183.00	1.00	3.0	0.11	0.05	0.05	0.01	1.3	0.02
BR-08-23	183.00	184.00	1.00	4.0	0.20	0.05	0.03	<0.01	<1.0	0.01
BR-08-23	184.00	185.00	1.00	8.0	0.32	0.19	0.04	0.02	<1.0	0.01
BR-08-23	185.00	186.00	1.00	2.0	0.12	0.02	0.04	<0.01	<1.0	<0.01
BR-08-23	186.00	187.00	1.00	30.0	0.11	0.17	0.06	<0.01	<1.0	<0.01
BR-08-23	187.00	187.90	0.90	19.0	0.17	0.15	0.05	<0.01	<1.0	<0.01
BR-08-23	187.90	189.00	1.10	21.0	0.11	0.04	0.03	<0.01	<1.0	<0.01
BR-08-23	189.00	190.20	1.20	22.0	0.13	0.05	0.03	<0.01	<1.0	<0.01
BR-08-23	190.20	191.00	0.80	6.0	0.15	0.02	0.04	<0.01	2.2	<0.01
BR-08-23	191.00	192.00	1.00	4.0	0.06	0.01	0.05	<0.01	<1.0	<0.01
BR-08-23	192.00	193.00	1.00	6.0	0.17	0.05	0.17	0.01	<1.0	<0.01
BR-08-23	193.00	194.00	1.00	229.0	0.09	0.05	0.05	0.11	<1.0	0.08
BR-08-23	194.00	195.00	1.00	35.0	0.14	0.03	0.04	<0.01	<1.0	<0.01
BR-08-23	195.00	196.00	1.00	4.0	0.05	0.02	0.05	<0.01	<1.0	<0.01
BR-08-23	196.00	196.50	0.50	1.0	0.06	0.01	0.05	<0.01	<1.0	<0.01
BR-08-23	196.50	197.40	0.90	22.0	0.16	0.01	0.03	0.06	<1.0	0.02
BR-08-23	197.40	198.00	0.60	50.0	0.21	0.02	0.06	0.42	<1.0	0.11
BR-08-23	198.00	199.00	1.00	7.0	0.19	0.01	0.04	0	<1.0	<0.01
BR-08-23	199.00	199.80	0.80	17.0	0.38	0.01	0.04	0.01	6.2	0
BR-08-23	199.80	201.00	1.20	31.0	0.26	0.05	0.04	0.02	<1.0	0.01
BR-08-23	201.00	202.00	1.00	3.0	0.01	<0.01	0.03	<0.01	<1.0	0



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-08-23	202.00	203.00	1.00	51.0	0.20	0.03	0.03	0.03	<1.0	0.02
BR-08-23	203.00	204.00	1.00	<1.0	0.10	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	204.00	205.00	1.00	5.0	0.17	<0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	205.00	206.00	1.00	<1.0	0.02	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	206.00	207.00	1.00	2.0	0.06	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	207.00	208.00	1.00	<1.0	0.03	<0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	208.00	209.00	1.00	3.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	209.00	210.00	1.00	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	210.00	210.70	0.70	7.0	0.11	0.04	0.04	0.01	<1.0	0.01
BR-08-23	210.70	211.90	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	211.90	213.00	1.10	<1.0	0.01	<0.01	<0.01	<0.01	1.8	0.01
BR-08-23	213.00	214.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	214.00	215.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-08-23	215.00	216.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-08-23	216.00	217.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	217.00	218.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	218.00	219.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-08-23	219.00	219.50	0.50	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-08-23	219.50	220.00	0.50	<1.0	0.08	0.05	<0.01	<0.01	<1.0	0.02
BR-08-23	220.00	221.00	1.00	<1.0	0.14	0.07	<0.01	<0.01	4.5	0.03
BR-08-23	221.00	222.00	1.00	<1.0	0.29	0.05	<0.01	<0.01	<1.0	0.02
BR-08-23	222.00	223.00	1.00	<1.0	0.03	0.05	<0.01	<0.01	<1.0	0.02
BR-08-23	223.00	224.00	1.00	<1.0	<0.01	0.06	<0.01	<0.01	<1.0	0.02
BR-08-23	224.00	225.00	1.00	<1.0	<0.01	0.03	<0.01	<0.01	<1.0	0.01
BR-08-23	225.00	226.00	1.00	<1.0	0.01	0.02	0.01	<0.01	<1.0	0.01
BR-08-23	226.00	227.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-08-23	227.00	228.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	1.0	<0.01
BR-08-23	228.00	229.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-08-23	229.00	230.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	1.3	0.01
BR-08-23	230.00	231.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	1.8	0.01
BR-08-23	231.00	232.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	232.00	233.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-08-23	233.00	234.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	1.3	0
BR-08-23	234.00	235.00	1.00	9.0	0.02	<0.01	<0.01	0.02	<1.0	0.01
BR-08-23	235.00	236.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	236.00	237.20	1.20	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	0.01
BR-08-23	237.20	238.40	1.20	6.0	0.03	<0.01	<0.01	0.02	<1.0	0.02
BR-08-23	238.40	239.00	0.60	4.0	0.03	<0.01	<0.01	0.01	<1.0	0.01
BR-08-23	239.00	240.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	240.00	241.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	3.2	<0.01
BR-08-23	241.00	242.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	242.00	243.00	1.00	<1.0	0.02	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	243.00	244.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	244.00	245.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	245.20	246.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	246.40	247.00	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	247.00	248.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	248.00	249.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	1.5	<0.01
BR-08-23	249.00	250.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	250.00	251.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	251.00	252.10	1.10	5.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	252.10	253.00	0.90	3.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	253.00	254.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	254.00	255.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-08-23	255.00	256.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	256.00	257.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-08-23	257.00	258.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	258.00	259.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	259.00	260.00	1.00	2.0	0.01	<0.01	<0.01	<0.01	1.3	<0.01
BR-08-23	260.00	261.00	1.00	3.0	0.02	<0.01	<0.01	<0.01	1.2	<0.01
BR-08-23	261.00	262.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	262.00	263.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	1.1	<0.01
BR-08-23	263.00	264.00	1.00	<1.0	0.06	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	264.00	265.00	1.00	3.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	265.00	266.20	1.20	7.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	266.20	267.00	0.80	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	267.00	268.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	268.00	269.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	1.5	<0.01
BR-08-23	269.00	270.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	270.00	271.20	1.20	<1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	271.20	272.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	272.00	273.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	273.00	274.00	1.00	<1.0	<0.01	<0.01	0.07	<0.01	2.7	<0.01
BR-08-23	274.00	275.00	1.00	<1.0	0.01	<0.01	0.09	<0.01	<1.0	<0.01
BR-08-23	275.00	276.00	1.00	<1.0	0.02	0.01	0.07	<0.01	<1.0	<0.01
BR-08-23	276.00	277.20	1.20	<1.0	0.01	0.01	0.12	<0.01	1.0	<0.01
BR-08-23	277.20	277.70	0.50	7.0	1.67	0.66	0.28	0.06	1.4	0.04
BR-08-23	277.70	278.70	1.00	<1.0	0.03	0.02	0.07	<0.01	1.2	0.01
BR-08-23	278.70	279.70	1.00	5.0	0.93	0.37	0.07	0.01	<1.0	0.01
BR-08-23	279.70	280.60	0.90	<1.0	0.12	0.10	0.04	0.02	0.7	0.01
BR-08-23	280.60	281.30	0.70	<1.0	0.10	0.06	0.05	0.01	1.3	0.03
BR-08-23	281.30	281.90	0.60	5.0	0.37	0.20	0.04	0.18	2.8	0.04
BR-08-23	281.90	283.00	1.10	16.0	0.19	0.35	0.07	0.25	1.8	0.04
BR-08-23	283.00	284.00	1.00	2.0	0.35	0.04	0.06	0.03	1.0	0.01
BR-08-23	284.00	285.00	1.00	<1.0	0.60	0.01	0.06	<0.01	<1.0	<0.01
BR-08-23	285.00	285.60	0.60	20.0	0.27	0.23	0.11	0.91	<1.0	0.13
BR-08-23	285.60	286.40	0.80	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	286.40	287.50	1.10	<1.0	0.02	<0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	287.50	288.70	1.20	<1.0	0.05	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	288.70	289.90	1.20	<1.0	0.03	<0.01	<0.01	0.01	<1.0	0.01
BR-08-23	289.90	291.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-08-23	291.00	292.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	292.00	293.00	1.00	<1.0	0.06	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	293.00	294.00	1.00	<1.0	0.05	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	294.00	295.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	295.00	296.00	1.00	<1.0	0.35	0.05	0.04	<0.01	<1.0	0.01
BR-08-23	296.00	297.00	1.00	4.0	0.97	0.14	0.05	<0.01	1.0	<0.01
BR-08-23	297.00	298.00	1.00	<1.0	0.31	0.01	0.06	<0.01	<1.0	<0.01
BR-08-23	298.00	299.00	1.00	<1.0	0.05	<0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	299.00	299.60	0.60	<1.0	0.04	0.02	0.04	<0.01	<1.0	<0.01
BR-08-23	299.60	300.50	0.90	<1.0	0.06	<0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	300.50	301.00	0.50	2.0	0.73	0.05	0.09	<0.01	1.1	0.01
BR-08-23	301.00	302.00	1.00	<1.0	0.25	0.03	0.05	<0.01	<1.0	<0.01
BR-08-23	302.00	303.20	1.20	<1.0	0.23	0.01	0.05	<0.01	1.8	<0.01
BR-08-23	303.20	304.00	0.80	<1.0	0.07	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	304.00	304.90	0.90	8.0	1.25	0.43	0.07	0.03	<1.0	0.02
BR-08-23	304.90	305.40	0.50	75.0	5.67	4.79	0.08	0.32	2.2	0.21
BR-08-23	305.40	305.80	0.40	60.0	3.25	3.00	0.05	0.29	3.5	0.13
BR-08-23	305.80	306.50	0.70	6.0	0.48	0.24	0.05	0.08	<1.0	0.06
BR-08-23	306.50	307.70	1.20	5.0	0.28	0.15	0.06	0.02	1.2	0.01
BR-08-23	307.70	308.80	1.10	2.0	0.16	0.02	0.04	<0.01	<1.0	<0.01
BR-08-23	308.80	309.70	0.90	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-08-23	309.70	310.90	1.20	<1.0	0.12	0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	310.90	312.00	1.10	<1.0	0.10	0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	312.00	313.00	1.00	<1.0	0.04	0.01	0.04	<0.01	<1.0	<0.01
BR-08-23	313.00	314.00	1.00	41.0	0.19	0.07	0.04	0.15	<1.0	0.06
BR-08-23	314.00	315.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	315.00	316.00	1.00	10.0	0.23	0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	316.00	317.20	1.20	<1.0	0.10	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	317.20	318.00	0.80	<1.0	0.07	0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	318.00	319.00	1.00	<1.0	0.09	0.02	0.03	<0.01	<1.0	<0.01
BR-08-23	319.00	320.00	1.00	<1.0	0.03	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	320.00	321.00	1.00	<1.0	0.05	0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	321.00	322.00	1.00	5.0	0.06	0.02	0.02	0.02	<1.0	0.02
BR-08-23	322.00	322.80	0.80	14.0	0.48	0.11	0.17	0.07	1.6	0.02
BR-08-23	322.80	323.50	0.70	25.0	0.13	0.51	0.06	0.27	<1.0	0.04
BR-08-23	323.50	324.20	0.70	<1.0	0.10	0.04	0.02	<0.01	<1.0	0.01
BR-08-23	324.20	325.40	1.20	<1.0	0.18	0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	325.40	326.20	0.80	<1.0	0.05	0.02	0.01	<0.01	1.3	<0.01
BR-08-23	326.20	327.00	0.80	70.0	1.72	0.42	0.05	0.91	1.8	0.20
BR-08-23	327.00	328.00	1.00	17.0	0.09	0.07	0.05	0.35	<1.0	0.11
BR-08-23	328.00	329.00	1.00	<1.0	0.05	0.01	0.05	<0.01	1.6	<0.01
BR-08-23	329.00	330.00	1.00	54.0	0.03	0.20	0.06	0.15	<1.0	0.03
BR-08-23	330.00	331.00	1.00	6.0	0.27	0.03	0.04	<0.01	<1.0	<0.01
BR-08-23	331.00	332.00	1.00	22.0	0.21	0.04	0.04	0.01	<1.0	0.01
BR-08-23	332.00	333.00	1.00	17.0	0.14	0.03	0.03	<0.01	<1.0	<0.01
BR-08-23	333.00	334.00	1.00	2.0	0.04	0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	334.00	335.00	1.00	5.0	0.01	0.05	0.02	<0.01	<1.0	<0.01
BR-08-23	335.00	336.00	1.00	2.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	336.00	337.00	1.00	9.0	0.42	0.10	0.01	<0.01	<1.0	<0.01
BR-08-23	337.00	338.00	1.00	5.0	0.07	0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	338.00	339.00	1.00	4.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	339.00	340.00	1.00	5.0	0.09	0.02	0.01	<0.01	<1.0	<0.01
BR-08-23	340.00	341.00	1.00	7.0	0.19	0.04	0.01	<0.01	<1.0	<0.01
BR-08-23	341.00	341.50	0.50	48.0	0.24	0.37	0.01	<0.01	<1.0	<0.01
BR-08-23	341.50	342.10	0.60	55.0	1.55	0.72	0.01	<0.01	<1.0	<0.01
BR-08-23	342.10	343.30	1.20	28.0	0.73	0.24	0.01	<0.01	<1.0	<0.01
BR-08-23	343.30	344.00	0.70	20.0	0.56	0.08	0.03	<0.01	<1.0	<0.01
BR-08-23	344.00	345.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	345.00	346.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-08-23	346.00	347.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	347.00	348.00	1.00	<1.0	<0.01	0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	348.00	349.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	349.00	350.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	350.00	351.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	351.00	352.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	352.00	353.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	353.00	354.00	1.00	<1.0	0.01	0.02	0.02	<0.01	<1.0	<0.01
BR-08-23	354.00	355.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	355.00	356.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	356.00	357.00	1.00	2.0	0.01	0.06	0.01	<0.01	<1.0	<0.01
BR-08-23	357.00	358.00	1.00	<1.0	<0.01	0.05	0.02	<0.01	<1.0	<0.01
BR-08-23	358.00	359.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	359.00	359.80	0.80	<1.0	0.01	0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	359.80	360.60	0.80	3.0	0.31	0.16	0.03	<0.01	<1.0	<0.01
BR-08-23	360.60	361.50	0.90	<1.0	<0.01	<0.01	0.02	<0.01	2.4	<0.01
BR-08-23	361.50	362.40	0.90	3.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-08-23	362.40	363.60	1.20	4.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO ₄ (%)	Sb (%)
BR-08-23	363.60	364.40	0.80	5.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	364.40	365.50	1.10	8.0	0.45	0.20	0.03	0.01	<1.0	<0.01
BR-08-23	365.50	366.10	0.60	8.0	0.23	0.11	0.02	0.03	1.4	0.01
BR-08-23	366.10	367.00	0.90	15.0	0.05	0.09	0.04	0.11	<1.0	0.03
BR-08-23	367.00	367.80	0.80	19.0	0.39	0.39	0.04	0.05	<1.0	0.01
BR-08-23	367.80	369.00	1.20	18.0	0.55	0.26	0.03	0.03	<1.0	0.01
BR-08-23	369.00	369.90	0.90	48.0	0.57	0.26	0.06	0.06	<1.0	0.03
BR-08-23	369.90	371.00	1.10	17.0	0.11	0.05	0.05	0.01	<1.0	<0.01
BR-08-23	371.00	372.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	1.2	<0.01
BR-08-23	372.00	373.00	1.00	2.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-08-23	373.00	374.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	374.00	375.00	1.00	2.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-08-23	375.00	376.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	376.00	377.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	377.00	378.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-08-23	378.00	379.00	1.00	4.0	0.05	0.02	<0.01	<0.01	<1.0	<0.01
BR-08-23	379.00	380.80	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01

APPENDIX 2: JORC TABLES

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	Drill core samples were collected from half cut PQ3 and HQ3 diameter core, where the core was sawn exactly in half along a pre-defined cutting line. The half core samples, typically weighing between 4-12kg, were placed into labelled and tagged sample bags prior to dispatch to the SGS Ankara laboratory in Turkey. Sample intervals were determined by the geologist, usually at 1m intervals within massive ore, otherwise separated on narrower intervals where geological boundaries exist.
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	Sample intervals were selected by the logging geologist based on geological criteria or using a nominal maximum 1m sample length in homogenous massive sulphide ore. A minimum sample length of 0.2m is employed where necessary. Sampling is based on visually mineralised intervals, with a calibrated portable XRF device used only as a guide.
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g., submarine nodules) may warrant disclosure of detailed information.</i>	For drill hole analyses, diamond drilling was used to obtain 4 to 12kg samples, crushed and pulverized at SGS Ankara, Turkey (code PRP89). All core samples were sent to SGS Ankara, Turkey by truck for gold analysis by 30-gram fire assay with AA finish (code FAA303), and multi-element analyses were conducted by the same lab using a highly oxidising digestion with ICP-AES finish (code ICM40B). Barite was assayed using lithium borate fusion prior to acid dissolution and ICP-MS analysis (code ICP95A). Overlimit Barium (> 10%) results were analysed using portable pXRF (code pXRF73C27) and the results above detection limit (50%) sent to SGS Lakefield, Canada by air freight for XRF analysis (GC_XR76V).
Drilling techniques	<i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	All drill holes were drilled using PQ3 and HQ3 diameter core. All drill holes were drilled by drilling contractor Drilllex BH d.o.o., a division of Drilllex International. PQ3 and HQ3 core was held in a core barrel by a stainless steel "split" inner tube. The use of the inner tube ensured that all core maintained its orientation prior to removal into the core trays. Drill core was stored in suitable core boxes and stacked inside the exploration facility in Vares. All drillholes were surveyed at 9m and every 30m thereafter by a Reflex "Ezy-Track" digital down-hole survey tool. No significant deviation or drilling problems have been identified.



Section 1 Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>	All core was geotechnically logged to verify drillers blocks, record run length, recovered length, core recovery (%) and RQD.
	<i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>	There is no observed relationship between sample recovery and grade, and no significant loss of core. No sample bias has been identified. Core recoveries are generally >90%
	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	Core samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.
	<i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>	All core is photographed. Core logging is both qualitative and quantitative. Logging records lithology, alteration, structures, veining, sulphide minerals and percentages.
	<i>The total length and percentage of the relevant intersections logged.</i>	100% of drill core is logged.
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>	Drill core was cut in half using an Almonte automatic diamond core saw. Nominally 1 in 30 samples were cut in quarters, and both halves analysed (for purposes of field duplicates).
	<i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>	Not applicable, as all samples are core.
	<i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>	Collection of around 4-6kg of half core material with subsequent pulverisation of the total charge provided an appropriate and representative sample for analysis. Sample preparation was undertaken at the SGS Ankara, to industry best practice.
	<i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i>	Whole rock blanks and certified standards (~1 in 15) were introduced to the sample run to ensure laboratory QAQC. Industry best practice was adopted by SGS for laboratory sub-sampling and the avoidance of any cross contamination. SGS inserted internal controls and cleaned all sampling equipment with a barren quartz rock every 20 samples. All sample preparation stations and equipment were compressed air cleaned after every sample. A QAQC inspection of SGS facilities was completed in October 2022 by Adriatic Metals.
	<i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i>	The half core sampling is considered a reasonable representation of the in-situ material. Nominally 1 in 30 samples were cut in quarters, and both halves analysed (for purposes of field duplicates). All field duplicate, coarse duplicate and pulp duplicates are reviewed and compared. Standards and Blanks are investigated if over 2SD from certified mean and re-assay initiated if over 3SD or as required when over 2SD to validate materials either side of poorly performing blanks or standards.
	<i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	Sample size of around 4-12kg is appropriate and to reasonably represent the material being tested.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>	Sample preparation was undertaken at the facilities of SGS in Ankara, Turkey. Assay analysis was completed at SGS Ankara, Turkey. All facilities are industry best practice and ISO certified. Multi elements were assayed by an ICP-AES technique following a four-acid digest. Gold was determined using a fire assay on nominal 30g charges. Barite was determined from a lithium meta-borate fusion followed by dissolution and ICP-AES analysis. Total carbon and sulphur was determined by a Leco analyzer. All techniques were appropriate for the elements being determined. Use of a 4-Acid digest is a near-total digestion of all minerals present. Additional XRF analysis is required to determine accurate concentrations of barium as part of reported assays.
	<i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the Analysis including instrument make and model, reading</i>	There was no reliance on determination of analysis by geophysical tools. All analyses as reported and used in any calculations are by ISO certified



Section 1 Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
	<i>times, calibrations factors applied and their derivation, etc.</i>	laboratories, (SGS Ankara), using calibrated, industry standard and recognized methods, QAQC and equipment.
	<i>Nature of quality control procedures adopted (e.g., standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e., lack of bias) and precision have been established.</i>	Certified Reference Materials ("CRM's"), certified blanks, quarter core replicates were considered to be appropriate for the elements being analysed. CRM's, blanks and replicates were added at a rate better than 1 in 15. All results reported by SGS on the CRMs and blanks were within 3 standard deviations (3SD). Where deviations greater than 2SD were noted, investigations were completed and where necessary samples above and below queried Standards and Blanks were re-assayed. To date returned results are considered to be representative of material sampled. A program of 5% of assay pulps being submitted for Umpire lab re-assay is under way as part of ongoing QAQC controls in addition to measures already in place.
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i>	There has been no independent re-logging of mineralised intervals. . Significant mineralisation is reviewed internally by multiple Senior geological staff, the Vares Project Exploration Manager, and Head of Exploration. Significant intercepts are visually verified daily as core is brought in for logging, included in summary logs, and then cross-checked during detailed logging.
	<i>The use of twinned holes.</i>	None of the reported holes are twin holes. Holes completed are part of tight 'drill fans' with separation of holes between fans of 25m to 30m with respect to targeted ore zones. Separation distances are <25m between holes closer to surface. Several holes although not planned as twin holes, being drilled from adjacent drill platforms, have passed through the trace of previous holes and replicated mineralisation. Confirming position, grade and thickness.
	<i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>	Data is stored in a Cloud Server with server back-ups at various locations including Vares, Bosnia & Herzegovina and Cheltenham, UK. The data and databases is managed by consultants gDat Data Solutions in an acQuire database. The acQuire database is regularly backed-up.
	<i>Discuss any adjustment to assay data.</i>	No adjustments were necessary.
Location of data points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	Sampling sites were surveyed using Total Station to better than 0.05m accuracy in the local BiH coordinate system.
	<i>Specification of the grid system used.</i>	The grid system used MGI 1901 / Balkans Zone 6.
	<i>Quality and adequacy of topographic control.</i>	The topographic surface of the immediate area was generated from a LiDAR survey to an accuracy of approximately 0.05m. It is considered sufficiently accurate for the Company's current activities. All drill collars have been compared to the LiDAR surface and physically validated where discrepancies in elevation or position were noted. Validation has been periodically required in mountainous terrain where holes post-date LiDAR and earthworks have been completed to establish drill pads.
Data spacing and distribution	<i>Data spacing for reporting of Exploration Results.</i>	Drill hole spacing does not exceed 50m which is considered acceptable for reporting exploration results. The nominal drill spacing is on 40m spaced sections. The primary method of drilling is to complete holes from a single drill platform in mountainous terrain. Holes are drilled as part of a 'fan' of holes. Design of holes aims to achieve a nominal 25m to 30m separation between mineralised zones to achieve either an Inferred or Indicated level of exploration confidence. No MRE has yet been completed for Rupice NW.
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	Drill hole spacing is deemed sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource classification to be applied. The data spacing is suitable for a stratabound, continuous style of polymetallic mineralisation with minimal structural disturbance or remobilisation.
	<i>Whether sample compositing has been applied.</i>	Sample compositing was not applied. Currently reported results are on a nominal 1m spacing unless samples have been character sampled or



Section 1 Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
		extended to visual contacts. Minimum sample size is 0.2m and maximum is 1.2m.
Orientation of data in relation to geological structure	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	Drill holes have been drilled at between 55-90° to the mineralised body. The mineralised body generally shallow dipping to the NE and plunging to the NW at angles of 30 to 40 degrees. Current drilling intersects mineralisation at generally a high oblique angle.
	<i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	The drilling orientation has not introduced a sampling bias, as the drilling is at a high angle to the mineralised body (oblique).
Sample security	<i>The measures taken to ensure sample security.</i>	Chain of Custody of digital data is managed by the Company. Physical material was stored on site and, when necessary, delivered to the assay laboratory. Thereafter laboratory samples were controlled by the nominated laboratory. All sample collection was controlled by digital sample control file(s) and hard-copy ticket books. Transfer of samples from Vares to Ankara is by a dedicated enclosed commercial truck. No other freight is included with shipments. Weigh-bills are used as are multiple customs declarations. Dispatched samples have sample tickets included, are referenced to a pre-dispatch sample submission sheet, and are cross-checked on receipt at laboratory. To date no discrepancies, sample loss or tampering with samples has been recorded.
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	Laboratory audits of SGS Ankara, Turkey, sample preparation and analysis facilities was made by-Sergei Smolonogov, Head of Exploration of Adriatic Metals, in October 2022. There were no material issues found for the 2022 drill programme. Areas for laboratory improvement were noted but were not considered material to sample QAQC outcomes at this time.

Section 2 Reporting of Exploration Results
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>	The Rupice deposit is located within the Company's 100% owned Concession, No. 04-18-21389-1/13, located 13km west of Vares in Bosnia. There are no known material issues with any third party other than royalties due to the State.
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	The Concession is in good standing with the governing authority and there is no known impediment to the Concession remaining in force until 2038 (25 years), subject to meeting all necessary reporting requirements.
Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	Modern exploration commenced with the work of Energoinvest in the late 1960s. During 1968-1969 underground development of 455m of drives and cross cuts were made, and 11 surface trenches dug for a total length of 93.5m. Between 1980 and 1989, 49 holes were drilled for an advance of 5,690.8m. Sample material from all of these programs was routinely analysed for lead, zinc, and barite, and on occasion silver and gold. The deposit was the subject of a number of reserve estimates in the 1980s. This work is documented in many reports which are certified by those geoscientists and Institutes that undertook the work. The work is considered to be of a standard equal to that found within today's exploration industry.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	The host rocks at Rupice comprise Middle Triassic limestone, dolostone, calcareous and dolomitic marl, and a range of mostly fine-grained siliciclastic rocks including cherty mudstone, mudstone, siltstone and fine-grained sandstone. The main mineralised horizon is a brecciated dolomitic unit that dips at around 50° to the northeast and has been preferentially mineralised with base, precious and transitional metals. The Triassic and Jurassic sequences have been deformed by early-stage ductile shearing and late stage brittle faulting. The Rupice polymetallic mineralisation consists of sphalerite, galena, barite and chalcopyrite with gold, silver, tetrahedrite, boulangerite and bournonite, with pyrite. The majority of the high-grade mineralisation is hosted within a brecciated dolomitic unit, which is interpreted to be cross-cut by



Section 1 Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
		northwest striking, westerly dipping syn-post mineral faulting. This faulting is interpreted to displace the mineralised body. Thickening of the central portion of the orebody occurs in an area of structural complexity. Mineralised widths of up to 65m true thickness are seen in the central portion of the orebody. To date, the massive sulphide mineralisation at Rupice has a defined strike length of 650m, with an average true-width thickness of around 20m. However, recent drilling northwest of Rupice has intercepted a massive sulphide body referred to as Rupice NW. Rupice NW is not yet connected by drilling to Rupice mineralisation across an approximate strike gap of 90m. Rupice NW currently has a strike extent of approximately 250m with mineralisation remaining open in all directions. The Rupice NW mineralisation appears not impacted by deformation at the scale of drilling and compared to Rupice is a continuous tabular stratabound mineralised body. Multiple mineralised intercepts at Rupice NW have true thicknesses of over 40m along the centre axis of mineralisation. Mineralisation away from the central NW-SE strike axis tapers away at the margins to <1.<0.01m true thickness. This can be 60m to 80m away and either side from the strike axis centre line. The up-dip and down-dip extents of Rupice NW have not as yet been closed-off, therefore a true SW-NE width of mineralisation cannot be stated. The strike extent is similarly open. To the NW, the Rupice NW mineralisation appears to be thickening and widening on the last sections drilled. To the SE and closest to Rupice, mineralisation is still continuous, and has a thickness of up to 20m. There is a distance of only 90m to connect Rupice NW along strike to Rupice. Rupice NW mineralisation is strongly associated with barite forming matrix to sulphides. Barite can be up 80% of mineralised zones. Galena, sphalerite, pyrite and chalcopyrite are the most visible and identifiable sulphides during logging. The footwall zone below massive and semi-massive sulphides is pervasively silica -sericite altered with fine disseminated sulphides throughout and crosscut by base metal stringer zones and mineralised faults / shears. This alteration zone can extend 20m to 30m below massive and semi-massive sulphides. Overall, the footwall zone appears enriched in zinc. On the hanging wall of Rupice NW there is a pyrite rich, low barite, high base metal content horizon of mineralisation referred to as the Upper Zone. It is approximately 90m to 100m vertically above Rupice NW. It appears to be a mineralised zone occurring as matrix within a dolomite / limestone breccia. The mineralised Upper Zone marks the transition from Jurassic into mineralised Triassic sediments and generally occurs at the base of a major thrust zone.
Drill hole information	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> - o <i>easting and northing of the drill hole collar</i> - o <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> - o <i>dip and azimuth of the hole</i> - o <i>downhole length and interception depth</i> - o <i>hole length.</i> <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	Drilling data for the reported drill holes is included in Tables 1-3 of Appendix 1.
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i>	Significant intercepts were calculated by applying a lower cut-off grade of 50g/t AgEq (<i>see notes in Table 1 for assumptions for AgEq & ZnEq calculations</i>), Grade recoveries of 90% and commodity prices as used for the Rupice updated MRE from 2020 were applied, since no metallurgical test work has been conducted on the Rupice Northwest extension area. 1m minimum interval and maximum internal dilution of 5m. A top-cut was not applied. Significant intercepts were reported as weighted averages.



Section 1 Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
	<i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i>	Short lengths of significant high-grade results were defined as > 600 g/t AgEq, having a minimum 1m interval and maximum internal dilution of 5m. Results are shown in Table 1 of the main reporting document.
	<i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	Equivalent explanations are described in the body of the text.
Relationship between mineralisation widths and intercept lengths	<i>These relationships are particularly important in the reporting of Exploration Results.</i>	Only downhole interval lengths are reported.
	<i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i>	The majority of the high-grade Rupice mineralisation is hosted within a brecciated dolomitic unit, which is cross-cut by northwest striking, westerly dipping syn-post mineral faulting. This faulting is interpreted to displace the mineralised body. Evidence of displacement is not yet apparent or confirmed. Thickening of the central portion of the orebody occurs in an area of interpreted local folding and deformation. Mineralised widths up to 65m true thickness are seen in the central portion of the orebody. To date, the massive sulphide mineralisation at Rupice has a defined strike length of 650m with an average true-width thickness of around 20m. However, mineralisation at Rupice still remains open along strike to the NW, SE, up-dip and down-dip. Recent drilling by Eastern Mining was mostly inclined at between -55° and -67° to the southwest, perpendicular to the deposit strike, and intersected the mineralisation reasonably orthogonally. Similarly for Rupice NW. Drilling at 55 to 90 degrees has intersected mineralisation at a high angle to mineralisation dipping to the NE and plunging to the NW from 30 to 40 degrees.
	<i>If it is not known and only the downhole lengths are reported, there should be a clear statement to this effect (e.g. 'downhole length, true width not known').</i>	Only downhole lengths are reported.
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Relevant maps and diagrams are included in the body of the report.
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high-grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	All assay tables for all reported holes are included in the main reporting document.
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	No substantive exploration data not already mentioned in the announcement or in this table have been used.
Further work	<i>The nature and scale of planned further work (e.g. tests for lateral</i>	



Section 1 Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
	<i>extensions or depth extensions or large-scale step-out drilling).</i>	Further drilling will be undertaken in 2023 for mineralisation along strike, and up and down dip. dependent on exploration success and funding.
	<i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Adriatic Metals has committed to fully defining Rupice NW within its exploration tenement to complete an updated Rupice MRE and Maiden Rupice NW MRE. Drilling will be on a 40m section spacing, with mineralization pierce points nominally 25m to 30m between hole intercepts. Fan drilling from a single drill platform per section will be used to intersect the majority of holes per section. Additional drill platforms will be constructed where a single fan cannot fully drill out a section. Specific focus will be placed on resolving whether Rupice NW can be connected to the main body of Rupice mineralisation across a 90m drilling gap. Diagrams showing areas of open mineralisation and opportunity are part of the main body of the public announcement.